PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) Langetine I Para Clarifortine 6		$\overline{}$		
(51) International Patent Classification ⁶ :	A1	(1	1) International Publication Number:	WO 98/30083
A01H 1/00, C07H 21/04, C07K 14/00, C12N 5/04, 5/10, C12P 19/34, C12Q 1/68	AI	(4	3) International Publication Date:	16 July 1998 (16.07.98)
(21) International Application Number: PCT/US	98/006	15	(81) Designated States: CA, JP, Europear DK, ES, FI, FR, GB, GR, IE, IT,	
(22) International Filing Date: 9 January 1998 (09.01.9	98)	DR, ES, FI, FR, OD, OR, ID, IT,	EO, MC, ME, 11, 5E).
(30) Priority Data: 08/781,734 10 January 1997 (10.01.97)	τ	US	Published With international search report.	
(71) Applicant: THE REGENTS OF THE UNIVERS CALIFORNIA [US/US]; 22nd floor, 300 Lakesic Oakland, CA 94612 (US).				
(72) Inventors: SHEN, Kathy; 44228 Country Club I Macero, CA 95618 (US). MEYERS, Blake; 9 Drive, Davis, CA 95616 (US). MICHELMORE, W.; 36757 Russel Boulevard, Davis, CA 95616 (US)	04 Dra Richa	ike		
(74) Agents: EINHORN, Gregory, P. et al.; Towns Townsend and Crew LLP, 8th floor, Two Em Center, San Francisco, CA 94111 (US).				
·				
(54) Title: RG NUCLEIC ACIDS FOR CONFERRING	DISFA	SE	RESISTANCE TO PLANTS	
(57) Abstract	D. 102.1		NEOD TO LEINTO	
The present invention provides RG nucleic acids at used to produce transgenic plants resistant to pests. Antibo				The nucleic acids can be
1				

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

RG NUCLEIC ACIDS FOR CONFERRING DISEASE RESISTANCE TO PLANTS

5

10

15

20

25

30

The present application is a continuation-in-part application ("CIP") of U.S. Patent Application Serial No. ("USSN") 08/781,734, filed January 10, 1997. The aforementioned application is explicitly incorporated herein by reference in its entirety and for all purposes.

This invention was made with Government support under Grant Nos. 92-37300-7547 and 95-37300-1571, awarded by the United States Department of Agriculture. The Government has certain rights in this invention.

FIELD OF THE INVENTION

The present invention relates generally to plant molecular biology. In particular, it relates to nucleic acids and methods for conferring pest resistance in plants. particularly lettuce.

BACKGROUND OF THE INVENTION

Recently, several resistance genes have been cloned by several groups from several plants. Many of these genes are sequence related. The derived amino acid sequences of the most common class, *RPS2*, *RPM1* (bacterial resistances in *Arabidopsis* (Mindrinos *et al. Cell* 78:1089-1099 (1994)); Bent *et al. Science* 265:1856-1860 (1994); Grant *et al.*, *Science* 269:843-846 (1995)), *L6* (fungal resistance in flax; Lawrence, *et al.*, *The Plant Cell* 7:1195-1206 (1995)), and *N*, (virus resistance in tobacco; Whitham, *et al.*, *Cell* 78:1101-1115 (1994); and U.S. Patent No. 5,571,706), all contain leucine-rich repeats (LRR) and nucleotide binding sites (NBS).

The NBS is a common motif in several mammalian gene families encoding signal transduction components (e.g., Ras) and is associated with ATP/GTP-binding sites.

The NBS is a common motif in several mammalian gene families encoding signal transduction components (e.g., Ras) and is associated with ATP/GTP-binding sites.

LRR domains can mediate protein-protein interactions and are found in a variety of proteins involved in signal transduction, cell adhesion and various other functions. LRRs are leucine rich regions often comprising 20-30 amino acid repeats where leucine and other aliphatic residues occur periodically. LRRs can function extracellularly or intracellularly.

5

10

15

20

25

30

Since the onset of civilization, plant diseases have had catastrophic effects on crops and the well-being of the human population. Plant diseases continue to effect enormous human and economic costs. An increasing human population and decreasing amounts of arable land make all approaches to preventing and treating plant pathogen destruction critical. The ability to control and enhance a plant's protective responses against pathogens would be of enormous benefit. Tissue-specific and temporal control of mechanisms responsible for plant cell death would also be of great practical and economic value. The present invention fulfills these and other needs.

What is needed in the art are plant disease resistance genes and means to create transgenic disease resistance plants, particularly in lettuce. Further, what is needed in the art is a means to DNA fingerprint cultivars and germplasm with respect to their disease resistance haplotypes for use in plant breeding programs. The present invention provides these and other advantages.

SUMMARY OF THE INVENTION

The present invention provides isolated nucleic acid constructs. These constructs comprise an RG (resistance gene) polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, and an RG4 polypeptide. RG1, RG2, RG3, RG4, and the like, represent individual "RG families." Each "RG family," as defined herein, is a group of polypeptide sequences that have at least 60% amino acid sequence identity. Individual members of an RG family, i.e.. individual species of the genus, typically map to the same genomic locus. The invention provides for constructs comprising nucleotides encoding the RG families of the

invention, which can include sequences encoding a leucine rich region (LRR), and/or a nucleotide binding site (NBS), or both.

5

10

15

20

25

30

The invention provides for an isolated nucleic acid construct comprising an RG polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide from an RG family selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide. In alternative embodiments, the nucleic acid construct comprises an RG polynucleotide which encodes an RG polypeptide comprising an leucine rich region (LRR), or, an RG polypeptide comprising a nucleotide binding site (NBS). The nucleic acid construct can comprise a polynucleotide which is a full length gene. In another embodiment, the nucleic acid construct encodes a fusion protein.

In one embodiment, the nucleic acid construct comprises a sequence encoding an RG1 polypeptide. The RG1 polypeptide can be encoded by a polynucleotide sequence selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 and SEQ ID NO:137 (RG1B), SEQ ID NO: 3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEQ ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).

In another embodiment, the nucleic acid construct comprises a sequence encoding an RG2 polypeptide. The RG2 polypeptide can be encoded by a polynucleotide sequence selected from the group consisting of: SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C); SEQ ID NO:30 (RG2D); SEQ ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2D); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEQ ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).

In other embodiments, the nucleic acid construct comprises a RG3 sequence (SEQ ID NO:68) encoding an RG3 polypeptide (SEQ ID NO:138) (RG3). In other embodiments, the nucleic acid construct comprises an RG4 sequence (SEQ ID NO:69) encoding an RG4 polypeptide (SEQ ID NO:139) (RG4).

In other embodiments, the nucleic acid construct comprises a RG5 sequence (SEQ ID NO:134) encoding an RG5 polypeptide (SEQ ID NO:135). The RG5 polypeptide can be encoded by a polynucleotide sequence as set forth in SEQ ID NO:134.

5

10

15

20

25

30

The invention also provides for a nucleic acid construct which comprises an RG7 sequence encoding an RG7 polypeptide. The RG7 polypeptide can be encoded by a polynucleotide sequence as set forth in SEQ ID NO:136.

In further embodiments, the nucleic acid construct can further comprise a promoter operably linked to the RG polynucleotide. In alternative embodiments, the promoter can be a plant promoter; a disease resistance promoter; a lettuce promoter; a constitutive promoter; an inducible promoter; or, a tissue-specific promoter. The nucleic acid construct can comprise a promoter sequence from an RG gene linked to a heterologous polynucleotide.

The invention also provides for a transgenic plant comprising a recombinant expression cassette comprising a promoter operably linked to an RG polynucleotide. The expression cassette can comprise a plant promoter or a viral promoter; the plant promoter can be a heterologous promoter. In one embodiment, the transgenic plant is lettuce. In alternative embodiments, the transgenic plant comprises an expression cassette which includes an RG polynucleotide selected from the group consisting of SEQ ID NO:1 (RG1A); SEQ ID NO:2 and SEQ ID NO:137 (RG1B); SEQ ID NO: 3 (RG1C); SEQ ID NO:4 (RG1D); SEQ ID NO:5 (RG1E); SEQ ID NO:6 (RG1F); SEQ ID NO:7 (RG1G); SEO ID NO:8 (RG1H); SEQ ID NO:9 (RG1I) and SEQ ID NO:10 (RG1J); SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C): SEO ID NO:30 (RG2D); SEO ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEO ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104

(RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W); SEQ ID NO:68 (RG3); SEQ ID NO:69 (RG4); SEQ ID NO:134 (RG5); or SEQ ID NO:136 (RG7).

5

10

15

20

25

30

The invention provide for a transgenic plant comprising an expression cassette comprising an RG polynucleotide which can encode an RG1 polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEQ ID NO:13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), or SEQ ID NO:20 (RG1J); or, an RG2 polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEO ID NO:47 (RG2G); SEO ID NO:48 (RG2H); SEO ID NO:49 (RG2I); SEO ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEO ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2O): SEO ID NO:125 (RG2S); SEO ID NO:127 (RG2T); SEO ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W); an RG4 polypeptide as set forth by SEQ ID NO:72; an RG5 polypeptide with a sequence as set forth by SEQ ID NO:135; or, an RG7 polypeptide.

The invention also provides for a method of enhancing disease resistance in a plant, the method comprising introducing into the plant a recombinant expression cassette comprising a promoter functional in the plant and operably linked to an RG polynucleotide sequence. In this method, the plant can be a lettuce plant; and, the RG polynucleotide can encode an RG polypeptide selected from the group consisting of an RG1 polypeptide selected from the group consisting of an RG1 polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEQ ID NO:13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID

NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), or SEQ ID NO:20 (RG1J); or, an RG2 polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:72; SEQ ID NO:74; SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W). In this method, the promoter can be a plant disease resistance promoter, a tissue-specific promoter, a constitutive promoter, or an inducible promoter.

5

10

15

20

25

30

The invention also provides for a method of detecting RG resistance genes in a nucleic acid sample, the method comprising: contacting the nucleic acid sample with an RG polynucleotide to form a hybridization complex; and, wherein the formation of the hybridization complex is used to detect the RG resistance gene in the nucleic acid sample. In this method, the RG polynucleotide can be an RG1 polynucleotide, an RG2 polynucleotide, an RG3 polynucleotide, an RG4 polynucleotide, an RG5 polynucleotide or an RG7 polynucleotide. In this method, the RG resistance gene can be amplified prior to the step of contacting the nucleic acid sample with the RG polynucleotide, and, the RG resistance gene can be amplified by the polymerase chain reaction. In one embodiment, the RG polynucleotide is labeled.

The invention further provides for an RG polypeptide having at least 60% sequence identity to a polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.

A further understanding of the nature and advantages of the present invention may be realized by reference to the remaining portions of the specification, the figures and claims.

All publications, patents and patent applications cited herein are hereby expressly incorporated by reference for all purposes.

5

10

15

20

25

30

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to families of RG genes, particularly from Lactuca sativa. Nucleic acid sequences of the present invention can be used to confer resistance in plants to a variety of pests including viruses, fungi, nematodes, insects, and bacteria. Sequences from within the RG genes can be used to fingerprint cultivars or germplasm for the presence of desired resistance genes. Promoters of RG genes can be used to drive heterologous gene expression under conditions in which RG genes are expressed. Further, the present invention provides RG proteins and antibodies specifically reactive to RG proteins. Antibodies to RG proteins can be used to detect the type and amount of RG protein expressed in a plant sample.

The present invention has use over a broad range of types of plants, including species from the genera Cucurbita, Rosa, Vitis, Juglans, Fragaria, Lotus, Medicago, Onobrychis, Trifolium, Trigonella, Vigna, Citrus, Linum, Geranium, Manihot, Daucus, Arabidopsis, Brassica, Raphanus, Sinapis, Atropa, Capsicum, Datura, Hyoscyamus, Lycopersicon, Nicotiana, Solanum, Petunia, Digitalis, Majorana, Ciahorium, Helianthus, Lactuca, Bromus, Asparagus, Antirrhinum, Heterocallis, Nemesis, Pelargonium, Panieum, Pennisetum, Ranunculus, Senecio, Salpiglossis, Cucumis, Browaalia, Glycine, Pisum, Phaseolus, Lolium, Oryza, Zea, Avena, Hordeum, Secale, Triticum, and, Sorghum. In particularly preferred embodiments, species from the family Compositae and in particular the genus Lactuca are employed such as L. sativa and such subspecies as crispa, longifolia, and asparagina.

The nucleic acids of the present invention can be used in marker-aided selection. Marker-aided selection does not require the complete sequence of the gene or precise knowledge of which sequence confers which specificity. Instead, partial sequences can be used as hybridization probes or as the basis for oligonucleotide primers to amplify nucleic acid, e.g., by PCR. Partial sequences can be used in other methods, such as to

follow the segregation of chromosome segments containing resistance genes in plants. Because the RG marker is the gene itself, there can be negligible recombination between the marker and the resistance phenotype. Thus, RG polynucleotides of the present invention provide an optimal means to DNA fingerprint cultivars and wild germplasm with respect to their disease resistance haplotypes. This can be used to indicate which germplasm accessions and cultivars carry the same resistance genes. At present, selection of plants (e.g., lettuce) for resistance to some diseases is slow and difficult. But linked markers allow indirect selection for such resistance genes. Moreover, RG markers also allow resistance genes to be identified and combined in a manner that would not otherwise be possible. Numerous accessions have been identified that provide resistance to all isolates of downy mildew (Bremia lactucae). However, without molecular markers it is impossible to combine such resistances from different sources. The nucleic acid sequences of the invention provide for a fast and convenient means to identify and combine resistances from different sources. The RG markers of the invention can also be used to identify recombinants that have new combinations of resistance genes in cis on the same chromosome.

5

10

15

20

25

30

In addition, RG markers may allow the identification of the Mendelian factors determining traits, such as field resistance to downy mildew. Once such markers have been identified, they will greatly increase the ease with which field resistance can be transferred between lines and combined with other resistances.

In another application, primers to RG sequences can be also designed to amplify sequences that are conserved in multiple RG family members. This gives genetic information on multiple RG family members. Alternatively, one or more primers can be made to sequences unique to a single resistance gene genus or a single RG specie. This allows an analysis of individual family groups (an RG genus) or an individual family member (a specie). Primers made to individual RGs at the edge of each cluster can be used to select for recombinants within the cluster. This minimizes the amount of linkage drag during introgression. Classical and molecular genetics has shown that pest resistance genes tend to be clustered in the genome. Pest resistance loci comprise arrays of genes and exhibit a variety of complex haplotypes rather than being simple alternate allelic forms. Pest resistance is conferred by families, or genuses, of related RG sequences, individual members, or species, of which have evolved to have a different specificity.

Oligonucleotide primers can be designed that amplify members from multiple haplotypes, or genuses, or amplify only members of one genus, or only amplify an individual specie. This will provide codominant information and allow heterozygotes to be distinguished from homozygotes.

Further, comparison of RG sequences will allow a determination of which sequences are critical for resistance and will ultimately lead to engineering resistance genes with new specificities. Resistance gene sequences were not previously available for lettuce. Marker-aided selection will greatly increase the precision and speed of breeding for disease resistance. Transgenic approaches will allow pyramiding of resistance genes into a single Mendelian unit, transfer between sexually-incompatible species, substitute for conventional backcrossing procedures, and allow expression of other genes in parallel with resistance genes.

The RG polynucleotides also have utility in the construction of disease resistant transgenic plants. This avoids lengthy and sometimes difficult backcrossing programs currently necessary for introgression of resistance. It is also possible to transfer resistance polynucleotides between sexually-incompatible species, thereby greatly increasing the germplasm pool that can be used as a source of resistance genes. Cloning of multiple RG sequences in a single cassette will allow pyramiding of genes for resistance against multiple isolates of a single pathogen such as downy mildew or against multiple pathogens. Once introduced, such a cassette can be manipulated by classical breeding methods as a single Mendelian unit.

Transgenic plants of the present invention can also be constructed using an RG promoter. The promoter sequences from RG sequences of the invention can be used with RG genes or heterologous genes. Thus, RG promoters can be used to express a variety of genes in the same temporal and spatial patterns and at similar levels to resistance genes.

Nucleic acids of the Invention and Their Preparation

RG Polynucleotide Families

5

10

15

20

25

30

The present invention provides isolated nucleic acid constructs which comprise an RG polynucleotide. In alternative embodiments, the RG polynucleotide is at least 18 nucleotides in length, typically at least 20, 25, or 30 nucleotides in length, more

typically at least 100 nucleotides in length, generally at least 200 nucleotides in length, preferably at least 300 nucleotides in length, more preferably at least 400 nucleotides in length, and most preferably at least 500 nucleotides in length.

5

10

15

20

25

30

In particularly preferred embodiments, the RG polynucleotide encodes a RG protein which confers resistance to plant pests. This RG protein can be longer, equivalent, or shorter than the RG protein encoded by an RG gene. In various embodiments, an RG polynucleotide can hybridize under stringent conditions to members of an RG family (an RG genus); *e.g.*, it can hybridize to a member of the RG1 RG family, such as an RG1 polynucleotide selected from the group consisting of: SEQ ID NO:1 (RG1A); SEQ ID NO:2 and SEQ ID NO:137 (RG1B); SEQ ID NO:3 (RG1C); SEQ ID NO:4 (RG1D); SEQ ID NO:5 (RG1E); SEQ ID NO:6 (RG1F); SEQ ID NO:7 (RG1G); SEQ ID NO:8 (RG1H); SEQ ID NO:9 (RG1I) and SEQ ID NO:10 (RG1J).

In other embodiments, the polynucleotide can also hybridize under stringent conditions to a member of the RG2 family; such as an RG2 polynucleotide selected from the group consisting of: SEQ ID NO:21 and SEQ ID NO:27 (RG2A); SEQ ID NO:23 and SEQ ID NO:28 (RG2B); SEQ ID NO:29 (RG2C); SEQ ID NO:30 (RG2D); SEQ ID NO:31 (RG2E); SEQ ID NO:32 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:34 (RG2H); SEQ ID NO:35 (RG2I); SEQ ID NO:36 (RG2J); SEQ ID NO:37 (RG2K); SEQ ID NO:38 (RG2L); SEQ ID NO:39 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:112 (RG2J); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).

In alternative embodiments, each RG2 gene can also include an AC15 sequence which hybridizes under stringent conditions to a polynucleotide selected from the group consisting of: SEQ ID NO:56 (AC15-2A); SEQ ID NO:57 (AC15-2B); SEQ ID NO:58 (AC15-2C); SEQ ID NO:59 (AC15-2D); SEQ ID NO:60 (AC15-2E); SEQ ID NO:61 (AC15-2G); SEQ ID NO:62 (AC15-2H); SEQ ID NO:63 (AC15-2I); SEQ ID

NO:64 (AC15-2J); SEQ ID NO:65 (AC15-2L); SEQ ID NO:66 (AC15-2N); SEQ ID NO:67 (AC15-2O).

In other embodiments, an RG polynucleotide can hybridize under stringent conditions to an RG3 (SEQ ID NO:68), an RG4 (SEQ ID NO:69), and RG5 (SEQ ID NO:135), and an RG7 (SEQ ID NO:137), RG family member.

5

10

15

20

25

30

The present invention further provides nucleic acid constructs which comprise an RG polynucleotide which encodes RG polypeptides from various RG families; such as an RG polypeptide having at least 60% sequence identity to an RG polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, and RG4 polypeptide, and RG5 polypeptide, and an RG7 polypeptide.

Exemplary RG1 polypeptides have the sequences shown in SEQ ID NO:2 (RG1A), SEQ ID NO:4 (RG1B), SEQ ID NO:6 (RG1C), SEQ ID NO:8 (RG1D), SEQ ID NO:10 (RG1E), SEQ ID NO:12 (RG1F), SEQ ID NO:14 (RG1G), SEQ ID NO:16 (RG1H), SEQ ID NO:20 (RG1J). Exemplary RG2 polypeptides have the sequences shown in SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W).

An exemplary RG3 polypeptide has the sequence shown in SEQ ID NO:138. An exemplary RG4 polypeptide has the sequence shown in SEQ ID NO:139. RG polynucleotides will have at least 60% identity, more typically at least 65% identity, generally at least 70% identity, and preferably at least 75% identity, more preferably at least 80% identity, and most preferably at least 85%, 90%, or 95% identity at the deduced amino acid level. The regions where substantial identity is assessed can be inclusive or exclusive of the nucleotide binding site or the leucine rich region.

5

10

15

20

25

30

Vectors and Transcriptional Control Elements

The invention, providing methods and reagents for making novel species and genuses of RG nucleic acids described herein, further provides methods and reagents for expressing these nucleic acids using novel expression cassettes, vectors, transgenic plants and animals, using constitutive and inducible transcriptional and translational cis-(e.g., promoters and enhancers) and trans-acting control elements.

PCT/US98/00615

The expression of natural, recombinant or synthetic plant disease resistance polypeptide-encoding or other (i.e., antisense, ribozyme) nucleic acids can be achieved by operably linking the coding region a promoter (that can be plant-specific or not, constitutive or inducible), incorporating the construct into an expression cassette (such as an expression vector), and introducing the resultant construct into an in vitro reaction system or a suitable host cell or organism. Synthetic procedures may also be used. Typical expression systems contain, in addition to coding or antisense sequence, transcription and translation terminators, polyadenylation sequences, transcription and translation initiation sequences, and promoters useful for transcribing DNA into RNA. The expression systems optionally at least one independent terminator sequence, sequences permitting replication of the cassette in vivo, e.g., plants, eukaryotes, or prokaryotes, or a combination thereof, (e.g., shuttle vectors) and selection markers for the selected expression system, e.g., plant, prokaryotic or eukaryotic systems. To ensure proper polypeptide expression under varying conditions, a polyadenylation region at the 3'-end of the coding region can be included (see Li (1997) Plant Physiol.115:321-325, for a review of the polyadenylation of RNA in plants). The polyadenylation region can be derived from the natural gene, from a variety of other plant genes, or from T-DNA (e.g., using Agrobacterium tumefaciens T-DNA replacement vectors, see e.g., Thykjaer (1997) Plant Mol Biol. 35:523-530; using a plasmid containing a gene of interest flanked by Agrobacterium T-DNA border repeat sequences; Hansen (1997) "T-strand integration in maize protoplasts after codelivery of a T-DNA substrate and virulence genes," Proc. Natl. Acad. Sci. USA 94:11726-11730.

To identify the promoters, the 5' portions of the clones described here are analyzed for sequences characteristic of promoter sequences. For instance, promoter sequence elements include the TATA box consensus sequence (TATAAT), which is usually 20 to 30 base pairs upstream of the transcription start site. In plants, further

upstream from the TATA box, at positions -80 to -100, there is typically a promoter element with a series of adenines surrounding the trinucleotide G (or T) N G (see, e.g., Messing, in *Genetic Engineering in Plants*, pp. 221-227, Kosage, Meredith and Hollaender, eds. 1983). If proper polypeptide expression is desired, a polyadenylation region at the 3'-end of the RG coding region should be included. The polyadenylation region can be derived from the natural gene, from a variety of other plant genes, or from viral genes, such as T-DNA.

5

10

15

20

25

30

The nucleic acids of the invention can be expressed in expression cassettes, vectors or viruses which are transiently expressed in cells using, for example, episomal expression systems (e.g., cauliflower mosaic virus (CaMV) viral RNA is generated in the nucleus by transcription of an episomal minichromosome containing supercoiled DNA, Covey (1990) Proc. Natl. Acad. Sci. USA 87:1633-1637). Alternatively, coding sequences can be inserted into the host cell genome becoming an integral part of the host chromosomal DNA.

Selection markers can be incorporated into expression cassettes and vectors to confer a selectable phenotype on transformed cells and sequences coding for episomal maintenance and replication such that integration into the host genome is not required. For example, the marker may encode biocide resistance, such as antibiotic resistance, particularly resistance to chloramphenicol, kanamycin, G418, bleomycin, hygromycin, or herbicide resistance, such as resistance to chlorosulfuron or Basta, to permit selection of those cells transformed with the desired DNA sequences, see for example, Blondelet-Rouault (1997) Gene 190:315-317; Aubrecht (1997) J. Pharmacol. Exp. Ther. 281:992-997. Because selectable marker genes conferring resistance to substrates like neomycin or hygromycin can only be utilized in tissue culture, chemoresistance genes are also used as selectable markers in vitro and in vivo. See also, Mengiste (1997) "High-efficiency transformation of Arabidopsis thaliana with a selectable marker gene regulated by the T-DNA 1' promoter," Plant J. 12:945-948, showing that the 1' promoter is an attractive alternative to the cauliflower mosaic virus (CaMV) 35S promoter for the generation of T-DNA insertion lines, the 1' promoter may be especially beneficial for the secondary transformation of transgenic strains containing the 35S promoter to exclude homology-mediated gene silencing.

The endogenous promoters from the RG genes of the present invention can. be used to direct expression of the genes. These promoters can also be used to direct expression of heterologous structural genes. The promoters can be used, for example, in recombinant expression cassettes to drive expression of genes conferring resistance to any number of pathogens or pests, including fungi, bacteria, and the like.

Constitutive Promoters

5

10

15

20

25

30

In construction of recombinant expression cassettes, vectors, transgenics, of the invention, a promoter fragment can be employed to direct expression of the desired gene in all tissues of a plant or animal. Promoters that drive expression continuously under physiological conditions are referred to as "constitutive" promoters and are active under most environmental conditions and states of development or cell differentiation. Examples of constitutive promoters include those from viruses which infect plants, such as the cauliflower mosaic virus (CaMV) 35S transcription initiation region; the 1'- or 2'promoter derived from T-DNA of Agrobacterium tumafaciens; the promoter of the tobacco mosaic virus; and, other transcription initiation regions from various plant genes known to those of skill. See also Holtorf (1995) "Comparison of different constitutive and inducible promoters for the overexpression of transgenes in Arabidopsis thaliana," Plant Mol. Biol. 29:637-646.

Inducible Promoters

Alternatively, a plant promoter may direct expression of the plant disease resistance nucleic acid of the invention under the influence of changing environmental conditions or developmental conditions. Examples of environmental conditions that may effect transcription by inducible promoters include pathogenic attack, anaerobic conditions, elevated temperature, drought, or the presence of light. Such promoters are referred to herein as "inducible" promoters. For example, the invention incorporates the droughtinducible promoter of maize (Busk (1997) supra); the cold, drought, and high salt inducible promoter from potato (Kirch (1997) Plant Mol. Biol. 33:897-909).

Embodiments of the invention also incorporate use of plant promoters which are inducible upon injury or infection to express the invention's plant disease resistance (RG) polypeptides. Various embodiments include use of, e.g., the promoter for a tobacco (Nicotiana tabacum) sesquiterpene cyclase gene (EAS4 promoter), which is expressed in wounded leafs, roots, and stem tissues, and upon infection with microbial pathogens (Yin

(1997) Plant Physiol. 115(2):437-451); the ORF13 promoter from Agrobacterium rhizogenes 8196, which is wound inducible in a limited area adjacent to the wound site (Hansen (1997) Mol. Gen. Genet. 254:337-343); the Shpx6b gene promoter, which is a plant peroxidase gene promoter induced by microbial pathogens (demonstrated using a fungal pathogen, see Curtis (1997) Mol. Plant Microbe Interact. 10:326-338); the wound-inducible gene promoter wun1, derived from potato (Siebertz (1989) Plant Cell 1:961-968); the wound-inducible Agrobacterium pmas gene (mannopine synthesis gene) promoter (Guevara-Garcia (1993) Plant J. 4:495-505).

5

10

15

20

25

30

Alternatively, plant promoters which are inducible upon exposure to plant hormones, such as auxins, are used to express the nucleic acids of the invention. For example, the invention can use the auxin-response elements E1 promoter fragment (AuxREs) in the soybean (*Glycine max L*.) (Liu (1997) Plant Physiol. 115:397-407); the auxin-responsive Arabidopsis GST6 promoter (also responsive to salicylic acid and hydrogen peroxide) (Chen (1996) *Plant J*. 10: 955-966); the auxin-inducible parC promoter from tobacco (Sakai (1996) 37:906-913); a plant biotin response element (Streit (1997) *Mol. Plant Microbe Interact*. 10:933-937); and, the promoter responsive to the stress hormone abscisic acid (Sheen (1996) *Science* 274:1900-1902).

Plant promoters which are inducible upon exposure to chemicals reagents which can be applied to the plant, such as herbicides or antibiotics, are also used to express the nucleic acids of the invention. For example, the maize In2-2 promoter, activated by benzenesulfonamide herbicide safeners, can be used (De Veylder (1997) Plant Cell Physiol. 38:568-577); application of different herbicide safeners induces distinct gene expression patterns, including expression in the root, hydathodes, and the shoot apical meristem. Coding sequence can be under the control of, e.g., a tetracycline-inducible promoter, e.g., as described with transgenic tobacco plants containing the Avena sativa L. (oat) arginine decarboxylase gene (Masgrau (1997) Plant J. 11:465-473); or, a salicylic acid-responsive element (Stange (1997) Plant J. 11:1315-1324. Using chemically- (e.g., hormone- or pesticide-) induced promoters, harvesting of fruits and plant parts would be greatly facilitated. A chemical which can be applied to the transgenic plant in the field and induce expression of a polypeptide of the invention throughout all or most of the plant would make a environmentally safe defoliant or herbicide. Thus, the invention also provides for transgenic plants containing an inducible gene encoding for the RG

polypeptides of the invention whose host range is limited to target plant species, such as weeds or crops before, during or after harvesting.

Abcission promoters are activated upon plant ripening, such as fruit ripening, and are especially useful incorporated in the expression systems (e.g., expression cassettes, vectors) of the invention. In some embodiments, when a plant disease resistant polypeptide-encoding nucleic acid is under the control of such a promoter, rapid cell death, induced by expression of the invention's polypeptide, can accelerate and/or accentuate abcission, increasing the efficiency of the harvesting of fruits or other plant parts, such as cotton, and the like. Induction of rapid cell death at this time would accelerate separation of the fruit from the plant, greatly augmenting harvesting procedures. See, e.g., Kalaitzis (1997) Plant Physiol. 113:1303-1308, discussing tomato leaf and flower abscission; Payton (1996) Plant Mol. Biol. 31:1227-1231, discussing ethylene receptor expression regulation during fruit ripening, flower senescence and abscission; Koehler (1996) Plant Mol. Biol. 31:595-606, discussing the gene promoter for a bean abscission cellulase; Kalaitzis (1995) Plant Mol. Biol.28: 647-656, discussing cloning of a tomato polygalacturonase expressed in abscission; del Campillo (1996) Plant Physiol. 111:813-820, discussing pedicel breakstrength and cellulase gene expression during tomato flower abscission.

Tissue-Specific Promoters

5

10

15

20

25

30

Tissue specific promoters are transcriptional control elements that are only active in particular cells or tissues. Plant promoters which are active only in specific tissues or at specific times during plant development are used to express the nucleic acids of the invention. Examples of promoters under developmental control include promoters that initiate transcription only in certain tissues, such as leaves, roots, fruit, seeds, ovules, pollen, pistols, or flowers. Such promoters are referred to as "tissue specific". The operation of a promoter may also vary depending on its location in the genome. Thus, an inducible promoter may become fully or partially constitutive in certain locations.

For example, a seed-specific promoter directs expression in seed tissues. Such promoters may be, for example, ovule-specific, embryo-specific, endosperm-specific, integument-specific, seed coat-specific, or some combination thereof. A leaf-specific promoter has been identified in maize, Busk (1997) *Plant J.* 11:1285-1295. The ORF13 promoter from *Agrobacterium rhizogenes* exhibits high activity in roots (Hansen (1997) *supra*). A maize pollen-specific promoter has been identified in maize (Guerrero (1990)

Mol. Gen. Genet. 224:161-168). A tomato promoter active during fruit ripening, senescence and abscission of leaves and, to a lesser extent, of flowers can be used (Blume (1997) Plant J. 12:731-746). A pistol specific promoter has been identified in the potato (Solanum tuberosum L.) SK2 gene, encoding a pistil-specific basic endochitinase (Ficker (1997) Plant Mol. Biol. 35:425-431). The Blec4 gene from pea (Pisum sativum cv. Alaska) is active in epidermal tissue of vegetative and floral shoot apices of transgenic alfalfa, making it a useful tool to target the expression of foreign genes to the epidermal layer of actively growing shoots. The activity of the Blec4 promoter in the epidermis of the shoot apex makes it particularly suitable for genetically engineering defense against insects and diseases that attack the growing shoot apex (Mandaci (1997) Plant Mol Biol. 34:961-965).

5

10

15

20

25

30

The invention also provides for use of tissue-specific plant promoters include a promoter from the ovule-specific BEL1 gene described in Reiser (1995) Cell 83:735-742, GenBank No. U39944. Suitable seed specific promoters are derived from the following genes: MAC1 from maize, Sheridan (1996) Genetics 142:1009-1020; Cat3 from maize, GenBank No. L05934, Abler (1993) Plant Mol. Biol. 22:10131-1038; the gene encoding oleosin 18kD from maize, GenBank No. J05212, Lee (1994) Plant Mol. Biol. 26:1981-1987; vivparous-1 from Arabidopsis, Genbank No. U93215; the gene encoding oleosin from Arabidopsis, Genbank No. Z17657; Atmyc1 from Arabidopsis, Urao (1996) Plant Mol. Biol. 32:571-576; the 2s seed storage protein gene family from Arabidopsis, Conceicao (1994) Plant 5:493-505; the gene encoding oleosin 20kD from Brassica napus. GenBank No. M63985; napA from Brassica napus, GenBank No. J02798, Josefsson (1987) JBL 26:12196-1301; the napin gene family from Brassica napus, Sjodahl (1995) Planta 197:264-271; the gene encoding the 2S storage protein from Brassica napus, Dasgupta (1993) Gene 133:301-302; the genes encoding oleosin a, Genbank No. U09118, and, oleosin B, Genbank No. U09119, from soybean; and, the gene encoding low molecular weight sulphur rich protein from soybean, Choi (1995) Mol Gen, Genet. 246:266-268. The tissue specific E8 promoter from tomato is particularly useful for directing gene expression so that a desired gene product is located in fruits. Other suitable promoters include those from genes encoding embryonic storage proteins.

One of skill will recognize that a tissue-specific promoter may drive expression of operably linked sequences in tissues other than the target tissue. Thus, as

used herein a tissue-specific promoter is one that drives expression preferentially in the target tissue, but may also lead to some expression in other tissues as well.

The invention also provides for use of tissue-specific promoters derived from viruses which can include, e.g., the tobamovirus subgenomic promoter (Kumagai (1995) Proc. Natl. Acad. Sci. USA 92:1679-1683; the rice tungro bacilliform virus (RTBV), which replicates only in phloem cells in infected rice plants, with its promoter which drives strong phloem-specific reporter gene expression; the cassava vein mosaic virus (CVMV) promoter, with highest activity in vascular elements, in leaf mesophyll cells, and in root tips (Verdaguer (1996) Plant Mol. Biol. 31:1129-1139).

10

15

20

5

In some embodiments, the nucleic acid construct will comprise a promoter functional in a specific plant cell, such as in a species of *Lactuca*, operably linked to an RG polynucleotide. Promoters useful in these embodiments include RG promoters. In additional embodiments, the nucleic acid construct will comprise a RG promoter operably linked to a heterologous polynucleotide. The heterologous polynucleotide is chosen to provide a plant with a desired phenotype. For example, the heterologous polynucleotide can be a structural gene which encodes a polypeptide which imparts a desired resistance phenotype. Alternatively, the heterologous polynucleotide may be a regulatory gene which might play a role in transcriptional and/or translational control to suppress, enhance, or otherwise modify the transcription and/or expression of an endogenous gene within the plant. The heterologous polynucleotide of the nucleic acid construct of the present invention can be expressed in either sense or anti-sense orientation as desired. It will be appreciated that control of gene expression in either sense or anti-sense orientation can have a direct impact on the observable plant characteristics.

Modifying and Inhibiting RG Gene Expression

25

30

The invention also provides for RG nucleic acid sequences which are complementary to the RG polypeptide-encoding sequences of the invention; *i.e.*, antisense RG nucleic acids. Antisense technology can be conveniently used to modify gene expression in plants. To accomplish this, a nucleic acid segment from the desired gene is cloned and operably linked to a promoter such that the anti-sense strand of RNA will be transcribed. The construct is then transformed into plants and the antisense strand of RNA is produced. In plant cells, it has been shown that antisense RNA inhibits gene expression by preventing the accumulation of mRNA which encodes the enzyme of interest, see, e.g.,

Sheehy (1988) Proc. Nat. Acad. Sci. USA 85:8805-8809; Hiatt et al., U.S. Patent No. 4,801,340.

Antisense sequences are capable of inhibiting the transport, splicing or transcription of RG-encoding genes. The inhibition can be effected through the targeting of genomic DNA or messenger RNA. The transcription or function of targeted nucleic acid can be inhibited, e.g., by hybridization and/or cleavage. One particularly useful set of inhibitors provided by the present invention includes oligonucleotides which are able to either bind RG gene or message, in either case preventing or inhibiting the production or function of RG. The association can be though sequence specific hybridization. Such inhibitory nucleic acid sequences can, for example, be used to completely inhibit a plant disease resistance response. Another useful class of inhibitors includes oligonucleotides which cause inactivation or cleavage of RG message. The oligonucleotide can have enzyme activity which causes such cleavage, such as ribozymes. The oligonucleotide can be chemically modified or conjugated to an enzyme or composition capable of cleaving the complementary nucleic acid. One may screen a pool of many different such oligonucleotides for those with the desired activity.

Antisense Oligonucleotides

5

10

15

20

25

30

The invention provides for with antisense oligonucleotides capable of binding RG message which can inhibit RG activity by targeting mRNA. Strategies for designing antisense oligonucleotides are well described in the scientific and patent literature, and the skilled artisan can design such RG oligonucleotides using the novel reagents of the invention. In some situations, naturally occurring nucleic acids used as antisense oligonucleotides may need to be relatively long (18 to 40 nucleotides) and present at high concentrations. A wide variety of synthetic, non-naturally occurring nucleotide and nucleic acid analogues are known which can address this potential problem. For example, peptide nucleic acids (PNAs) containing non-ionic backbones, such as N-(2-aminoethyl) glycine units can be used. Antisense oligonucleotides having phosphorothioate linkages can also be used, as described in WO 97/03211; WO 96/39154; Mata (1997) Toxicol Appl Pharmacol 144:189-197; Antisense Therapeutics, ed. Agrawal (Humana Press, Totowa, N.J., 1996). Antisense oligonucleotides having synthetic DNA backbone analogues provided by the invention can also include phosphoro-dithioate, methylphosphonate.

phosphoramidate, alkyl phosphotriester, sulfamate, 3'-thioacetal, methylene(methylimino), . 3'-N-carbamate, and morpholino carbamate nucleic acids, as described herein.

Combinatorial chemistry methodology can be used to create vast numbers of oligonucleotides that can be rapidly screened for specific oligonucleotides that have appropriate binding affinities and specificities toward any target, such as the sense and antisense RG sequences of the invention (for general background information, see, e.g., Gold (1995) J. of Biol. Chem. 270:13581-13584).

Inhibitory Ribozymes

5

10

15

20

25

30

The invention provides for with ribozymes capable of binding RG message which can inhibit RG activity by targeting mRNA. Strategies for designing ribozymes and selecting the RG-specific antisense sequence for targeting are well described in the scientific and patent literature, and the skilled artisan can design such RG ribozymes using the novel reagents of the invention. Ribozymes act by binding to a target RNA through the target RNA binding portion of a ribozyme which is held in close proximity to an enzymatic portion of the RNA that cleaves the target RNA. Thus, the ribozyme recognizes and binds a target RNA through complementary base-pairing, and once bound to the correct site, acts enzymatically to cleave and inactivate the target RNA. Cleavage of a target RNA in such a manner will destroy its ability to direct synthesis of an encoded protein if the cleavage occurs in the coding sequence, or, preventing transport of the message from the nucleus to the cytoplasm. After a ribozyme has bound and cleaved its RNA target, it is typically released from that RNA and so can bind and cleave new targets repeatedly.

Catalytic RNA molecules or ribozymes can also be used to inhibit expression of any plant gene. It is possible to design ribozymes that specifically pair with virtually any target RNA and cleave the phosphodiester backbone at a specific location, thereby functionally inactivating the target RNA. In carrying out this cleavage, the ribozyme is not itself altered, and is thus capable of recycling and cleaving other molecules, making it a true enzyme. The inclusion of ribozyme sequences within antisense RNAs confers RNA-cleaving activity upon them, thereby increasing the activity of the constructs. The design and use of target RNA-specific ribozymes is described, e.g., in Haseloff (1988) Nature 334:585-591.

In some circumstances, the enzymatic nature of a ribozyme can be advantageous over other technologies, such as antisense technology (where a nucleic acid

molecule simply binds to a nucleic acid target to block its transcription, translation or association with another molecule) as the effective concentration of ribozyme necessary to effect a therapeutic treatment can be lower than that of an antisense oligonucleotide. This potential advantage reflects the ability of the ribozyme to act enzymatically. Thus, a single ribozyme molecule is able to cleave many molecules of target RNA. In addition, a ribozyme is typically a highly specific inhibitor, with the specificity of inhibition depending not only on the base pairing mechanism of binding, but also on the mechanism by which the molecule inhibits the expression of the RNA to which it binds. That is, the inhibition is caused by cleavage of the RNA target and so specificity is defined as the ratio of the rate of cleavage of the targeted RNA over the rate of cleavage of non-targeted RNA. This cleavage mechanism is dependent upon factors additional to those involved in base pairing. Thus, the specificity of action of a ribozyme can be greater than that of antisense oligonucleotide binding the same RNA site.

The enzymatic ribozyme RNA molecule can be formed in a hammerhead motif, but may also be formed in the motif of a hairpin, hepatitis delta virus, group I intron or RNaseP-like RNA (in association with an RNA guide sequence). Examples of such hammerhead motifs are described by Rossi (1992) Aids Research and Human Retroviruses 8:183; hairpin motifs by Hampel (1989) Biochemistry 28:4929, and Hampel (1990) Nuc. Acids Res. 18:299; the hepatitis delta virus motif by Perrotta (1992) Biochemistry 31:16; the RNaseP motif by Guerrier-Takada (1983) Cell 35:849; and the group I intron by Cech U.S. Pat. No. 4,987,071. The recitation of these specific motifs is not intended to be limiting; those skilled in the art will recognize that an enzymatic RNA molecule of this invention has a specific substrate binding site complementary to one or more of the target gene RNA regions, and has nucleotide sequence within or surrounding that substrate binding site which imparts an RNA cleaving activity to the molecule.

Sense Supression

5

10

15

20

25

30

Another method of suppression is sense suppression. Introduction of nucleic acid configured in the sense orientation has been shown to be an effective means by which to block the transcription of target genes. For an example of the use of this method to modulate expression of endogenous genes see, Napoli et al., *The Plant Cell* 2:279-289 (1990), and U.S. Patent No. 5,034,323.

Cloning of RG Polypeptides

Synthesis and/or cloning of RG polynucleotides and isolated nucleic acid constructs of the present invention are provided by methods well known to those of ordinary skill in the art. Generally, the nomenclature and the laboratory procedures in recombinant DNA technology described below are those well known and commonly employed in the art. Standard techniques are used for cloning, DNA and RNA isolation, amplification and purification. Generally enzymatic reactions involving DNA ligase, DNA polymerase, restriction endonucleases and the like are performed according to the manufacturer's specifications. These techniques and various other techniques are generally performed according to Sambrook *et al.*, *Molecular Cloning - A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, (1989).

5

10

15

20

25

30

The isolation of RG genes may be accomplished by a number of techniques. For instance, oligonucleotide probes based on the sequences disclosed here can be used to identify the desired gene in a cDNA or genomic DNA library. To construct genomic libraries, large segments of genomic DNA are generated by random fragmentation, e.g. using restriction endonucleases, and are ligated with vector DNA to form concatemers that can be packaged into the appropriate vector. To prepare a cDNA library, mRNA is isolated from the desired organ, such as roots and a cDNA library which contains the RG gene transcript is prepared from the mRNA. Alternatively, cDNA may be prepared from mRNA extracted from other tissues in which RG genes or homologs are expressed.

The cDNA or genomic library can then be screened using a probe based upon the sequence of a cloned RG gene such as the genes disclosed herein. Probes may be used to hybridize with genomic DNA or cDNA sequences to isolate homologous genes in the same or different plant species.

Those of skill in the art will appreciate that various degrees of stringency of hybridization can be employed in the assay; and either the hybridization or the wash medium can be stringent. As the conditions for hybridization become more stringent, there must be a greater degree of complementarity between the probe and the target for duplex formation to occur. The degree of stringency can be controlled by temperature, ionic strength, pH and the presence of a partially denaturing solvent such as formamide. For example, the stringency of hybridization is conveniently varied by changing the polarity of the reactant solution through manipulation of the concentration of formamide within the range of 0% to 50%.

Alternatively, the RG nucleic acids of the invention can be amplified from nucleic acid samples using a variety of amplification techniques, such as polymerase chain reaction (PCR) technology, to amplify the sequences of the RG and related genes directly from genomic DNA, from cDNA, from genomic libraries or cDNA libraries. PCR and other *in vitro* amplification methods may also be useful, for example, to clone nucleic acid sequences that code for proteins to be expressed, to make nucleic acids to use as probes for detecting the presence of the desired mRNA in samples, for nucleic acid sequencing, or for other purposes.

5

10

15

20

25

30

Oligonucleotides can be used to identify and detect additional RG families and RG family species using a variety of hybridization techniques and conditions. Suitable amplification methods include, but are not limited to: polymerase chain reaction, PCR (PCR PROTOCOLS, A GUIDE TO METHODS AND APPLICATIONS, ed. Innis, Academic Press, N.Y. (1990) and PCR STRATEGIES (1995), ed. Innis, Academic Press, Inc., N.Y. (Innis), ligase chain reaction (LCR) (Wu (1989) Genomics 4:560; Landegren (1988) Science 241:1077; Barringer (1990) Gene 89:117); transcription amplification (Kwoh (1989) Proc. Natl. Acad. Sci. USA 86:1173); and, self-sustained sequence replication (Guatelli (1990) Proc. Natl. Acad. Sci. USA, 87:1874); Q Beta replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA, Cangene, Mississauga, Ontario); see Berger (1987) Methods Enzymol. 152:307-316, Sambrook, and Ausubel, as well as Mullis (1987) U.S. Patent Nos. 4,683,195 and 4,683,202; Arnheim (1990) C&EN 36-47; Lomell J. Clin. Chem., 35:1826 (1989); Van Brunt, Biotechnology, 8:291-294 (1990); Wu (1989) Gene 4:560; Sooknanan (1995) Biotechnology 13:563-564. Methods for cloning in vitro amplified nucleic acids are described in Wallace, U.S. Pat. No. 5,426,039.

The degree of complementarity (sequence identity) required for detectable binding will vary in accordance with the stringency of the hybridization medium and/or wash medium. The degree of complementarity will optimally be 100 percent; however, it should be understood that minor sequence variations in the probes and primers may be compensated for by reducing the stringency of the hybridization and/or wash medium as described earlier.

In some preferred embodiments, members of this class of pest resistance genes can be identified by their ability to be amplified by PCR primers based on the sequences disclosed here. Appropriate primers and probes for identifying RG sequences

from plant tissues are generated from comparisons of the sequences provided herein. See, e.g., Table 1. For a general overview of PCR see PCR Protocols: A Guide to Methods and Applications. (Innis, M, Gelfand, D., Sninsky, J. and White, T., eds.), Academic Press. San Diego (1990), incorporated herein by reference.

Briefly, the first step of each cycle of the PCR involves the separation of the nucleic acid duplex formed by the primer extension. Once the strands are separated, the next step in PCR involves hybridizing the separated strands with primers that flank the target sequence. The primers are then extended to form complementary copies of the target strands. For successful PCR amplification, the primers are designed so that the position at which each primer hybridizes along a duplex sequence is such that an extension product synthesized from one primer, when separated from the template (complement), serves as a template for the extension of the other primer. The cycle of denaturation, hybridization, and extension is repeated as many times as necessary to obtain the desired amount of amplified nucleic acid.

In the preferred embodiment of the PCR process, strand separation is achieved by heating the reaction to a sufficiently high temperature for an sufficient time to cause the denaturation of the duplex but not to cause an irreversible denaturation of the polymerase (see U.S. Patent No. 4,965,188). Template-dependent extension of primers in PCR is catalyzed by a polymerizing agent in the presence of adequate amounts of four deoxyribonucleotide triphosphates (typically dATP, dGTP, dCTP, and dTTP) in a reaction medium comprised of the appropriate salts, metal cations, and pH buffering system. Suitable polymerizing agents are enzymes known to catalyze template-dependent DNA synthesis.

Polynucleotides may also be synthesized by well-known techniques as described in the technical literature. See, e.g., Carruthers et al., Cold Spring Harbor Symp. Quant. Biol. 47:411-418 (1982), and Adams et al., J. Am. Chem. Soc. 105:661 (1983). Double stranded DNA fragments may then be obtained either by synthesizing the complementary strand and annealing the strands together under appropriate conditions, or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

RG Proteins

5

10

15

20

25

30

The present invention further provides isolated RG proteins encoded by the . RG polynucleotides disclosed herein. One of skill will recognize that the nucleic acid encoding a functional RG protein need not have a sequence identical to the exemplified genes disclosed here. For example, because of codon degeneracy a large number of nucleic acid sequences can encode the same polypeptide. In addition, the polypeptides encoded by the RG genes, like other proteins, have different domains which perform different functions. Thus, the RG gene sequences need not be full length, so long as the desired functional domain of the protein is expressed.

5

10

15

20

25

30

The resistance proteins are at least 25 amino acid residues in length. Typically, the RG proteins are at least 50 amino acid residues, generally at least 100, preferably at least 150, more preferably at least 200 amino acids in length. In particularly preferred embodiments, the RG proteins are of sufficient length to provide resistance to pests when expressed in the desired plants. Generally then, the RG proteins will be the length encoded by an RG gene of the present invention. However, those of ordinary skill will appreciate that minor deletions, substitutions, or additions to an RG protein will typically yield a protein with pest resistance characteristics similar or identical to that of the full length sequence. Thus, full-length RG proteins modified by 1, 2, 3, 4, or 5 deletions, substitutions, or additions, generally provide an effective degree of pest resistance relative to the full-length protein.

The RG proteins which provide pest resistance will typically comprise at least one of an LRR or an NBS. Preferably, both are present. LRR and/or NBS regions present in the RG proteins of the present invention can be provided by RG genes of the present invention. In some embodiments, the LRR and/or NBS regions are obtained from other pest resistance genes. See, e.g., Yu et al., Proc. Natl. Acad. Sci. USA, 93: 11751-11756 (1996); Bent et al., Science, 265: 1856-1860 (1994).

Modified protein chains can also be readily designed utilizing various recombinant DNA techniques well known to those skilled in the art. For example, the chains can vary from the naturally occurring sequence at the primary structure level by amino acid substitutions, additions, deletions, and the like. Modification can also include swapping domains from the proteins of the invention with related domains from other pest resistance genes.

Pests that can be targeted by RG genes and proteins of the present invention include such bacterial pests as Erwinia carotovora and Pseudomonas marginalis. Fungal pests which can be targeted by the present invention include Bremia lactucae, Marssonina panattoniana, Rhizoctonia solani, Olpidium brassicae, root aphid, Sclerotinia sclerotiorum and S. minor, and Botrytis cinerea which causes gray mold. RG genes also provide resistance to viral diseases such as lettuce and turnip mosaic viruses.

Fusion Proteins

5

10

15

20

25

30

RG polypeptides can also be expressed as recombinant proteins with one or more additional polypeptide domains linked thereto to facilitate protein detection, purification, or other applications. Such detection and purification facilitating domains include, but are not limited to, metal chelating peptides such as polyhistidine tracts and histidine-tryptophan modules that allow purification on immobilized metals, protein a domains that allow purification on immobilized immunoglobulin, and the domain utilized in the FLAGS extension/affinity purification system (Immunex Corp, Seattle WA). The inclusion of a cleavable linker sequences such as Factor Xa or enterokinase (Invitrogen, San Diego CA) between the purification domain and plant disease resistant polypeptide may be useful to facilitate purification. One such expression vector provides for expression of a fusion protein comprising the sequence encoding a plant disease resistant polypeptide of the invention and nucleic acid sequence encoding six histidine residues followed by thioredoxin and an enterokinase cleavage site (e.g., see Williams (1995) Biochemistry 34:1787-1797). The histidine residues facilitate detection and purification while the enterokinase cleavage site provides a means for purifying the desired protein(s) from the remainder of the fusion protein. Technology pertaining to vectors encoding fusion proteins and application of fusion proteins are well described, see e.g., Kroll (1993) DNA Cell. Biol., 12:441-53.

Antibodies Reactive to RG Polypeptides and Immunological Assays

The present invention also provides antibodies which specifically react with RG proteins of the present invention under immunologically reactive conditions. An antibody immunologically reactive with a particular antigen can be generated *in vivo* or by recombinant methods such as selection of libraries of recombinant antibodies in phage or similar vectors. "Immunologically reactive conditions" includes reference to conditions which allow an antibody, generated to a particular epitope of an antigen, to bind to that

epitope to a detectably greater degree than the antibody binds to substantially all other epitopes, generally at least two times above background binding, preferably at least five times above background. Immunologically reactive conditions are dependent upon the format of the antibody binding reaction and typically are those utilized in immunoassay protocols.

5

10

15

20

25

30

"Antibody" includes reference to an immunoglobulin molecule obtained by in vitro or in vivo generation of the humoral response, and includes both polyclonal and monoclonal antibodies. The term also includes genetically engineered forms such as chimeric antibodies (e.g., humanized murine antibodies), heteroconjugate antibodies (e.g., bispecific antibodies), and recombinant single chain Fv fragments (scFv). The term "antibody" also includes antigen binding forms of antibodies (e.g., Fab', F(ab')2, Fab, Fv, rIgG, and, inverted IgG). See, Pierce Catalog and Handbook, 1994-1995 (Pierce Chemical Co., Rockford, IL). An antibody immunologically reactive with a particular antigen can be generated in vivo or by recombinant methods such as selection of libraries of recombinant antibodies in phage or similar vectors. See, e.g., Huse et al. (1989) Science 246:1275-1281; and Ward, et al. (1989) Nature 341:544-546; and Vaughan et al. (1996) Nature Biotechnology, 14:309-314.

Many methods of making antibodies are known to persons of skill. A number of immunogens are used to produce antibodies specifically reactive to an isolated RG protein of the present invention under immunologically reactive conditions. An isolated recombinant, synthetic, or native RG protein of the present invention is the preferred immunogens (antigen) for the production of monoclonal or polyclonal antibodies.

The RG protein is then injected into an animal capable of producing antibodies. Either monoclonal or polyclonal antibodies can be generated for subsequent use in immunoassays to measure the presence and quantity of the RG protein. Methods of producing monoclonal or polyclonal antibodies are known to those of skill in the art. See, e.g., Coligan (1991) Current Protocols in Immunology Wiley/Greene, NY; and Harlow and Lane (1989) Antibodies: A Laboratory Manual Cold Spring Harbor Press, NY); Goding (1986) Monoclonal Antibodies: Principles and Practice (2d ed.) Academic Press, New York, NY.

Frequently, the RG proteins and antibodies will be labeled by joining, either covalently or non-covalently, a substance which provides for a detectable signal. A wide

variety of labels and conjugation techniques are known and are reported extensively in both the scientific and patent literature. Suitable labels include radionucleotides, enzymes, substrates, cofactors, inhibitors, fluorescent moieties, chemiluminescent moieties, magnetic particles, and the like. Patents teaching the use of such labels include U.S. Patent Nos. 3,817,837; 3,850,752; 3,939,350; 3,996,345; 4,277,437; 4,275,149; and 4,366,241.

The antibodies of the present invention can be used to screen plants for the expression of RG proteins of the present invention. The antibodies of this invention are also used for affinity chromatography in isolating RG protein.

10

15

5

The present invention further provides RG polypeptides that specifically bind, under immunologically reactive conditions, to an antibody generated against a defined immunogen, such as an immunogen consisting of the RG polypeptides of the present invention. Immunogens will generally be at least 10 contiguous amino acids from an RG polypeptide of the present invention. Optionally, immunogens can be from regions exclusive of the NBS and/or LRR regions of the RG polypeptides. Nucleic acids which encode such cross-reactive RG polypeptides are also provided by the present invention. The RG polypeptides can be isolated from any number plants as discussed earlier. Preferred are species from the family *Compositae* and in particular the genus *Lactuca* such as *L. sativa* and such subspecies as *crispa*, *longifolia*, and *asparagina*.

20

25

30

"Specifically binds" includes reference to the preferential association of a ligand, in whole or part, with a particular target molecule (i.e., "binding partner" or "binding moiety") relative to compositions lacking that target molecule. It is, of course, recognized that a certain degree of non-specific interaction may occur between a ligand and a non-target molecule. Nevertheless, specific binding, may be distinguished as mediated through specific recognition of the target molecule. Typically specific binding results in a much stronger association between the ligand and the target molecule than between the ligand and non-target molecule. Specific binding by an antibody to a protein under such conditions requires an antibody that is selected for its specificity for a particular protein. The affinity constant of the antibody binding site for its cognate monovalent antigen is at least 10⁷, usually at least 10⁸, preferably at least 10⁹, more preferably at least 10¹⁰, and most preferably at least 10¹¹ liters/mole. A variety of immunoassay formats are appropriate for selecting antibodies specifically reactive with a particular protein. For

example, solid-phase ELISA immunoassays are routinely used to select monoclonal antibodies specifically reactive with a protein. See Harlow and Lane (1988) Antibodies, A Laboratory Manual, Cold Spring Harbor Publications, New York, for a description of immunoassay formats and conditions that can be used to determine specific reactivity. The antibody may be polyclonal but preferably is monoclonal. Generally, antibodies cross-reactive to such proteins as RPS2, RPM1 (bacterial resistances in Arabidopsis, L6 (fungal resistance in flax, PRF (resistance to *Pseudomonas syringae* in tomator), and *N*, (virus resistance in tobacco), are removed by immunoabsorbtion.

5

10

15

20

25

30

Immunoassays in the competitive binding format are typically used for cross-reactivity determinations. For example, an immunogenic RG polypeptide is immobilized to a solid support. Polypeptides added to the assay compete with the binding of the antisera to the immobilized antigen. The ability of the above polypeptides to compete with the binding of the antisera to the immobilized RG polypeptide is compared to the immunogenic RG polypeptide. The percent cross-reactivity for the above proteins is calculated, using standard calculations. Those antisera with less than 10% cross-reactivity with such proteins as RPS2, RPM1, L6, PRF, and N, are selected and pooled. The cross-reacting antibodies are then removed from the pooled antisera by immunoabsorbtion with these non-RG resistance proteins.

The immunoabsorbed and pooled antisera are then used in a competitive binding immunoassay to compare a second "target" polypeptide to the immunogenic polypeptide. In order to make this comparison, the two polypeptides are each assayed at a wide range of concentrations and the amount of each polypeptide required to inhibit 50% of the binding of the antisera to the immobilized protein is determined using standard techniques. If the amount of the target polypeptide required is less than twice the amount of the immunogenic polypeptide that is required, then the target polypeptide is said to specifically bind to an antibody generated to the immunogenic protein. As a final determination of specificity, the pooled antisera is fully immunosorbed with the immunogenic polypeptide until no binding to the polypeptide used in the immunosorbtion is detectable. The fully immunosorbed antisera is then tested for reactivity with the test polypeptide. If no reactivity is observed, then the test polypeptide is specifically bound by the antisera elicited by the immunogenic protein.

PCT/US98/00615 WO 98/30083 30

Production of transgenic plants of the invention

Isolated nucleic acid constructs prepared as described herein can be introduced into plants according techniques known in the art. In some embodiments, the introduced nucleic acid is used to provide RG gene expression and therefore pest resistance in desired plants. In some embodiments, RG promoters are used to drive expression of desired heterologous genes in plants. Finally, in some embodiments, the constructs can be used to suppress expression of a target endogenous gene, including RG genes.

To use isolated RG sequences in the above techniques, recombinant DNA vectors suitable for transformation of plant cells are prepared. Techniques for transforming a wide variety of higher plant species are well known and described in the technical and scientific literature. See, for example, Weising et al. Ann. Rev. Genet. 22:421-477 (1988).

A DNA sequence coding for the desired RG polypeptide, for example a cDNA or a genomic sequence encoding a full length protein, will be used to construct a recombinant expression cassette which can be introduced into the desired plant. An expression cassette will typically comprise the RG polynucleotide operably linked to transcriptional and translational initiation regulatory sequences which will direct the transcription of the sequence from the RG gene in the intended tissues of the transformed plant.

20

5

10

15

Such DNA constructs may be introduced into the genome of the desired plant host by a variety of conventional techniques. For example, the DNA construct may be introduced directly into the genomic DNA of the plant cell using techniques such as electroporation, PEG poration, particle bombardment and microinjection of plant cell protoplasts or embryogenic callus, or the DNA constructs can be introduced directly to plant tissue using ballistic methods, such as DNA particle bombardment. Alternatively, the DNA constructs may be combined with suitable T-DNA flanking regions and introduced into a conventional Agrobacterium tumefaciens host vector. The virulence functions of the Agrobacterium tumefaciens host will direct the insertion of the construct and adjacent marker into the plant cell DNA when the cell is infected by the bacteria.

30

25

Transformation techniques are known in the art and well described in the scientific and patent literature. The introduction of DNA constructs using polyethylene glycol precipitation is described in Paszkowski et al. Embo J. 3:2717-2722 (1984).

Electroporation techniques are described in Fromm et al. Proc. Natl. Acad. Sci. USA 82:5824 (1985). Ballistic transformation techniques are described in Klein et al. Nature 327:70-73 (1987).

Agrobacterium tumefaciens-meditated transformation techniques are well described in the scientific literature. See, for example Horsch et al. Science 233:496-498 (1984), and Fraley et al. Proc. Natl. Acad. Sci. USA 80:4803 (1983). Although Agrobacterium is useful primarily in dicots, certain monocots can be transformed by Agrobacterium. For instance, Agrobacterium transformation of rice is described by Hiei et al., Plant J. 6:271-282 (1994). A particularly preferred means of transforming lettuce is described in Michelmore et al., Plant Cell Reports, 6:439-442 (1987).

Transformed plant cells which are derived by any of the above transformation techniques can be cultured to regenerate a whole plant which possesses the transformed genotype and thus the desired RG-controlled phenotype. Such regeneration techniques rely on manipulation of certain phytohormones in a tissue culture growth medium, typically relying on a biocide and/or herbicide marker which has been introduced together with the RG nucleotide sequences. Plant regeneration from cultured protoplasts is described in Evans et al., Protoplasts Isolation and Culture, Handbook of Plant Cell Culture, pp. 124-176, Macmillilan Publishing Company, New York, 1983; and Binding, Regeneration of Plants, Plant Protoplasts, pp. 21-73, CRC Press, Boca Raton, 1985. Regeneration can also be obtained from plant callus, explants, organs, or parts thereof. Such regeneration techniques are described generally in Klee et al. Ann. Rev. of Plant Phys. 38:467-486 (1987).

The methods of the present invention are particularly useful for incorporating the RG polynucleotides into transformed plants in ways and under circumstances which are not found naturally. In particular, the RG polypeptides may be expressed at times or in quantities which are not characteristic of natural plants.

One of skill will recognize that after the expression cassette is stably incorporated in transgenic plants and confirmed to be operable, it can be introduced into other plants by sexual crossing. Any of a number of standard breeding techniques can be used. depending upon the species to be crossed.

5

10

15

20

25

30

The present invention further provides methods for detecting RG resistance genes in a nucleic acid sample suspected of comprising an RG resistance gene. The means by which the RG resistance gene is detected is not a critical aspect of the invention. For example, RG resistance genes can be detected by the presence of amplicons using RG resistance gene specific primers. Additionally, RG resistance genes can be detected by assaying for specific hybridization of an RG polynucleotide to an RG resistance gene. In some embodiments, the RG resistance gene can be amplified prior to the step of contacting the nucleic acid sample with the RG polynucleotide.

5

10

15

20

25

30

In a typical detection method, the nucleic acid sample is contacted with an RG polynucleotide to form a hybridization complex. The hybridization complex may be detected directly (e.g., in Southern or northern blots), or indirectly (e.g., by subsequent primer extension during PCR amplification). The RG polynucleotide hybridizes under stringent conditions to an RG polynucleotide of the invention. Formation of the hybridization complex is directly or indirectly used to indicate the presence of the RG resistance gene in the nucleic acid sample.

Detection of the hybridization complex can be achieved using any number of well known methods. For example, the nucleic acid sample, or a portion thereof, may be assaved by hybridization formats including but not limited to, solution phase, solid phase, mixed phase, or in situ hybridization assays. Briefly, in solution (or liquid) phase hybridizations, both the target nucleic acid and the probe or primer are free to interact in the reaction mixture. In solid phase hybridization assays, probes or primers are typically linked to a solid support where they are available for hybridization with target nucleic in solution. In mixed phase, nucleic acid intermediates in solution hybridize to target nucleic acids in solution as well as to a nucleic acid linked to a solid support. In in situ hybridization, the target nucleic acid is liberated from its cellular surroundings in such as to be available for hybridization within the cell while preserving the cellular morphology for subsequent interpretation and analysis. The following articles provide an overview of the various hybridization assay formats: Singer et al., Biotechniques 4(3):230-250 (1986); Haase et al., Methods in Virology, Vol. VII, pp. 189-226 (1984); Wilkinson, "The theory and practice of in situ hybridization" In: In situ Hybridization, Ed. D.G. Wilkinson. IRL Press, Oxford University Press, Oxford; and Nucleic Acid Hybridization: A Practical Approach, Ed. Hames, B.D. and Higgins, S.J., IRL Press (1987).

The effect of the modification of RG gene expression can be measured by detection of increases or decreases in mRNA levels using, for instance, Northern blots. In addition, the phenotypic effects of gene expression can be detected by measuring nematode, fungal, bacterial, viral, or other pest resistance in plants. Suitable assays for determining pest resistance are well known. Michelmore and Crute, *Trans. Br. mycol.*Soc. 79(3): 542-546 (1982).

5

10

15

20

25

30

The means by which hybridization complexes are detected is not a critical aspect of the present invention and can be accomplished by any number of methods currently known or later developed. RG polynucleotides can be labeled by any one of several methods typically used to detect the presence of hybridized nucleic acids. One common method of detection is the use of autoradiography using probes labeled with ³H, ¹²⁵I, ³⁵S, ¹⁴C, or ³²P, or the like. The choice of radioactive isotope depends on research preferences due to ease of synthesis, stability, and half lives of the selected isotopes. Other labels include ligands which bind to antibodies labeled with fluorophores, chemiluminescent agents, and enzymes. Alternatively, probes can be conjugated directly with labels such as fluorophores, chemiluminescent agents or enzymes. The choice of label depends on sensitivity required, ease of conjugation with the probe, stability requirements, and available instrumentation. Labeling the RG polynucleotide is readily achieved such as by the use of labeled PCR primers.

The choice of label dictates the manner in which the label is bound to the probe. Radioactive probes are typically made using commercially available nucleotides containing the desired radioactive isotope. The radioactive nucleotides can be incorporated into probes, for example, by using DNA synthesizers, by nick translation with DNA polymerase I, by tailing radioactive DNA bases to the 3' end of probes with terminal deoxynucleotidyl transferase, by treating single-stranded M13 plasmids having specific inserts with the Klenow fragment of DNA polymerase in the presence of radioactive deoxynucleotides, dNTP, by transcribing from RNA templates using reverse transcriptase in the presence of radioactive deoxynucleotides, dNTP, or by transcribing RNA from vectors containing specific RNA viral promoters (e.g., SP6 promoter) using the corresponding RNA polymerase (e.g., SP6 RNA polymerase) in the presence of radioactive ribonucleotides rNTP.

The probes can be labeled using radioactive nucleotides in which the isotope resides as a part of the nucleotide molecule, or in which the radioactive component is attached to the nucleotide via a terminal hydroxyl group that has been esterified to a radioactive component such as inorganic acids, e.g., 32P phosphate or 14C organic acids, or esterified to provide a linking group to the label. Base analogs having nucleophilic linking groups, such as primary amino groups, can also be linked to a label.

Non-radioactive probes are often labeled by indirect means. For example, a ligand molecule is covalently bound to the probe. The ligand then binds to an anti-ligand molecule which is either inherently detectable or covalently bound to a detectable signal system, such as an enzyme, a fluorophore, or a chemiluminescent compound. Enzymes of interest as labels will primarily be hydrolases, such as phosphatases, esterases and glycosidases, or oxidoreductases, particularly peroxidases. Fluorescent compounds include fluorescein and its derivatives, rhodamine and its derivatives, dansyl, umbelliferone, etc. Chemiluminescers include luciferin, and 2,3-dihydrophthalazinediones, *e.g.*, luminol. Ligands and anti-ligands may be varied widely. Where a ligand has a natural anti-ligand, namely ligands such as biotin, thyroxine, and cortisol, it can be used in conjunction with its labeled, naturally occurring anti-ligands. Alternatively, any haptenic or antigenic compound can be used in combination with an antibody.

Probes can also be labeled by direct conjugation with a label. For example, cloned DNA probes have been coupled directly to horseradish peroxidase or alkaline phosphatase, (Renz. M., and Kurz, K. (1984) A Colorimetric Method for DNA Hybridization. *Nucl. Acids Res.* 12: 3435-3444) and synthetic oligonucleotides have been coupled directly with alkaline phosphatase (Jablonski, E., *et al.* (1986) Preparation of Oligodeoxynucleotide-Alkaline Phosphatase Conjugates and Their Use as Hybridization Probes. *Nuc. Acids. Res.* 14: 6115-6128; and Li P., *et al.* (1987) Enzyme-linked Synthetic Oligonucleotide probes: Non-Radioactive Detection of Enterotoxigenic *Escherichia Coli* in Faeca Specimens. *Nucl. Acids Res.* 15:5275-5287).

Definitions

5

10

15

20

25

30

Units, prefixes, and symbols can be denoted in their SI accepted form.

Numeric ranges are inclusive of the numbers defining the range. Unless otherwise indicated, nucleic acids are written left to right in 5' to 3' orientation, respectively. The

headings provided herein are not limitations of the various aspects or embodiments of the invention which can be had by reference to the specification as a whole. Accordingly, the terms defined immediately below are more fully defined by reference to the specification as a whole.

As used herein, the term "plant" includes reference to whole plants, plant organs (e.g., leaves, stems, roots, etc.), seeds and plant cells and progeny of same. The class of plants which can be used in the methods of the invention is generally as broad as the class of higher plants amenable to transformation techniques, including both monocotyledonous and dicotyledonous plants.

5

10

15

20

25

30

As used herein, "pest" includes, but is not limited to, viruses, fungi, nematodes, insects, and bacteria.

As used herein, "heterologous" is a nucleic acid that originates from a foreign species, or, if from the same species, is substantially modified from its original form. For example, a promoter operably linked to a heterologous structural gene is from a species different from that from which the structural gene was derived, or, if from the same species, one or both are substantially modified from their original form.

As used herein, "RG gene," alternatively referred to as "RLG gene," is a gene encoding resistance to plant pests, such as viruses, fungi, nematodes, insects, and bacteria, and which hybridizes under stringent conditions and/or has at least 60% sequence identity at the deduced amino acid level to the exemplified sequences provided herein. RG genes encode "RG polypeptides," alternatively referred to as "RLG polypeptides," which can comprise LRR motifs and/or NBS motifs. The RG polypeptides encoded by RG genes have at least 55% or 60% sequence identity, typically at least 65% sequence identity, preferably at least 70% sequence identity, often at least 75% sequence identity, more preferably at least 80% sequence identity, and most preferably at least 90% sequence identity at the deduced amino acid level relative to the exemplary RG sequences provided herein. The term "RG family" or "RG family genus" or "genus" includes reference to a group of RG polypeptide sequence species that have at least 60% amino acid sequence identity, and, the nucleic acids encoding these polypeptides. The individual species of a genus, i.e., the members of a family, typically are genetically mapped to the same locus.

As used herein, "RG polynucleotide" includes reference to a contiguous sequence from an RG gene of at least 18, 20, 25, 30, 40, or 50 nucleotides in length, up to

at least about 100 or at least about 200 nucleotides in length. In some embodiments, the polynucleotide is preferably at least 100 nucleotides in length, more preferably at least 200 nucleotides in length, most preferably at least 500 nucleotides in length. Thus, RG polynucleotide may be a RG gene or a subsequence thereof.

5

10

15

20

25

30

As used herein, "isolated," when referring to a molecule or composition, such as, for example, an RG polypeptide or nucleic acid, means that the molecule or composition is separated from at least one other compound, such as a protein, other nucleic acids (e.g., RNAs), or other contaminants with which it is associated in vivo or in its naturally occurring state. Thus, an RG polypeptide or nucleic acid is considered isolated when it has been isolated from any other component with which it is naturally associated, e.g.. cell membrane, as in a cell extract. An isolated composition can, however, also be substantially pure. An isolated composition can be in a homogeneous state and can be in a dry or an aqueous solution. Purity and homogeneity can be determined, for example, using analytical chemistry techniques such as polyacrylamide gel electrophoresis (SDS-PAGE) or high performance liquid chromatography (HPLC).

The term "nucleic acid" or "nucleic acid molecule" or "nucleic acid sequence" refers to a deoxyribonucleotide or ribonucleotide oligonucleotide in either single- or double-stranded form. The term encompasses nucleic acids, i.e., oligonucleotides, containing known analogues of natural nucleotides which have similar or improved binding properties, for the purposes desired, as the reference nucleic acid. The term also includes nucleic acids which are metabolized in a manner similar to naturally occurring nucleotides or at rates that are improved thereover for the purposes desired. The term also encompasses nucleic-acid-like structures with synthetic backbones. DNA backbone analogues provided by the invention include phosphodiester, phosphorothioate, phosphorodithioate, methylphosphonate, phosphoramidate, alkyl phosphotriester. sulfamate, 3'-thioacetal, methylene(methylimino), 3'-N-carbamate, morpholino carbamate, and peptide nucleic acids (PNAs); see Oligonucleotides and Analogues, a Practical Approach, edited by F. Eckstein, IRL Press at Oxford University Press (1991); Antisense Strategies, Annals of the New York Academy of Sciences, Volume 600, Eds. Baserga and Denhardt (NYAS 1992); Milligan (1993) J. Med. Chem. 36:1923-1937; Antisense Research and Applications (1993, CRC Press). PNAs contain non-ionic backbones, such as N-(2-aminoethyl) glycine units. Phosphorothioate linkages are described in WO

97/03211; WO 96/39154; Mata (1997) Toxicol Appl Pharmacol 144:189-197. Other synthetic backbones encompasses by the term include methyl-phosphonate linkages or alternating methylphosphonate and phosphodiester linkages (Strauss-Soukup (1997) Biochemistry 36:8692-8698), and benzylphosphonate linkages (Samstag (1996) Antisense Nucleic Acid Drug Dev 6:153-156). The term nucleic acid is used interchangeably with gene. cDNA, mRNA, oligonucleotide primer, probe and amplification product. Unless otherwise indicated, a particular nucleic acid sequence includes the complementary sequence thereof.

5

10

15

20

25

30

The term "exogenous nucleic acid" refers to a nucleic acid that has been isolated, synthesized, cloned, ligated, excised in conjunction with another nucleic acid, in a manner that is not found in nature, and/or introduced into and/or expressed in a cell or cellular environment other than or at levels or forms different than the cell or cellular environment in which said nucleic acid or protein is be found in nature. The term encompasses both nucleic acids originally obtained from a different organism or cell type than the cell type in which it is expressed, and also nucleic acids that are obtained from the same cell line as the cell line in which it is expressed, invention.

The term "recombinant," when used with reference to a cell, or to the nucleic acid, protein or vector refers to a material, or a material corresponding to the natural or native form of the material, that has been modified by the introduction of a new moiety or alteration of an existing moiety, or is identical thereto but produced or derived from synthetic materials. For example, recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise expressed at a different level, typically, under-expressed or not expressed at all. The term "recombinant means" encompasses all means of expressing, i.e., transcription or translation of, an isolated and/or cloned nucleic acid in vitro or in vivo. For example, the term "recombinant means" encompasses techniques where a recombinant nucleic acid, such as a cDNA encoding a protein, is inserted into an expression vector, the vector is introduced into a cell and the cell expresses the protein. "Recombinant means" also encompass the ligation of nucleic acids having coding or promoter sequences from different sources into one vector for expression of a fusion protein, constitutive expression of a protein, or inducible expression of a protein, such as the plant disease resistant, or RG. polypeptides of the invention.

The term "specifically hybridizes" refers to a nucleic acid that hybridizes, duplexes or binds to a particular target DNA or RNA sequence. The target sequences can be present in a preparation of total cellular DNA or RNA. Proper annealing conditions depend, for example, upon a nucleic acid's, such as a probe's length, base composition, and the number of mismatches and their position on the probe, and can be readily determined empirically providing the appropriate reagents are available. For discussions of nucleic acid probe design and annealing conditions, see, e.g., Sambrook and Ausubel.

5

10

15

20

25

30

The terms "stringent hybridization," "stringent conditions," or "specific hybridization conditions" refers to conditions under which an oligonucleotide (when used, for example, as a probe or primer) will hybridize to its target subsequence, such as an RG nucleic acid in an expression vector of the invention but not to a non-RG sequence. Stringent conditions are sequence-dependent. Thus, in one set of stringent conditions an oligonucleotide probe will hybridize to only one specie of the genus of RG nucleic acids of the invention. In another set of stringent conditions (less stringent) an oligonucleotide probe will hybridize to all species of the invention's genus but not to non-RG nucleic acids. Longer sequences hybridize specifically at higher temperatures. Stringent conditions are selected to be about 5°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic acid concentration) at which 50% of the probes complementary to the target sequence hybridize to the target sequence at equilibrium (if the target sequences are present in excess, at T_m, 50% of the probes are occupied at equilibrium). Typically, stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, i.e., about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g., 10 to 50 nucleotides) and at least about 60°C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. Often, high stringency wash conditions preceded by low stringency wash conditions to remove background probe signal. An example of medium stringency wash conditions for a duplex of, e.g., more than 100 nucleotides, is 1x SSC at 45°C for 15 minutes (see Sambrook for a description of SSC buffer). An example low stringency wash for a duplex of, e.g., more than 100 nucleotides, is 4-6x SSC at 40°C for 15 minutes. a signal to noise ratio of 2x (or higher) than that observed for an unrelated

probe in the particular hybridization assay indicates detection of a "specific hybridization." Nucleic acids which do not hybridize to each other under stringent conditions can still be substantially identical if the polypeptides which they encode are substantially identical. This can occurs, e.g., when a nucleic acid is created that encodes for conservative substitutions. Stringent hybridization and stringent hybridization wash conditions are different under different environmental parameters, such as for Southern and Northern hybridizations. An extensive guide to the hybridization of nucleic acids is found in, e.g., Sambrook, Tijssen (1993) supra.

5

10

15

20

25

30

As used herein "operably linked" includes reference to a functional linkage between a promoter and a second sequence, wherein the promoter sequence initiates and mediates transcription of the DNA sequence corresponding to the second sequence. Generally, operably linked means that the nucleic acid sequences being linked are contiguous and, where necessary to join two protein coding regions, contiguous and in the same reading frame.

In the expression of transgenes one of skill will recognize that the inserted polynucleotide sequence need not be identical and may be "substantially identical" to a sequence of the gene from which it was derived. As explained herein, these variants are specifically covered by this term.

In the case where the inserted polynucleotide sequence is transcribed and translated to produce a functional RG polypeptide, one of skill will recognize that because of codon degeneracy, a number of polynucleotide sequences will encode the same polypeptide. These variants are specifically covered by the term "RG polynucleotide sequence". In addition, the term specifically includes those full length sequences substantially identical (determined as described herein) with an RG gene sequence which encode proteins that retain the function of the RG protein. Thus, in the case of RG genes disclosed here, the term includes variant polynucleotide sequences which have substantial identity with the sequences disclosed here and which encode proteins capable of conferring resistance to nematodes, bacteria, viruses, fungi, insects or other pests on a transgenic plant comprising the sequence.

Two polynucleotides or polypeptides are said to be "identical" if the sequence of nucleotides or amino acid residues, respectively, in the two sequences is the same when aligned for maximum correspondence, as described below. The term

"complementary to" is used herein to mean that the complementary sequence is identical toall or a specified contiguous portion of a reference polynucleotide sequence.

5

10

15

20

25

30

The terms "sequence identity," "sequence similarity" and "homology" refer to when two sequences, such as the nucleic acid and amino acid sequences or the polypeptides of the invention, when optimally aligned, as with, for example, the programs PILEUP, BLAST, GAP, FASTA or BESTFIT (see discussion, *supra*). "Percentage amino acid/nucleic acid sequence identity" refers to a comparison of the sequences of two polypeptides/nucleic acids which, when optimally aligned, have approximately the designated percentage of the same amino acids/nucleic acids, respectively. For example, "60% sequence identity" and "60% homology" refer to a comparison of the sequences of two RG nucleic acids or polypeptides which, when optimally aligned, have 60% identity. For example, in one embodiment, nucleic acids encoding RG polypeptides of the invention comprise a sequence with at least 50% nucleic acid sequence identity to SEQ ID NO:1. In other embodiments, the RG polypeptides of the invention are encoded by nucleic acids comprising a sequence with at least 50% sequence identity to SEQ ID NO:1, or, are encoded by nucleic acids comprising SEQ ID NO:1, or, have at least 60% amino acid sequence identity to the polypeptide of SEQ ID NO:2.

"Percentage of sequence identity" is determined by comparing two optimally aligned sequences over a comparison window, wherein the portion of the polynucleotide sequence in the comparison window may comprise additions or deletions (i.e., gaps) as compared to the reference sequence (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid base or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the window of comparison and multiplying the result by 100 to yield the percentage of sequence identity.

The term "substantial identity" of polynucleotide sequences means that a polynucleotide comprises a sequence that has at least 55% or 60% sequence identity, generally at least 65%, preferably at least 70%, often at least 75%, more preferably at least 80% and most preferably at least 90%, compared to a reference sequence using the programs described above (preferably BESTFIT) using standard parameters. One of skill will recognize that these values can be appropriately adjusted to determine corresponding

identity of proteins encoded by two nucleotide sequences by taking into account codon degeneracy, amino acid similarity, reading frame positioning and the like. Substantial identity of amino acid sequences for these purposes normally means sequence identity of at least 55% or 60%, preferably at least 70%, more preferably at least 80%, and most preferably at least 95%. Polypeptides having "sequence similarity" share sequences as noted above except that residue positions which are not identical may differ by conservative amino acid changes. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. For example, a group of amino acids having aliphatic side chains is glycine, alanine, valine, leucine, and isoleucine; a group of amino acids having aliphatic-hydroxyl side chains is serine and threonine; a group of amino acids having amide-containing side chains is asparagine and glutamine; a group of amino acids having aromatic side chains is phenylalanine, tyrosine, and tryptophan; a group of amino acids having basic side chains is lysine, arginine, and histidine; and a group of amino acids having sulfur-containing side chains is cysteine and methionine. Preferred conservative amino acids substitution groups are: valine-leucine-isoleucine, phenylalanine-tyrosine, lysine-arginine, alanine-valine, and asparagine-glutamine.

5

10

15

20

25

30

Another indication that nucleotide sequences are substantially identical is if two molecules hybridize to each other under appropriate conditions. Appropriate conditions can be high or low stringency and will be different in different circumstances. Generally, stringent conditions are selected to be about 5°C to about 20°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH. The Tm is the temperature (under defined ionic strength and pH) at which 50% of the target sequence hybridizes to a perfectly matched probe. Typically, stringent wash conditions are those in which the salt concentration is about 0.02 molar at pH 7 and the temperature is at least about 50°C. However, nucleic acids which do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This may occur, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code.

Nucleic acids of the invention can be identified from a cDNA or genomic library prepared according to standard procedures and the nucleic acids disclosed here used as a probe. Thus, for example, stringent hybridization conditions will typically include at least one low stringency wash using 0.3 molar salt (e.g., 2X SSC) at 65°C. The washes

are preferably followed by one or more subsequent washes using 0.03 molar salt (e.g., 0.2X SSC) at 50°C, usually 60°C, or mosre usually 65°C. Nucleic acid probes used to identify the nucleic acids are preferably at least 100 nucleotides in length.

5

10

15

20

25

30

As used herein, "nucleotide binding site" or "nucleotide binding domain" ("NBS") includes reference to highly conserved nucleotide-, *i.e.*, ATP/GTP-, binding domains, typically included in the "kinase domain" of kinase polypeptides, such as a kinase-1a, kinase 2, or a kinase 3a motif, as described herein. For example, the tobacco N and Arabidopsis RPS2 genes, among several recently cloned disease-resistance genes, share highly conserved NBS sequence. Kinase NBS subdomains further consist of three subdomain motifs: the P-loop, kinase-2, and kinase-3a subdomains (Yu (1996) *Proc. Acad. Sci. USA* 93:11751-11756). As discussed in detail herein, examples include the *Arabidopsis* RPP5 gene (Parker (1997) *supra*), the *A. thaliana* RPS2 gene (Mindrinos (1997) *supra*), and the flax L6 rust resistance gene (Lawrence (1995) *supra*) which all encode proteins containing an NBS; and Mindrinos (1994) *Cell* 78:1089-1099; and Shen (1993) *FEBS* 335:380-385. Using the teachings disclosed and incorporated herein and standard nucleic acid hybridization and/or amplification techniques, one of skill can identify members having NBS domains, including any of the genus of NBS-containing plant disease resistant polypeptides of the invention.

As used herein, "leucine rich region" ("LRR") includes reference to a region that has a leucine content of at least 20% leucine or isoleucine, or 30% of the aliphatic residues: leucine, isoleucine, methionine, valine, and phenylalanine, and arranged with approximate repeated periodicity. The length of the repeat may vary in length but is generally about 20 to 30 amino acids. An LRR-containing polypeptide typicially will have the canonical 24 amino acid leucine-rich repeat (LRR) sequence, which is present in different proteins that mediates molecular recognition and/or interaction processes; as described in Bent (1994) Science 265:1856-1860; Parker (1997) Plant Cell. 9:879-894; Hong (1997) Plant Physiol. 113:1203-1212; Schmitz (1997) Nucleic Acids Res. 25:756-763; Hipskind (1996) Mol. Plant Microbe Interact. 9:819-825; Tornero (1996) Plant J. 10:315-330; Dixon (1996) Cell 84:451-459; Jones (1994) Science 266:789-793; Lawrence (1995) Plant Cell 7:1195-1206; Song (1995) Science 270:1804-1806; as discussed in further detail supra. Using the teachings disclosed and incorporated herein and standard nucleic acid hybridization and/or amplification techniques, one of skill can

identify polypeptides having LRR domains, including any member of the genus of LRR-containing RG polypeptides of the invention.

The term "promoter" refers to a region or sequence determinants located upstream or downstream from the start of transcription and which are involved in recognition and binding of RNA polymerase and other proteins to initiate transcription. A "plant promoter" is a promoter capable of initiating and/or regulating transcription in plant cells; see also discussion on plant promoters, *supra*.

5

10

15

20

25

30

The term "constitutive promoter" refers to a promoter that initiates and helps control transcription in all tissues. Promoters that drive expression continuously under physiological conditions are referred to herein as "constitutive" promoters and are active under most environmental conditions and states of development or cell differentiation; see also detailed discussion, *supra*.

The term "inducible promoter" refers to a promoter which directs transcription under the influence of changing environmental conditions or developmental conditions. Examples of environmental conditions that may effect transcription by inducible promoters include anaerobic conditions, elevated temperature, drought, or the presence of light. Such promoters are referred to herein as "inducible" promoters; see also detailed discussion, *supra*.

The term "abscission-induced promoter" or "abcission promoter" refers to a class of promoters which are activated upon plant ripening, such as fruit ripening, and are especially useful incorporated in the expression systems (e.g., expression cassettes, vectors) of the invention. When the plant disease resistant polypeptide-encoding nucleic acid is under the control of an abcission promoter, rapid cell death, induced by expression of the invention's polypeptide, accelerates and/or accentuates abcission of the plant part, increasing the efficiency of the harvesting of fruits or other plant parts, such as cotton, and the like; see also detailed discussion, supra.

The term "tissue-specific promoter" refers to a class of transcriptional control elements that are only active in particular cells or tissues. Examples of plant promoters under developmental control include promoters that initiate transcription only (or primarily only) in certain tissues, such as roots, leaves, fruit, ovules, seeds, pollen, pistols, or flowers; see also detailed discussion, *supra*.

As used herein "recombinant" includes reference to a cell, or nucleic acid, or vector, that has been modified by the introduction of a heterologous nucleic acid or the alteration of a native nucleic acid to a form not native to that cell, or that the cell is derived from a cell so modified. Thus, for example, recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all.

5

10

15

20

25

30

As used herein, a "recombinant expression cassette" or "expression cassette" is a nucleic acid construct, generated recombinantly or synthetically, with a series of specified nucleic acid elements which permit transcription of a particular nucleic acid in a target cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the recombinant expression cassette portion of the expression vector includes a nucleic acid to be transcribed, and a promoter.

As used herein, "transgenic plant" includes reference to a plant modified by introduction of a heterologous polynucleotide. Generally, the heterologous polynucleotide is an RG structural or regulatory gene or subsequences thereof.

As used herein, "hybridization complex" includes reference to a duplex nucleic acid sequence formed by selective hybridization of two single-stranded nucleic acids with each other.

As used herein, "amplified" includes reference to an increase in the molarity of a specified sequence. Amplification methods include the polymerase chain reaction (PCR), the ligase chain reaction (LCR), the transcription-based amplification system (TAS), the self-sustained sequence replication system (SSR). A wide variety of cloning methods, host cells, and *in vitro* amplification methodologies are well-known to persons of skill.

As used herein, "nucleic acid sample" includes reference to a specimen suspected of comprising RG resistance genes. Such specimens are generally derived, directly or indirectly, from lettuce tissue.

The term "antibody" refers to a polypeptide substantially encoded by an immunoglobulin gene or immunoglobulin genes, or fragments or synthetic or recombinant analogues thereof which specifically bind and recognize analytes and antigens, such as a genus or subgenus of polypeptides of the invention, as described *supra*.

It is understood that the examples and embodiments described herein are for . illustrative purposes only and that various modifications or changes in light thereof will be suggested to persons skilled in the art and are to be included within the spirit and purview of this application and scope of the appended claims.

5

EXAMPLES

The following examples are offered to illustrate, but not to limit the claimed invention.

Example 1

10

15

20

25

30

Example 1 describes the use of PCR to amplify RG genes from lettuce.

Multiple primers with low degeneracy, particularly at the 3' end, were designed based on the sequences of two known resistance genes from tobacco and flax.

DNA Templates

Lettuce genomic DNA was extracted from cultivar Diana and a mutant line derived from cultivar Diana using a standard CTAB protocol. To generate cDNA templates, RNA was isolated from cultivar Diana and the mutant following standard procedures; first strand cDNA was synthesized using Superscript reverse transcriptase from 1 Φg total RNA as specified by the manufacturer (Life Technologies). BAC (bacterial artificial chromosome) clones from the *Dm3* region were isolated from a BAC library of over 53,000 clones using marker AC15 that was known to be closely linked to *Dm3*. Bacterial plasmids containing clones of *L6* and *RPS2* were used as positive controls.

PCR with degenerate oligonucleotide primers

Oligonucleotide primers were designed based on conserved motifs in the nucloetide binding sites (NBS) of L6, RPS2, and N. Eight primers were made corresponding to the GVGKTT motif in the sense direction; each had 64-fold degeneracy. Six primers were made to the GLPLAL motif in the anti-sense direction; with either 16 or 256-fold degeneracy (Table 1).

Oligonucleotides included 14-mer adaptors of (CUA)₄ at the 5' end of the sense primers and (CAU)₄ at the 5' end of the antisense primers to allow rapid cloning of the PCR products into pAMP1 (Life Technologies).

PCR amplification was performed in 50 Φl reaction volume with 1 ΦM of . each of a pair of sense and antisense primers. The templates were denatured by heating to 94EC for 2 min. This was followed by 35 cycles of 30 sec at 94EC, 1 min at 50EC, 2 min at 72EC, with a single final extension of 5 min at 72EC. 25 ng of genomic DNA or cDNA was used. BAC clones as templates required less. The final dNTP concentration was 0.2 mM; MgCl₂ was 1.5 mM.

Forty-eight combinations of sense and antisense primers were tested on a panel of nine templates consisting of two genomic DNA samples, two cDNA preparations, three BAC clones and plasmids containing L6 and RPS2 as positive controls.

Amplification from *L6* and *RPS2* resulted in fragments of 516 and 513 repectively. Seven combinations of primers resulted in fragments of approximately this size with multiple templates (Table 2). Primers that gave RLG products were: PLOOPAA, PLOOPAG, PLOOPAG, PLOOPAG, PLOOPAC, GLPL3, GLPL4.

15

5

10

20 (Intentionally left blank)

Table 1

DEGENERATE PRIMER SEQUENCES for NBS PCR

Sense primers based on GVGKTT amino acid sequence from L6, N and rps2 PLOOP motif:

- PLOOPAG 5' GGN GTN GGN AAA ACG AC 3'
- PLOOPAA 5' GGN GTN GGN AAA ACA AC 3'
- PLOOPAT 5' GGN GTN GGN AAA ACT AC 3'
- PLOOPAC 5' GGN GTN GGN AAA ACC AC 3'
- PLOOPGG 5' GGN GTN GGN AAG ACG AC 3'
- PLOOPGA 5' GGN GTN GGN AAG ACA AC 3'
- PLOOPGT 5' GGN GTN GGN AAG ACT AC 3'
- PLOOPGC 5' GGN GTN GGN AAG ACC AC 3'

Antisense primers based on GLPLAL amino acid sequence:

- GLPL1 5' AGN GCN AGN GGN AGG CC 3' .
- GLPL2 5' AGN GCN AGN GGN AGA CC 3' !
- GLPL3 5' AGN GCN AGN GGN AGT CC 3'
- GLPL4 5' AGN GCN AGN GGN AGC CC 3'
- GLPL5 5' AAN GCC AAN GGC AAA CC 3'
- GLPL6 5' AAN GCC AAN GGC AAT CC 3'

5

10

15

20

25

30

TABLE 2. Characteristics of RLGs isolated from lettuce.

	Template	Primers	Number*	Sizeb	Сору	Dm
				(bp)	number	linkage
RLG1	genomic DNA	PLOOPGA+GLPL6	6/6	522		DM4,
	cDNA	PLOOPGA+GLPL6	1/5			DM13
	genomic DNA	PLOOPAA+GLPL6	5/5			
	cDNA	PLOOPAA+GLPL6	1/1		<u> </u>	·
RLG2	васн8	PLOOPGG+GLPL3	3/3	510		DM1,
						Dm3
RLG3	gemonic DNA	PLOOPGA+GLPL4	3/6	461		Dm5
						Dm8
RLG4	genomic DNA	PLOOPGA+GLPL4	1/6	524		

- * Number of RLG sequences out of total number of clones sequenced.
- b Size of fragment amplified from the nucleotide bindind domain.
- c Estimated copy number from genomic Southern blot analysis and numbers of clones in the BAC library.

Example 2

Example 2 describes the genetic analysis used to obtain a preliminary indication of the linkage relationships of the amplified products and known clusters of resistance genes.

Bulked segregant analysis was performed to obtain a preliminary indication of the linkage relationships of the amplified products and known clusters of resistance genes. DNA from individuals were pooled for each susceptible and resistant bulk. Amplified products were then mapped by RFLP analysis from our intraspecific mapping population. Resistances from four clusters of resistance genes as well as over six hundred markers have now been mapped on this population. Linkage analysis was done using JIONMAP or MAPMAKER mapping programs. Due to a suppression of recombination in the *Dm3* region, sequences were mapped relative to *Dm3* using a panel of deletion mutants that provided greater genetic resolution than the mapping population (Anderson *et al.* 1996). All blots were washed twice at 63EC in 2x SSC/1% SDS for 20 min, followed by one wash at 63EC in 1x SSC/0.1% SDS for 10 or 30 min.

Most of the RLG sequences were analyzed by bulked segregant analysis (BSA) using pools of resistant and susceptible individuals for each of the four clusters of resistance genes. In genomic Southern analyses, all the RLGs revealed numerous fragments of varying intensity. The numbers of bands was highly dependent of the stringency of hybridization. BSA demonstrated that RLG1 was linked to the *Dm4*, 7 and *Dm13* clusters. Segregation analysis confirmed this linkage.

RLG2 was derived from BAC H8 that was known to be from the Dm3 region. BSA with RLG2 demonstrated that the polymorphic bands that distinguished the parents of our mapping population mapped to the Dm1,Dm3 cluster. Several bands absolutely cosegregated with Dm1 or Dm3. To provide finer genetic resolution, RLG2 was also mapped using a panel of Dm3 deletion mutants. A number of fragments were missing in largest deletion mutant demonstrating that several RLG2 family members are physically located very close to Dm3. No fragment was missing in all deletion mutants; however, this is not unexpected as there is extensive duplication within the region.

15

20

25

30

10

5

Example 3

Example 3 describes the screening of a bacterial artificial chromosome library.

Over 53,000 BAC clones containing lettuce genomic DNA were screened with two of the amplified products. High density filters each containing 1536 clones were hybridized to ³²P labelled probes. Filters were washed at 65EC with 40 mM Na₂PO₄/0.1% SDS for 5 min followed by 20 min in the same solution.

To isolate additional RLG sequences we screened our genomic BAC library. Clones were identified that hybridized to RLG1 and RLG2. Nearly all the clones that hybridized to RLG2 also hybridized to marker AC15 that had already been shown by deletion mutant analysis to be clustered around *Dm3*. This provided further evidence for clustering of RLG2 sequences.

Using primers conserved within each family, part of the NBS was amplified from each unique BAC clone and sequenced. This revealed that members within each family varied from 64% identical at the deduced amino acid level. The most divergent members only weakly cross-hybridized to each other. Currently, RLG sequences are

considered to be part of the same family of sequences if they are at least 55% identical at . the deduced amino acid level and map to the same region of the chromosome.

Example 4:

5

10

15

20

25

30

Example 4 describes the cloning, identification, sequencing and characterization of RG polynucleotide sequences; including use of RG sequences from plasmid and PCR products.

Doubled stranded plasmid DNA clones and PCR products were sequenced using an ABI377 automated sequencer and fluorescently labelled di-deoxy terminators. Sequences were assembled using Sequencher (Genecodes), DNAStar (DNAStar) and Genetics Computer Group (GCG, Madison, WI) software. Database searches were performed using BLASTX and FASTA (GCG) algorithms.

Sequences flanking the NBS region for RLG2 and for some of RLG1 were obtained by a series of IPCR and the products sequenced directly. IPCR worked less well for RLG1. Therefore RLG1 was subcloned from a BAC clone into pBSK (Stratagene) and the double stranded plasmid sequenced by long range sequencing.

Initially, a total of 30 clones were sequenced. Three of these seven primer combinations yielded sequences that comprised continuous open reading frames with sequence identity to the NBS of known resistance genes. Seven out of 10 clones amplified from genomic DNA with the primer pair PLOOPGA/GLP6 were 522 bp long; they were identical to each other and named RLG1. All six clones amplified from genomic DNA or cDNA using the primers PLOOPAA/GLP6 were similar/the same as RLG1. All three clones sequenced from BAC clone H8 were 510 bp long, identical to each other but different from RLG1 and were therefore designated RLG2. The 11 clones sequenced from four other primer combinations had no similarity to any NBS motifs and therefore were not studied further. Therefore, sequencing resulted in the identification of clones containing NBS motifs representing four RLG sequences.

Comparison of the deduced amino acid sequences of RLG1 and RLG2 to those of known resistance genes revealed that RLG1 and RLG2 are as similar to each other as they are to resistance genes from other species and that this is the same level of identity shown between the known resistance genes (Table 3). The percent identity (upper quadrant) and percent identity (lower quadrant) were determined using the MEGALIGN

routine of the DNASTAR package. Identity refers to the proportion of identical amino acids; identity refers to the proportion of identical and similar amino acids and takes into account substitutions of amino acids with similar chemical characteristics. RG1 and RG2 are as similar to each other and to cloned resistance genes as cloned resistance genes from a variety of species are to each other. L6, resistance to Melampsora lini in flax (Lawrence et al., 1995). N, resistance to tobacco mosaic virus in tobacco (Whitham et al., 1994). PRF, required for resistance to Pseudomonas syringae in tomato. RPS2, resistance to Pseudomonas syringae in Arabidopsis thaliana (Bent et al., 1994; Mindrinos et al., 1994). RPM1, resistance to Pseudomonas syringae pv. maculicola in A. thaliana (Grant et al., 1995). The initial RG1 and RG2, sequences were amplified from lettuce using degenerate primers.

Table 3
IDENTITIES OF
RESISTANCE GENE HOMOLOGUES

RG1 RG2 RG3 RG4 RPS2 N gene * * * Lettuce RG1 22.7 15.0 29.2 25.4 23.8 RG2 32.2 21.6 Lettuce 22.7 33.0 RG3 Lettuce 17.2 15.0 32.8 * * * Lettuce RG4 44.3 22.7 *** Tobacco N gene 21.6 Arabidopsis RPS2

25

30

20

5

10

15

The regions homologous to the primers are included in this analysis as the genomic sequences for RLG1 and RLG2 were determined by IPCR. Interestingly, the genomic sequences for RLG1 exactly matched that of the primers used.

To obtain further evidence that we had amplified resistance genes, we amplified the regions flanking the NBSs of RLG1a and RLG2a by IPCR of BAC clones. These products were then directly sequenced without cloning to minimize the introduction of PCR artifacts. Sequence analysis of the 5' regions failed to detect any homology to known resistance genes. However, the sequence of the 3' region contained leucine-rich

repeats (LRRs). When this sequence was used to search GENBANK using BLASTX, it detected identity to the *Arabidopsis* resistance gene, *RPS2*. This region does not contain as regular LRRs as in some resistance genes; however, the repeat structure seems to be consistent with that of the flax resistance gene, *L6*. Therefore, the presence of an LRR region is further evidence that the sequences we amplified using degenerate oligonucleotide primers are probably resistance genes.

The sequences of the IPCR products also provided the genomic sequences of the regions complementary to the sequences of the degenerate oligonucleotide primers. The genomic sequences for RLG1 were identical to one of the primers in the mixture. The RLG sequences are resistance genes as supported by three criteria: the presence of multiple sequence motifs characteristic of resistance genes, genetic cosegregation with known resistance genes, and their existence as clustered multi-gene families. The presence of LRR regions in a similar position relative to the NBS as in cloned resistance genes provides stronger evidence than relying solely sequence similarity between NBS regions. The clustering of RLG sequences at the same position as the known clusters of resistance genes make them strong candidates for encoding resistance genes. The hybridization patterns and genetic distribution of the RLG sequences are similar to that of cloned resistance genes in other species. Most of these hybridize to small multigene families and preliminary genetic evidence indicates that they are clustered in the genome. Therefore, the degenerate primers that we designed from other resistance genes seemed to have been specific enough to amplify resistance genes rather than P-loop containing proteins in general.

25

20

5

10

15

(intentionally left blank)



[Strand]

ATCGTAACCGTTCGTACGAG ANCGCTGTCCCTCCTTCATC TTTTGTCATATGTCATATTC TCATNUATINTGCCACATNT AATTYTGTGGTTATTTTAAA TTAATTTTTATTCCACATGT CATTTTATGAGTTTTCTAT TTTATTGAGTTTCACATAAT 81 ATTTAAATGTAATAACAATA AATGCATATTTATTTTCTT TAAATAAACGCATATAATAT ATAGATTAAAAQCATATAAAT 161 ACATAGGITAAACTCATATA ATACATATGITCATCCCCAG TITATTTATATGICTCATCC TIAATTTATTATTATTAT TTATTAGAGTAGATCAT TGTGATATTAAAAATTTAAT TTGTTCAAAATTTAAAATTA TTAATAATCCCACAATTTGA 321 ATAAAATTAAAAAAATGGN CCCACCATTAGTCCATCACT TTTTCAGCTCATCAATATCG TGAGTATTCTCCTTCGTTTC 401 CACCCTAATCAATATITCCA GCGAATGACAGACTCCTACG GCGTTTCTGAATTTGCGTTC CGACACTGTTCATTGAAGGA 481 GATAATAAATCAAATGGAGC TGCTCCAATGTTCATTGCTG ATGAAAGGTGAATTGTATGT GAAGANAATGTCAGCGATCN 561 ATCTCCATCCGGAACCCACC ACATTATCAGTGTACCACCA AACCACTCAAAACGGYGGAA GTAGRRAKACWRKAAAGTCA TGAAGAATAGATTATTTTTG TCCTCATGGGCTGACTGAGG AGCGGGTTTAGTTCATCATT TTTCTTTGANCAAAGAATTA TCGGTCCATCGAATTTTTAC ATCGACAAAGAAGTTCACT TCGCAATGTTTTGTTAAACA ATTTTTAATCTTTTTATCTT B01 TICGITGAAACICCICAATT GCAACTIGCAACTTGCAACT TITGGGCCCACAAATTTGTG GTGGGCGTTAATTTAATCCA 881 CATATTCACTGTAAACAATA ATTCAAATCGATCTCTGTTC ATCCAATTCATCAACATCTC TTGATAATTGAAATCATTCA 961 1041 CGCTTCATCCATTTCATCCA CATCTATACTATATTCTCTG CTCTTATCATATTAAACGAT GGCTGAAATCGTTCTTTCTG 1121. CCTTCTTGACAGTGGTGTTT GAAAAGCTGGCATYTGAAGC CTTGAAGAAGATTGTTCGCT CCAAAAGAATTGAATCTGAG 1201 CTTAAGAAATTGAAGGAGAC ATTAGACCAAATCCAAGATC TGCTTAACGATGCTTCCCAG AAGGAAGTAACTAATGAAGC 1281 CGTTALAAGATGGCTGAATG ATCTCCAACATTTGGCTTAT GACATAGACGACCTACTTGA TGATYTTGCAACTGAAGCTG 1361 TTCA::CGTGAGTTGACCGAG GAGGGTGGAGCCTCCTCCAG TATGGTAAGAAAACTAATCC CAAGTTGTTGCACAAGTTTC TCACAAAGTAATAGGATGCA TGCCAAGTTAGATGATATTG CCACCAGGTTACAAGAACTG GTAGAGCCAAAAAATAATCT 1441 TGGTTTAAGTGTGATAACAT ATGAAAAGCCAAAAATTGAA AGGTATGAGGGGTCTTTGGT AGATGAAAGCGGTACTGTCG 1521 1601 GACGTGAAGATGATAAGAAA AAATTGCTGGAGAAGCTGTT GGGGGATAAAGATGAATCAG GGAGTCAAAACTTCAGCATC 1681 GTGCCCATAGTTGGTATGGG TGGAGTTGGTAAAACAACTC TAGCTAGACTTTTGTATGAT GAAAAGAAAGTGAAGGATCA 1761 CTTCGAACTCAGGGCTTGGG TTTGTGTTTCTGATGAGTTC AGTGTTCCCAATATAAGCAG AGTTATTTATCAATCTGTGA 1841 CTGGGGAAAAGAAGGAGTTT GAAGACTTAAATCTGCTTCA AGAAGCTCTTAAAGAGAAAC TTAGGAACCAGCTATTTCTA 1921 ATACTTTTCGATGATGTGTG GTCTGAAAGCTATGGTGATT GGGAGAAATTAGTGGGCCCA TTCCTTGCGGGGTCTCCTGG 2001 AAGTAGAATAATCATGACAA CTCGGAAGGAGCAATTGCTC AGAAAGCTGGGCTTTTCTCA TCAAGACCCTCTGGAGGGTC 2081 TATCACAAGATGATGCTTTG TCTTTGTTTGCTCAACACGC ATTTGGTGTACCAAACTTTG ATTCACATCCAACACTAAGG 2161 CCACATGGAGAACTGTTTGT GAAGAAATGTGATGGCTTAC CTCTAGCYTTAAGAACACTT GGAAGGTTATTAAGGACAAA 2241 AACAGACGAGGAACAATGGA AGGAGCTGTTGGATAGTGAG ATATGGAGGTTAGGAAAGAG CGATGAGATTGTTCCGGCTC 2321 TTAGACTAAGCTACAATGAT CTTTCTGCCMCTFTGAAGCT RTTRTTTGCCATAYTGCTCCT TGTTTCCCAAGGACTATGAG TITGACAAGGAGGAGTIGAT TCTATTGTGGATGGCAGAAG GGTTTTTGCCCCAACCAACT AYAAACAAGTCAAGCAACG 2401 2481 KTTGGGTCTTGAATATTTTR AAGAGTTRTTGTCAAGRTCR TTTTTTCAACATGCTCCTAA TRRCAAATCSTTGTTTGTGA 2561 TGCATGACCTAATGAATGAT TTGGCTACATTTGTTGCTGG AGAATTTTTTTCAAGGTTAG ACATAGAGATGAAGAAGGAA 2641 TITAGGATGSAATCTTTGGA RAAGCACCGMCATATGTCAT TTGTATGTGAGRATTACATA GGTTACAAAARGTTCGAGCC 2721 ATTTAGAGGAGCTAAAAATT TGAGAACATTTTTAGCATTG TCTGTTGGGGTGGTAGAAGA TTGGAAGATGTTTTACTTAT 2801 CAAACAAGGTCTTGAATGAC WTACTTCARGATTTACCATT GTTAAGGGTCCTRAKTTTGA TTRRTCTTAYAATAASYRAG 2881 GTACCARAAKTCGTSGGTAG TATGAASCACTTGCGGTATC TTAATCTATCWGRAACTTWA ATCACMCATTTACCGGAAWA 2961 TKTCTGCAATCTTTATAATT TACARACCTGATTGTKTCT GGCTGTGAMTATTTAGTTAA KTTGCCCAARACCTTCTCAA 3041 ASCTIAAAATTTGCASCAT TITGACATGAGGGTTACTCC KAAKTTRAARAACATGCCCT TARGGATTGGTGARTTGAAA 3121 ARTCTACAAACTCTCTTYMG TAACATTGGCATAGCAATAA CCGAGCTTAAGAACTTGCAM AAYCTCCATGGGAAARTTTG 3201 TATTGGCCGGCTGGGAAAAA TGGAAAATGCMGTKGGATGC ACGTTAAGCGAACTTGTCTC AAAAAAGGTTWAATGARTTA 3281 NAAACTGGRUTEGGGGTGA TRAATTTAATGTTTTCCGAA ATGGGAACACTTGAAAAAGA AGTCCTCAATGAAGTGATGC 3361 CTCATAATGGTACTCTANAA AAAACCCANAATTATGTCTA TAGGGGGTATAGAGTTTCCA AATTGGGTTGGTTNCACTAA 3641 GGGTTTCTGAAACTAGAGAT GTGTTCATGGTGTATGAAAA AGANTGTTTTACGTAGTTTC ATCAATCACCAAGTGGGAAA 3521 TAGATGATATTTTCAGGGCY TACTGATGAGATGTGGAGAG GTATGATAGGGTTVTCTTGGG GCGGTAGAAGAAATAAGCAT 3601 CCATTCTTGTAATGAAATAA GATATYTGTGGGAATCAGAA GCAGAGGCAAGTAAGGTTCT TATGAATTTAAAGAAGTTGG 3681 ATTTAGTGAATGTGAAAAT TTGGTGAGTTTAGGGGAGAA AAAGGAGGATAATCATAATA TTAATAGTGGGAGCAGCCTA 3761 ACATCTTTTAGGAGGTTGAA TGTATGGAGATGTAACAGCT TGGAGCATTGCAGGTGTCCA GATAGCATGGAGAATTTGTA 3841 TATGCA:CATGTGTGATTCAA TNACATCCGTCTCCTTCCCA ACAGGAGGAGGACAGAAGAT CAAGTCACTTACCATCACTG 3921 ATTGCAAGAAGCTTTCCGAA GAGGAGTTCGGAGGACGAGA GAGGACAAGAGTGCTTATAA ACTCAAAAATGCAGATGCTT 4001 GAATCASTAGATATACGTAA TTGGCCAAATCTGAAATCTA TCAGTGAATTGAGTTGCTTC ATTCACCTGAACAGATTATA 4081 TATATCAAACTGTCCGAGTR TGGAGTCATTTCCTGACCAT GAGTTGCCAAATCTCACCTC CTTAACAGATCGAAGGAGAG 4161 GACAGCGATTTTCGTACGAA CGGTTACGATTCGACTGGCC GTCGTTTT

SEQ ID NO:2 [Strand]

1	AACCGTTCGT	ACGAGAATCG	CIGICCICIC	CITCCTGTAA	TATAATGATA	AGAAAAATA	TGATTAAAGG
71						GTATGCAAAA	
141						TOGTCCTTTC	
211						GTTTTCACTA	
281	CTGAAATCCT	TGGTTCTGCG	TICTITGCGG	TGTTCTTTGA	AAAGCTTGCT	TCTGAAGCCT	TGAAGAGGGT
351	TECTTECTCC	AAAGTAATTG	ACAAGGAGCT	CGAGAAATTG	AATAGCTCAT	GAATCAATAT	AAAAGCTCTG
421						GTTGAATGCT	
491	TGCCTTACGA	CATAGATGAT	CTACTTGGCG	ATTTGGCAAC	CAAAGCTATC	CATCGTAAGT	TCTCTGAGGA
561	ATACGGGGCC	ACCATCAACA	AGGTACGAAA	GTTAATTCCA	TCTTGTTTCT	CTAGTTTGTC	AAGTACTAAG
631	ATGCGCAACA	AGATACATAA	TATTACCAGC	AAGTTACAAG	AACTATTAGA	AGAGAGAAAT	AATCTTGGAT
701						TCINIGCTAG	
771	TATTGTTGGA	CGCACAGATG	ATAAGGAAGC	GTTGCTTCTC	AAGCTATATG	AACCATGTGA	TAGAAACTTT
841						TAGACTITIG	
911						GAGTTTGATA	
981.						ATTTAAATCT	
1051						TGTATGGAGC	
1121						AAAGTAATCA	
1191						CTGATTTGTC	
1261						ACATCCGATA	
1331						GCACTTGGGA	
1401						GGAGGTTAGG	
1471						GAAGCAGTTG	
1541						TTATGGATGG	
1611						ATTTTGACGA	
1681						CGACCTCATG	
1751						AAGGAAGCTT	
1821						AACCATTTAA	
1891						AACATITIAC	
1961						TIGAGITATC	
2031						TATCACACAC	
2101						TIGIGGCIGT	
						ATTAGCGATA	
						CCAAGCTCAT	TATTGGAGGT
2311	GAAAATAGAC	: TAAACGAGCI	TAAGAACTTA	CAAAATCTCC	ATG		

RIGIb - Diana (Strand)

1	TACTACTACT	AGAATTCGGT	GTTGGTAAGA	CGACTCTAGC	TAGACITITG	TATGAGGAAA	TGCAAGGGAA
71	GGATCACTTC	GAACTTAAGG	CCTCCCTATC	TGTTTCTGAT	GAGTTTGATA	TCTTCAATAT	AAGCAAAATT
14	1 ATCTTACAAT	CGATAGGTGG	TGGAAACCAA	GAATTTACGG	ACTTAAACCT	GCTTCGAGTA	GCTTTAAAAG
21	1 AGAAGATCTC	AAAGAAAAGa	TTTCTTCTTG	TTCTTGATGA	TGTTTGGAGT	GAAAGCTATA	CCGATTGGGA
28	1 AATINTAGAA	CGCCCATTTC	TTGCAGGGGC	ACCTGGAAGT	AAGATTATTA	TCACCACCCG	GAAGCTGTCA
35	1 TIGITAAACA	AACTCGGTTA	CAATCAACCT	TACAACCTTT	CCCTTTTCTC	ACATGAGAAT	GCTTTGTCTT
42	1 TATTCTGTCA	GCATGCATTG	GGTGAAGATA	ACTTCAATTC	ACATCCAACA	CTTAAACCAC	ATGGCGTAGG
49	1 TATIGITIGAA	AAATGTGATG	GaTTGCCATT	GGCATTGTCG	ACATCATCAT	CATC	

SEQ ID 137

1	TCCCGTGCAA	CGTNTATCAT	TCAGAAGNGC	CCAAAGACCA	NAGATNIGIT	TAANGNTGNT	TNTCAGAAGG
71	AAGTAATTGA	TGAAGCTGTN	AAAAGATGGC	TGATTGATNT	CCAACAATTG	GCTTACGACA	CTGANGACNA
141	ACTTGATGAT	NYCGCAACAG	AAGCTATTCA	TCGTGAGTTG	ATCCGTGAAA	CIGGAGCTIC	CINCCAGCATG
211	GTAAGAAAGC	TAATCCCAAG	TTGTTGCACA	AGTITCTCAC	AAAGTAATAG	GATGCATGCC	AGGTTAGATG
281	ATATTGCCGC	TAAGTNACAA	GAACTGGTAG	AGGCGAAAAA	TAATCTIGGT	TTAAGTGTGA	TAACATACGA
351						TCATTGGACG	
421	AAGAAAAAAT	TGCTTCAGAA	GCTGTTGGGG	GATACTTATG	AATCAAGTAG	TCAAAACTTC	AACATCGTGC
491	CCATAGTTGG	TATGGGTGGG	GTAGGTAAAA	CAACTCTAGC	TAGACTITIG	TATGATGAAA	AAAAAGTGAA
561	GGATCACTTC	GAACTCAGGG	TTTGGGTTTG	TGTTTCTGAT	GAGTTCAGTG	TTCCCAATAT	AAGCAGAGTT
631	ATCTATCAAT	CTGTGACTGG	TGAAAACAAA	GAATTTGCAG	ATTTAAATCT	GCTTCAAGAA	GCCCTTAAAG
701	AGAAACTTCA	GAACAAACTA	TTTCTAATAG	TTTTAGATGA	TGTATGGTCT	GAAAGCTATG	GTGATTGGGA
771	GAAATTAGTG	GGCCCATTTC	ATGCTGGGAC	TTCTGGAAGT	AGAATAATCA	TGACTACTCG	GAAGGAGCAA
841	TTACTCAAAC	AGCTGGGTTT	TTCTCATGAA	GACCCTCTGC	ATAGTATAGA	CTCCCTGCAA	CGTCTATCAC
911	AAGAAGATGC	TTTGTCTTTG	TTTTCTCAAC	ACGCATTTGG	TGTACCTAAC	TTTGATTCAC	ATCCAACACT
981	AAGGCCATAT	GGGGAACAGT	TTGTGAAAAA	ATGTGGGGGA	TTGCCTTTGG	CCTTGT	

SEQID NO:4 [Strand]

1	COTACCOTTC	TACGAGATCG	CIGICCCICC	TCGATCTGCT	TAACGATGCT	TCCCAGAAGG	AAGTNACTAA
71	TGAAGCCGTT	AAAAGATGGC	TGAATGATCT	CCAACATTTG	GCTTATGACA	TANACGACCT	ACTTGATGAT
141	CTTGCAACAS	AAAGCTATTC	NTCSTGAGTT	GACCGANGAA	GGTGGAGCCT	CCACCAGTAT	GGTAAGAAAA
211	CTAATCCCAA	GTTGTTGCAC	AAGTTTCTCA	CAAAGTTATA	GGATGCATGC	CAAGTTAGAT	GATATIGCCA
281	CCAGGTTACA	AGAACTGGTA	GAGGCAAAAA	ATAATCTTGG	TTTAAGTGTG	ATAACATATG	AAAAGCCCAA
351	AATTGAAAGG	TATGAGGCAT	CTTTGGTAGA	CGAAAGTGGT	ATTTTTGGAC	GTINAGATGA	TNAGAAAAA
421	TTGATGGAGA	AGCTGTTGGA	GGATAAAGAT	GAATCCGGAG	TONAAACTTC	AGCATCCTGC	CCATAATTCG
491						AGACAGTGAA	
561						AAGCAAAGTT	
631						GCTCTTAGAG	
701						GTGATTGGGA	
771						GAAGGAGCAA	
841					CTCCCTGCAA	CGTCTATCAC	AAGATGATGC
911	Theiresternies	JE GAMACALAINE	DCALAL E-CO	TALANTA P			

REGIE

1	TCTAGCTAGA	CTTTTGTATG	ACGAGATGCA	AGAGAAGGAT	CACTTCGAAC	TCAAGGCGTG	GGTTTGTGTT
71	TYTEATCACT	TTGATATATT	CAATATAAGC	AAAATTATTT	TCCAATCGAT	AGGAGGTGGA	AACCAAGAAT
141	יואוש שכינים בעוווי	AAATCTCCTT	CAAGTAGCTG	TAAAAGAGAA	GATTTCAAAG	AAACGATTTC	TACTIGITÇT
211	TGATGATGTT	TGGAGTGAAA	GCTATGCGGA	TTGGGAAATT	CTGGAACGCC	CATTICTICC	AGGGGCAGCC
281	GGAAGTAAAA	TTATCATGAC	GACCCGGAAG	CAGTCATTGC	TAACCAAACT	CCGTTACAAG	CAACCITACA
351	ACCTTTCCGT	TTTGTCACAT	GACAGTGCTC	TCTCTTTATT	CIGICAGCAT	GCATTGGGTG	AAGATAACTT
473	CCAUTYCECAT	CCDACACTTA	AACCACATGG	CGAAGGCATT	GTTGAAAAAT	GTGCT	

RLGIF [Strand]

1	ATTITICNGCT	CNIAAACAAAN	AAAAGCAATG	GCTGAAATCT	TICITICNGC	ATTCTAGACC	AGTATTCTTT
71	GAAAAGNTGG	CTTCTGAAGC	CTTGAAGAAG	ATCGCTCGCT	TCCATCGGAT	TGATTCTGAG	CTCAAGAAAC
141	TGAAGAGGTC	ATTAATCCAG	ATCAGATCTG	TGCTTAATGA	TGCTTCTGAG	AAGGAAATAA	GTGATGAAGC
211	TGTTAAAGAA	TGGCTGAATG	GTCTCCAACA	TTTGTCTTAC	GACATAGACG	ACCTACTIGA	TGATTTGGCA
281	ACCGAAACTA	TGCATCGTGA	GTTGACCCAC	GGATCTGGAG	CCTCCACCAG	CTTGTAAGAA	AGATAATCCC
351	AACTIGITGC	ACAGATTTCT	CACTAAGTAG	TAAGATGCGT	AACAAGTTAG	ATAATATTAC	CATCAAGTTA
421	CAAGAACTGG	TAGAGGAAAA	AGATAATCTT	GGCTTAAGTG	TGAAAGGTGA	AAGCCCAAAA	CATACCAACA
491	GAAGATTACA	GACCTCTTTG	GTAGATGCAT	CTAGCATTAT	TGGTCGTGAA	GGTGATAAGG	ATGCATTGCT
561	CCATAAGCTG	CTGGAGGATG	AACCAAGTGA	TAGAAACTTT	AGCATCGTGC	CAATAGTTGG	TATGGGTGGT
631	GTGGGTAAGA	CGACTCTAGC	TAGACTITIG	TATGACGAGA	TGCAAGAGAA	GGATCACTTC	GAACTCAAGG
701	CGTGGGTTTG	TGTTTCTGAT	GAGTTTGATA	TCTTCAATAT	AAGCAAAGTT	ATCTTCCAAT	CGATAGGTCG
771	TGGARACCAA	GAATTTAACC	ACTTAAATCT	CCTTCAAGTA	GCTGTAAAAG	AGAAGATTTC	AAAGAAACGA
841	TTTCT::YTTG	TTCTGGATGA	TGTTTGGAGT	GAAAGCTATA	CAGAATGGGA	AATTCTAGCA	CGTCCATTTC
911	TTGCAGGGGC	ACCAGGAAGT	AAGATTATCA	TGACGACCCG	GAAGTTGTCG	TTGCTAACCA	AACTCGGTTA
981_	CAATCAACCT	TACAACCITT	CSGTTTTGTC	ACATGATAAT	GCTYTGTCTT	TATTCTGTCA	GCAYGCATTG
1051	GGTGAAGATA	ACTTCGATTC	ACATCCAACA	CITAAACCAC	ASGGTGAAAG	TATTGTTGAA	AAATGTGACG
1121	GTTTACCATT	GGCTTTRATT	GCACTIGGGA	GRITGITGAR	GACAAAAACA	GATGAGGAAG	AATGGAARGA
1191	AGTGTTGAAT	AGTGAAATAT	GGGGGTCAGG	AAAGGGAGAT	GAGATTGTTC	CGGCTCTTAA	ACTAAGCTAC
1261	AATGATCTCT	CIGCCICITY	GAAGAAGTIG	TTTGCATACT	GCTCCTTGTT	CCCAAAAGAC	TATGTGTTCG
1331	ATAAGGAGGA	GTTGATTTTG	TTGTGGATGG	CAGAAGGGTT	TTTGCACCAA	TCAACCACAA	GCAAGTCBAT
1401	GGAACGCTTG	GGHCATGAAG	GTTTTGATGA	ATTGTTGTCA	AGATCATTTT	TTCAACATGC	CCCTGATGCC
1471	AAATCGATGT	TIGIGATGCA	TGACCTGATG	AATGACTIGG	CHACATCTGT	TGCTGGAGAT	TITTTTTCAA
1541	GGATGGACAT	TGAGATGAAG	AARGAATTTA	GGAAGGAAGC	TTTGSAAAAG	YAYCGCCATA	TGTCAWTTGT
1611	TTGTGAKGAT	TACATGGTKI	ACAAAAGGTT	CRAGCCATTS	ACAAGGAGCT	AG	

RIGIG (Strand)

1	GTGAAGGATC	ACTICGAACT	CAGGGCTTGG	GTTTGTGTTT	CTGATGAATT	TAATATCCTC	AATATAAGCA
71	AAGTAATTTA	TCAATCTGTA	ACCGGGGAAA	AAAAGGAGTT	TGAAGACTTA	AATCTGCTTC	AAGAAGCTCT
141	TAAAGAAAAA	CTTTGGAATC	AGTTATTTCT	AATAGTTCTG	GATGATGTGT	GGTCTGAAAG	CTATCGTGAT
211	TGGGAGAAAT	TAGTGGGCCC	ATTITTTCG	GGGTCTCCTG	GAAGTATGAT	TATCATGACA	ACTCGGAAGG
281	AGCAATIGCC	AAGAAAGCTG	GGTTTTCCTC	ATCAAGACCC	TTTGCAAGGT	CTATCACATG	ACGATCCTTT
261	Cultaintaint ministry	CCTYCE SCACC	UTALES CALALACT	ACCE			

RIGIH [Strand]

1	TCTAGCTAGA	CTTTTGTATG	AGGAAATGCA	AGGGAAGGAT	CACTTCGAAC	TCAAGGCGTG	GGTATGTGTT
71	TCTGATGAGT	TIGATATCIT	CAATATAAGC	AAAATTATCT	TACAATCGAT	AGGTGGTGGA	AACCAAGAAT
141						AAAAGATTTC	
211							
281							
351	ACCITICGGT	TTTGTCACAT	GAGAATGCTT	TGTCTTTATT	CTGTCAGCAT	GCATTGGGTG	AAGATAACTT
421	CAATTCACAT	CCAACACTTA	AACCACATGG	CGAAGGTATT	GTTGAAAAAT	GTGAT .	

SEQ IO NO:8

RLGII [Strand]

1	TCTAGCTAGA	CTTGTGTATG	ATGAGATGCA	AGAGAAGGAT	CACTITIGAAC	TCAAGGCGTG	GGTATGTGTT
71	TCTGATGAGT	TTGATATATT	CAATATAAGC	AAAATTATTT	TCCAATCGAT	AGGAGGTGGA	AACCAAGAAT
141	TTAAGGACTT	AAACCTCCTT	CAAGTAGCTG	TAAAAGAGAA	GATTTTAAAG	AAACGATTTC	TTCTTGTTCT
211	TGACGACGTT	TGGAGTGAAA	GCTATGCCGA	TTGGGAAATT	NTGGAACGCC	CATTICTIGC	AGGGGCAGCC
281	GGAAGTAAAA	TTATCATGAC	AACCCGAAAG	CAGTCATTGC	TAACCAAACT	CGGTTACAAG	CAACCTTACA
351	ACCTITCCGT						
421	CGATTCACAT	CCAACACTTA	AACCACATGG	CGAAGGCATT	CTTGAAAAAT	GTGCTGGATT	GCCATTGGCA
491	TIGICGACA						

SEQ ID NO.9

RLGLJ [Strand]

	TACTACTACT						
71	GGATCACTTC	GAACTTAAGG	CGTGGGTATG	TGTTTCTGAT	GAGTTTGATA	TCTTCAATAT	AAGCAAAATT
141	ATCTTACAAT	CGATAGGTGG	TGGAAACCAA	GAATTTACGG	ACTTAAACCT	GCTTCGAGTA	GCTTTAAAAG
211	AGAAGATCTC	AAAGAAAAGa	TTTCTTCTTG	TTCTTGATGA	TGTTTGGAGT	GAAAGCTATA	CCGATTGGGA
281	AATTNTAGAA	CGCCCATTIC	TTGCAGGGGC	ACCTGGAAGT	AAGATTATTA	TCACCACCCG	GAAGCTGTCA
351	TIGITAAACA	AACTCGGTTA	CAATCAACCT	TACAACCTTT	CGGTTTTGTC	ACATGAGAAT	CCTTTGTCTT
421	TATTCTGTCA	GCATGCATTG	GGTGAAGATA	ACTICAATIC	ACATCCAACA	CTTAAACCAC	ATGGCGDAGG
401	C Charleston City	בער בערבער מי מי	Calabouchasian	CCC2MMCDD:	ACAMCAMCAM	CATC	

RLGIA a.a.

IVTVRTR?LSLLHLLSYVIFS?!?PH?ILWLF.INFYSTCHFMSFSILLSFT.YLNVITINAYLFFFK.THIIYR LKSYNT.VKLI.YICSSPVYLYVSSLIYLLFIY.SR.SL.Y.KFNLFKI.NY..SHNLNKIKKNGPTISPSLFQLINIV SILLRFHPNQYFQRMTDSYGVSEFAFRHCSLKEIINQMELLQCSLLMKGELYVK?MSAI?LHPEPTTLSV YHQTTQNGGSR?T?KS.RIDYFCPHGLTEERV.FIIFL?KNYRSIEFLHRQRSFTSQCFVKQFLIFLSFR.NS SIATCNLCLLGPQICGGR.FNPHIHCKQ.FKSISVHPIHQHLLIIEIIHASSISSTSILYSLLLSY.TMAEIVLS AFLTVVFEKLA?EALKKIVRSKRIESELKKLKETLDQIQDLLNDASQKEVTNEAVKRWLNDLQHLAYDID DLLDD?ATEAV?RELTEEGGASSSMVRKLIPSCCTSFSQSNRMHAKLDDIATRLQELVEAKNNLGLSVI TYEKPKIERYEASLVDESGTVGREDDKKKLLEKLLGDKDESGSQNFSIVPIVGMGGVGKTTLARLLYDEK KVKDHFELRAWVCVSDEFSVPNISRVIYQSVTGEKKEFEDLNLLQEALKEKLRNQLFLIVLDDVWSESY GDWEKLVGPFLAGSFGSRIIMTTRKEQLLRKLGFSHQDPLEGLSQDDALSLFAQHAFGVPNFDSHPTLR PHGELFVKKCDGLPLALRTLGRLLRTKTDEEQWKELLDSEIWRLGKSDEIVPALRLSYNDLSA?LKLLFA YCSLFPKDYEFDKEEL:LLWMAEGFLHQPT?NKSKQRLGLEYF?ELLSRSFFQHAPN?KSLFVMHDLMND LATFVAGEFFSRLDIEMKKEFRM?SLEKHRHMSFVCE?YIGYK?FEPFRGAKNLRTFLALSVGVVEDWK MFYLSNKVLND?LQDLPLLRVL?LI?L?!??VP??VGSM?HLRYLNLS?T?ITHLPE??CNLYNLQTLIV SGC?YLV?LPKTFS?LKNL?HFDMR?TP?LKNMPL?IGELK?LQTLF?NIGIAITELKNL?NLHGK?CIGG LGKMENAVGCTLSELVSKKV?,??NW??G..I.CFPKWEHLKKKSSMK.CLIMVL?KKP?IMSIGGIEFPN WVGSLRVSETRDVFMVYEK?CFT.FHQSPSGK.MIFSG?TDEMWRGMIG?LGAVEEISIHSCNEIRYLWE SEAEASKYLMNLKKLDLGECENLVSLGEKKEDNHNINSGSSLTSFRRLNVWRCNSLEHCRCPDSMENLY MHMCDS?TSVSFPTGGGQKIKSLTITDCKKLSEEELGGRERTRVLINSKMQMLESVDIRNWPNLKSISEL SCFIHLNRLYISNCPS?ESFPDHELPNLTSLTDRRRGQRFSYERLRFDWPSF



RLGIB a.a.

NRSYENRCPLLPVI...EKI.LKV.IQNPLFHR.YDALAVVCKNSIINANQNSS.ETI.IMV.IVLSPYTHFFQIPII HTYKCSHIRFSLAMAEILGSAFFAVFFEKLASEALKRVACSKVIDKELEKLNSS.INIKALLNDASQKEIS KEAVKEWLNALQHLPYDIDDLLGDLATKAIHRKFSEEYGATINKVRKLIPSCFSSLSSTKMRNKIHNITS KLQELLEERNNLGLCEIGESRKLRNRKSETS?LDPSSIVGRTDDKEALLLKLYEPCDRNFSILPIVGMGGLDKTTLGRLLYD?MQVKDHFELKAWVCVSDEFDIFGISKTIFESIEGGNQEFKDLNLLQVALKEKISKKRFLVLDDVWSESYTDWEILERPFLAGAPGSKVIITTRKLSLLNQLGHDQPYQLSDLSHDNALSLFCQHAFGVNSFDSHPILKPHGEGIVEKCDGLPLALIALGRILRTKRDEEEWKELLNSEIWRLGKRDEIIP?LRLSYNDLSASLKQLFAYCSLFPKDYVFNKEKLILLWMAEGFLHNENTNKSMERL?LEYFDDLLSRSFFQHALDDKSLFVHDLMNDLATSVAGDYFLRLDIEMKKEALEKYRHMSFVCESYMVYKRFEPFKGAKKLRTFLAMPVGMIKSWTTFYLSNKVLDDLLHELPLLRVLSLSYLSIKEVPEIIGNLKHLRYLNLSHTSITHLPENVCNLYNLQTLICGCCFITKFPNNFLKLRNLRHLDISDTPGLKKMSSGIGELKNLHTLSKLIIGGENRLNELKNLQNLH

RLGICaa.

SRAT?IIQK?PKT?D?F????QKEVIDEAVKRWLID?QQLAYDT?D?LDD?ATEAIHRELIRETGAS?S MVRKLIPSCCTSFSQSNRMHARLDDIAAK?QELVEAKNNLGLSVITYEKPKIERDEA?LVDASGIIGRED DKKKLLQKLLGDTYESSSQNFNIVPIVGMGGVGKTTLARLLYDEKKVKDHFELRVWVCVSDEFSVPNIS RVIYQSVTGENKEFADLNLLQEALKEKLQNKLFLIVLDDVWSESYGDWEKLVGPFHAGTSGSRIIMTTR KEQLLKQLGFSHEDPLHSIDSLQRLSQEDALSLFSQHAFGVPNFDSHPTLRPYGEQFVKKCGGLPLAL

RLGID

?T?LRDRCPSSICLTMLPRRK?LMKPLKDG.MISNIWLMT?TTYLMILQ?KAI??ELT?EGGASTSMVRK LIPSCCTSFSQSYRMHAKLDDIATRLQELVEAKNNLGLSVITYEKPKIERYEASLVDESGIFGR?DD?KK LMEKLLEDKDESGVKLQHLPIIGMGGVG?TTLARLLFDEKTVKDHFELRAWVCVSDEFSILNISKVIYQS VTGEKKEFEDLNLLQEALRGKLQNKLFLIVLDDVWSESYGDWEKLVGPFHAGTSGSRIIMTTRKEQLLK QLGFSHQDPLRCIDSLQRLSQDDALSLFAQHAFG?

RLGIE

LARLLYDEMQEKDHFELKAWVCVSDEFDIFNISKIIFQSIGGGNQEFKDLNLLQVAVKEKISKKRFLLVLD DVWSESYADWEILERPFLAGAAGSKIIMTTRKQSLLTKLGYKQPYNLSVLSHDSALSLFCQHALGEDNF DSHPTLKPHGEGIVEKCA

RLGIF

FSA?NK?KQWLKSFF?HSRPVFFEK?ASEALKKIARFHRIDSELKKLKRSLIQIRSVLNDASEKEISDEA VKEWLNGLQHLSYDIDDLLDDLATETMHRELTTDLEPPPACKKDNPTCCTDFSLSSKMRNKLDNITIKL QELVEEKDNLGLSVKGESPKHTNRRLQTSLVDASSIIGREGDKDALLHKLLEDEPSDRNFSIVPIVGMGG VGKTTLARLLYDEMQEKDHFELKAWVCVSDEFDIFNISKVIFQSIGGG?QEFKDLNLLQVAVKEKISKKR FL?VLDDVWSESYTEWEILARPFLAGAPGSKIIMTTRKLSLLTKLGYNQPYNLSVLSHDNALSLFCQHA LGEDNFDSHPTLKP?GESIVEKCDGLPLALIALGRIL?TKTDEEEWKEVLNSEIWGSGKGDEIVPALKLS YNDLSASLKKLFAYCSLFPKDYVFDKEELILLWMAEGFLHQSTTSKSMERLGHEGFDELLSRSFFQHAPD AKSMFVMHDLMNDLATSVAGDFFSRMDIEMKKEFRKEAL?K?RHMS?VC?DYMV?KRF?P?TRS.

RLG1 G

VKDHFELRAWVCVSDEFNILNISKVIYQSVTGEKKEFEDLNLLQEALKEKLWNQLFLIVLDDVWSESYR DWEKLVGPFFSGSPGSMIIMTTRKEQLPRKLGFPHQDPLQGLSHDDALSLFAQHAFGVP

RLG 1 H

LARLLYEEMQGKDHFELKAWVCVSDEFDIFNISKIILQSIGGGNQEFTDLNLLQVALKEKISKKRFLLVLD DVWSESYTDWEILERPFLAGAPGSKIIITTRKLSLLNKLGYNQPYNLSVLSHENALSLFCQHALGEDNFN SHPTLKPHGEGIVEKCD

RLGI I

LARLVYDEMQEKDHFELKAWVCVSDEFDIFNISKIIFQSIGGGNQEFKDLNLLQVAVKEKILKKRFLLVLD DVWSESYADWEI?ERPFLAGAAGSKIIMTTRKQSLLTKLGYKQPYNLSVLSHDSALSLFCQHALGEGNF DSHPTLKPHGEGIVEKCAGLPLALST

RLGIT

EFGVGKTTLARLLYEEMQGKDHFELKAWVCVSDEFDIFNISKIILQSIGGGNQEFTDLNLLRVALKEKISK KRFLLVLDDVWSESYTDWEI?ERPFLAGAPGSKIIITTRKLSLLNKLGYNQPYNLSVLSHENALSLFCQH ALGEDNFNSHPTLKPHG?GIVEKCDGLPLALS

							•
1						ATAATGCNCA	
71	GTTGANAAAG	CTCTAAGTTT	TINACCTCCA	NCTGATGCNC	NNTCCTCNTA	AAGTTCANAT	CCAAGCTTGC
141	CCTCCAACTC	TANCNCCTTC	AATGGCACCT	CCTTCTCTTC	AAAAGCACAC	AAGAACACTT	TCAAGCTCAA
211						GCTCTCTGGA	
281						CITICAATCT	
351						AANAATACAC	
421						TTTCAAGGAC	
491	AACTTGEGGA	ANGANANGGA	TCAAACANTAT	TO TO THE PARTY OF	MAACCE FACTOR	TACAATGAAG	TOUT I I I I I I I I I I I I I I I I I I I
561	GGGTAAAAA	יוביבאויויה ב ביויוי	TOTAL DATE	Children	CAACCAACAA	GGGTAAAATT	CCESSOCCIT
631						AGTTTTTTT	
701							
771						ATAATGTCAA	
_						ANCCGAAAAA	
841						TCCNCTTTTG	
911						AAAGGTTGAA	
981						GGATNATIGT	
1051						TATNONAACT	
1121						TITGGTAGTT	
1191	ATTTTTATTA	NAATATAGAA	NCATCCCTTT	ATTITAAACC	CATATTGTGG	ACGGACTIGA	ATAAATGGGA
1261	AAAATGTACC	TIGCTATITA	GCACAAAAAA	ATTATAAAAA	TGTACATTGC	TATTTAGCAC	AAACAAAAA
1331	AAAAAACTTA	TCCTTTTTGC	ATTAGGTCAC	AAAGAAATAT	AAAATGGGAA	ATGTGTTGCT	ATITAATGCA
1401						TGGAAGTACA	
1471	GCATGAAAAA	AAATAACTTT	CCATTTTTTG	CATCCGGTCA	CAATAATAGA	AAAATGAAAG	TACGTTGCTA
1541	TTTAGCGAAA	CTAACTTCCT	TTTTTCTTTT	TGGCATCGTA	TCATAAAATA	TAGACTAAAA	TACGTTAGTT
1611	TTACATTTTT	AATACATTGA	AATGTCTAAT	CCACATGTTA	TTCTATAAAA	AGGGAAATGT	AATTTACTTA
1691	TICTITGATT	CTTTGGCTTC	TTTTTAGTAC	CCAAAACATC	CCTCTATCCA	TCTATTCCAA	CTAAAATAAT
1751	GAAAACTATA	TTCCTTCCAT	TGTAGGGATG	TTATAAATTT	TGTAATTGTT	TTTATGCAAA	AAAGTGTTTT
1821	TIGITAACTA	GATTAACGAG	ATTCATTTTT	CAGCATTTTA	GGAGAAGTTC	ATCCATCTIT	TGGATATGAA
1891	GTGCAAGCCA	AGITCITTAA	CATGGAATAT	GAGGTCCCTA	TATGCTCAAA	AAATAGCAAA	TGAGAAATTT
1961	TITAAATTGG	ATCCCCATAA	AAGAAAATTT	GTTAATGGTT	GTTTTAATAT	TGGTCAATGT	GTCCACCGGA
2031	TGAGCATAAT	ACTAGTTTAT	AAGGGGTAAA	GGTGGGTTTG	GTGGGCCCAT	TTATCTTTAT	TATTTCTAAA
2101	AGTCAGAATT	AAGTAAAAA	AATTATAAGA	TAAATACCAT	AAGGATAAAA	AATCATTTTA	TTTGGACCAA
2171	AGACCAAAGT	TGTTAAGGGG	CIGITIGITI	TTTTTGTGAA	GAGCTGTGCA	ACCACTTTTG	TCTCCCCCCC
2241	ACAGACAACG	TGCAGACATA	TGCCCTCGCA	GAGTGTTTGT	TTTTTTGAAAG	TGCGCAGACC	AAAAAAACCT
2311	CTGCGCGAGG	TCATCCTGGC	GCATATATGT	GTCACTGTCT	TCAAAGGTYT	TCAGACCTCA	TITITAACCAA
2381	ለ ልልፌፌልልልል	GACCACCGGT	TITITITITIT	TITITNTICT	TICICITGTA	GCTGAAAATG	CATTITITAAT
2451	CTTTATGACA	TGAAATTAAG	TITGAAAAAT	TAATTTATT	CAACAGCTCT	AGACGTTAAA	AACAAACACT
2521	CTTCTTGTTG	CAGACTGTGG	ACATTICGIC	CACCACALACA	ACCCCAGAGA	CTTGCAGATG	TECTECCE
2591	ACTGCAGACA	TTTTGGCTTC	AAATAAACAA	ACATCACCTA	PATHACACATOR OF THE	ACCACACCCA	CCACCOCTO
2661	AACAAAAAA	ACCITICANAC	AAACTTICCCT	VOLTANGE IN	ATTIONCING	CATTTATGTA	CCICCAGIGI
	AAATTTTAGT	TYCGTAGATY	VCIAL DCCCT	WILLUCICOMI	TICCHOOOC	CHILINIGIA	AGAGITATCT
2801	AAAGGTTTGA	ANCTARCTO	CAAACTCACA	CANNANCCO	MIDIOMAGICIA	TOTOTOTACO	COCOCACCIO
2871	TGAAGGAATC	ACCUCACO	TCCCC NTY	CHARMATCON	INTOWNOINT	AATCCATAAC	GITCAATIGG
	GGTACGCTCA	TATATCAAAT	142CCCCASALATAN	. UGCTICCUCI	NI IMAGGIAA	MAICCAIMAC	CCIAAAIGII
3011	ACGGTATATG	יייעידיייייייייייייייייייייייייייייייי	TOCGIGITIT	MADIAMOILO	WWW.GCNIGC	TOWNWAY!	VCIOTAVOCC.
3081	CGTACTTCAA	ממיבית ממים	VOTINCIONI	WYCWWYII	GAIAATTITG	GGTTTACGTA	AGTIAGGATT
3151	ATTGTACTAG	A COMMIGIAN	TUGITITIGI	CAGICIAICI	AIGIATITGG	GGAATCACAT	TAGCAACGGG
3221	CATCTAATAT	ת מכומים מלויי	UUGICITIIN	MAIAATITT	CIGITIATAA	TITATGAATA	GITTIAGCGA
3701	TTACTAATGO	אינהנו אינהנו על על אינד דינדינינינינינינינינינינינינינינינינ	GINICIGNIA	TIGAATTAAT	GICCITAATG	TGAACATAGA	CCTTTTCCAT
3351	TINCINGIOC	CIMMINATIN	GITICIAAIC	AATAAATTT	AAPPICIGPI	TTATGCTTCT	AAGACAATAA
3731	AAATCCATGA	LITACCITIA	MATATTAACA	AAAAIGACCA	TAAATAAATA	AAAAATTAGG	ATACCAAACC
3627	CCCCCCCAT	GCCCWAIGIC	TAMATATICI	' IGAIGCITII	GCTTTTCCCT	CITITECTIC	TTAGTCTATT
3501 3571	WITH TO THE	GITIGAGAGA	GITTCATACA	AGAAAATTY	AAGAAGAAAG	CAAAGGTCCA	GGTATTCTCT
	TITCITAATI	ATGTATTAAC	TIACAAGCAI	TITITACACO	ATCCATGGTI	TTTTGTGTAT	GTTTTTCAAA
3641	TIGAAACTAG	ATIGGGACTI	TIGCCCTTGA	TGATTCATA	GATATICCAI	GGAGTTGAGA	TIGIGIAAGA
3711	AAAGIGGIGA	ATAGAAAGAG	CAAGTGAATC	CAGATATAGT	T ATTGGTAATA	TATGATGATG	AGATAGAGAT
3781	ATGTTAAAAC	TGGCTAGAAA	ATTGTTTTAA	TTTGAAATT	AGGIIGIIGA	ATTTGAAAGA	TACCAAGCTA
3851	ATAACTAATI	AGTTATGCTA	AATAGTTATA	AAGAACAAC!	AACTCGTAGT	TITTTTTTCA	TGATTTTCAA
3921	CCTCTTCGTA	. CCAAACTAAA	TTATAACAAA	YEARDITA	ATTCTCTGCA	ATCAATTITA	ACTIVITYTY
3991	TTATCATCAT	: GTCTAAAATT	' GCCACAAGTI	TATTTTCATA	GTCATATIGG	ATTATGAAAG	GACTATITIT
4061	ACCAATTAC	TCTTTACTTI	' ATGGCCAAAG	CTAATACAAT	CCGACTAAAC	TAAAGGATTC	TAGGATGCAT

SER ED NO:21

4131 ATAGTITGCT CCCCGATTAT AGATITCTAT CTAATTTGTC TATTGTACTA ATITAGGTGC CACCACAAGT 4201 AAATTCCTGA AATGGATGTC GTTAATGCCA TTCTTAAACC AGTTGTCGAG ACTCTCATGG TACCCGTTAA 4271 GAAACACATA GGGTACCTCA TITCCTGCAG GCAATATATG AGGGAAATGG GTATCAAAAT GAGGGGATTG 4341 AATGCTACAA GACTTGGTGT CGAAGAGCAC GTGAACCGGA ACATAAGCAA CCAGCTTGAG GTTCCAGCCC 4411 AAGTCAGGGG TTGGTTTGAA GAAGTAGGAA AGATCAATGC AAAAGTGGAA AATTTCCCTA GCGATGTTGG 4481 CAGTTGTTTC AATCTTAAGG TTAGACACGG GGTCGGAAAG AGAGCCTCCA AGATAATTGA GGACATCGAC CGAAAGCATC CACCTCAATA CCATCAACCG ATCATCATGA TGAGTTCCAG TCAAGAGAGC AAACTTTCAC 4621 4691 AGAAGCACTA AACGCACTCG ATCCTAACCA CAAATCCCAC ATGATAGCCT TATGGGGAAT GGGCGGAGTG 4831 AGGCGGTTGT AGGGGAAAAA ACAGACCCCA TTGCTATTCA ATCAGCTGTA GCAGATTACC TAGGTATAGA 4901 GCTCAATGAA AAAACTAAAC CAGCAAGAAC TGAGAAGCTT CGGAAATGGT TTGTGGACAA TTCTGGTGGT 4971 AAGAAGATCC TAGTCATACT CGACGATGTA TGGCAGTTTG TGGATCTGAA TGATATTGGT TTAAGTCCTT 5041 TACCARATCA AGGTGTCGAC TTCAAGGTGT TGTTGACATC ACGAGACAAA GATGTTTGCA CTGAGATGG 5111 ACCTGAAGTT AATTCAACTT TTAATGTGAA AATGTTAATA GAAACAGAAG CACAAAGTTT ATTCCACCAA TITATAGAAA TITCGGATGA TGTTGATCCT GAGCTCCATA ATATAGGAGT GAATATTGTA AGGAAGTGTG 5181 5251 GGGGTCTACC CATIGCCATA AAAACCATGG CGTGTACTCT TAGAGGAAAA AGCAAGGATG CATGGAAGAA 5321 TGCACTTCTT CGTTTAGAGC ACTATGACAT TGAAAATATT GTTAATGGAG TTTTTAAAAT GAGTTACGAC 5391 AATCTCCAAG ATGAGGAGAC TAAATCCACC TTTTTGCTTT GTGGAATGTA TCCCGAARAC TTTGATATTC 5461 TTACCGAGGA GTTGGTGAGG TATGGATGGG GGTTGAAATT ATTTAAAAAA NIGTATACTA TAGGAGAAGC 5531 AAGAACCAGG CTCAACACAT GCATTGAGCG GCTCATTCAT ACAAATTTGT TGATGGAAGT TGATGATGTT 5601 AGGTGCATCA AGATGCATGA TCTTGTTCGT GCTTTTGTTT TGGATATGTA TTCTAAAGTC GAGCATGCTT 5671 CCATTGTCAA CCATAGTAAT ACACTAGAGT GGCATGCAGA TAATATGCAC GACTCTTGTA AAAGACTTTC 5741 ATTAACATGC AAGGGTATGT CTAAGTTTCC TACAGACCTG AAGTTTCCAA ACCTCTCCAT TTTGAAAACTT 5811 ATGCATGAAG ATATATCATT GAGGTTTCCC AAAAACTTTT ATGAAGAAAT GGAGAAGCTT GAGGTTATAT 5881 CCTATGATAA AATGAAATAT CCATTGCTTC CCTCATCACC TCAATGTTCC GTCAACCTTC GCGTGTTTCA TCTACATAAA TGCTCGTTAG TGATGTTTGA CTGCTCTTGT ATTGGAAATC TGTCGAATCT AGAAGTGCTT 5951 6021 ACCTITECTE ATTCTECCAT TEACCEGITE CCTTCCACAA TCGGAAAGTT GAAGAAGCTA AGGCTACTGG 6091 ATTTGACGAA TTGTTATGGT GTTCGTATAG ATAATGGTGT CTTAAAAAAA TTGGTCAAAC TGGAGGAGCT 6161 CTATATGACA GTGGTTGATC GAGGTCGAAA GGCGATTAGC CTCACAGATG ATAACTGCAA GGAGATGCCA 6231 GAGCGTTCAA AAGATATITA TGCATTAGAA CTTGAGTTCT TTGAAAACGA TGCTCAACCA AAGAATATGT 6301 CATTTGAGAA GCTACAACGA TTCCAGATCT CAGTGGGGCG CTATTTATAT GGAGATTCCA TAAAGAGTAG 6371 GCACTCGTAT GAAAACACAT TGAAGTTGGT TCTTGAAAAA GGTGAATTAT TGGAAGCTCG AATGAACGAG 6441 TIGITTAAGA AAACAGAGGT GITATGITTA AGTGTGGGAG ATATGAATGA TCITGAAGAT ATTGAGGTTA 6511 AGTCATCCTC ACAACTTCTT CAATCTTCTT CGTTCAACAA TTTAAGAGTC CTTGTCGTTT CAAAGTGTGC 6581 AGAGTIGAAA CACTICITCA CACCIGGIGI IGCAAACACT TIAAAAAAAGC TIGAGCAICII IGAAGTITAC 6651 AAATGTGATA ATATGGAAGA ACTCATACGT AGCAGGGGTA GTGAAGAAGA GACGATTACA TTCCCCAAGC 6721 TGAAGITTIT ATCTITGTGT GGGCTACCAA AGCTATCGGG TITGTGCGAT AATGTCAAAA TAATTGAGCT 6791 ACCACAACTC ATGGAGTIGG AACTIGACGA CATTCCAGGT TICACAAGCA TATATCCCAT GAAAAAGTIT 6861 GAAACATTTA GITTGITGAA GGAAGAGGTA AATATAAATT TITAATGCTA ATACATTACA AAGGATCTIT 6931 TCAGTTAAAT CTTTCAAAAT ATATTGTAAT TTGATTGTAT GGGGTATTAT TGTTGGATGG GACTATTAAT 7001 AAATGATTAT CTTGCAGGTT, CTGATTCCTA AGTTAGAGAA ACTGCATGTT AGTAGTATGT GGAATCTGAA 7071 GGAGATATGG CCTTGCGAAT TTAATATGAG TGAGGAAGTT AAGTTCAGAG AGATTAAAGT GAGTAACTGT 7141 GATAAGCTTG TGAATTTGTT TCCGCACAAG CCCATATCTC TGCTGCATCA TCTTGAAGAG CTTAAAGTCA 7211 AGAATTGTGG TTCCATTGAA TCGTTATTCA ACATCCATTT GGATTGTGTT GGTGCAACTG GAGATGAATA 7281 CAACAACAGT GGTGTAAGAA TTATTAAAGT GATCAGTTGT GATAAGCTTG TGAATCTCTT TCCACACAAT 7351 CCCATGTCTA TACTGCATCA TCTTGAAGAG CTTGAAGTCG AGAATTGTGG TTCCATTGAA TCGTTATTCA 7421 ACATTGACTT GGATTGTGCT GGTGCAATTG GGCAAGAAGA CAACAGCATC AGCTTAAGAA ACATCAAAGT 7491 GGAGAATTTA GGGAAGCTAA GANAGGTGTG GAGGATAAAA GGTGGAGATA ACTCTCGTCC CCTTGTTCAT 7561 GGCTTTCAAT CTGTTGAAAG CATAAGGGTT ACNAAATGTN AGAAGTTTTAG AAATGTATTC ACACCTACCA 7631 CCACAAATTT TAATCTGGGG GCACTTTTGG AGATTTCAAT AGATGACTGC GGAGAAACA GGGGAAATGA 7701 CGAATCGGAA GAGAGTAGCC ATGAGCAAGA GCAGGTAAGG ATTTCAATTT CACTGTCTTA ATTAATGATT
7771 AAGCTCCTGC TTTTTGAATA AAAAAGGGAC AAACCATTTC ATGACTTAAT GTAGCAATAC AAGTCATGTA 7841 TAAGASTGAC CAACTCTTTT TTATTTATAA AATGACTACA AAATATTTTT TTTCATTAGA GATCATGTAT 7911 AAATGTGACT AATTTTTCAT CACCTAACTT TAGTTGATAA ATCTTTATAA ATGTCACTAG TTACTTTTCA 7981 GTAAAATAAC AAATTTAATA AATTATCAAC AAAAAGCATC AACTAAAAAA ATCCCACAAC CCGTAATAAT 8051 TTAAAATAAA AGGATITAAC ATCTAATACG AACAATTTTT TTTCTAAACA TGATTTGGAC CAAATATCAC 8121 CAGCAACTCA AGTITGGAAT CGATTCAGCT TAAAACTTGA CCAGCATAAT TAGATAGATG AGAGTTGAAG 8191 CTARAGIGCC TATATARGIT CGTTTCATCT TTTTTCTIGA TCTTGATAGC RAGITGRATG ATTTTCTTCT

RLGZA cont.

8261 TCAAAATTGA TAAAAATCTA CATTATAAAG AGACTAGCTT GAAAAAAAAT GGTCTAGGTG GGTCTTGGGT 8331 TCTGGTAGAT GAAGATGGAA GGGGAGAGTA TGATTTCAAA GACACAACAC ATCCTTCATT TTATTTATTT 8401 ATTATTATTA TTATTTTTTG ATATCTTGCT CATATTTGTT ACAGATATGT GAGGTCTATT AATCTTTTTA 8471 AATATATAA AAAATAAATA ACATAAATGA GAAAATTAAA TAAAGAATAA ATTAATAAGG GCACAATAGT 8541 CTITITAGGT AAGACAAGGA CCAAACACGC AACAAAAATA AACAGTAGGG ACCATCCGAT TTAAAAAAAA 8511 TAATTAGGGA CCAAAAACAT AAATTCCCCC AAACCATAGG GACCATTCAT GTAATTTACT CTTACTTTTC 8681 GTTTTGTTCA TATTTGGGTA ACTATTTTTT TTGTACACAT CTAGGTAACG AACTTGTTGA AGTGTTCCCA 8751 TITAGGATGT GACCTACTAC AACCGATCAT AATAGTCATA TGTGAACACT TCCAACAACT TTATTACTTA 8821 GGTGTGTACA AAAAAACAAT AGTTACCATG ATGTGAACAT ACTGAAAAAT TAATTACCTT AGCAAGTTAT 8891 TITCCCATTT AGGTTGTATG GAAACAGTTC CGTGAGACCG TGACTTGGAT GGTAGATAAA TTTAGTAAAC 8961 TTAACCCTTC AATTAACCTA CCTTTTTCTT ATTAACTCAA TTTCAACCTA AATTCTGATT CTTGTTTGAA 9011 AGTAAGTTGC ATCTTTATTT TIGTATTATC TIGTIGCATA GGATCCTTAG CATCTTTAA TAATTTATTT 9101 GAAGGTGAAA GATCCAACTA TITITAATCT GTTGGCATTT TCCATCATTT GCAACTGTTT CTTGAAAAAA 9171 AAATACCTAA AATCAAAATA ACCATTITCA AATCCAAAAT TATAAGAGAG AATTGTAAAT GGACATGGAA 9241 TCATAAATCA TTAACACAGT TCAGTAAACA AGTTGCTAAT TACATTTCTT GCTGTGCAGA TTGAAATTCT 9311 ATCAGAGAAA GAGACATTAC AAGAAGCCAC TGACAGTATT TCTAATGTTG TATTCCCATC CTGTCTCATG 9381 CACTCTITIC ATAACCTCCA GAAACTTATA TTGAACAGAG TTAAAGGAGT GGAGGTGGTG TTTGAGATAG 9451 AGAGTGAGAG TCCAACAAGT AGAGAATTGG TAACAACTCA CCATAACCAA CAACAACCTA TTATACTTCC 9521 CAACCTCAG GAATTGATTC TATGGAATAT GGACAACATG AGTCATGTGT GGAAGTGCAG CAACTGGAAT 9591 AAATICITCA CTCTTCCAAA ACAACAATCA GAATCCCCAT TCCACAACCT CACAACCATA AAAATTATGT 9661 ATTGCAAAAG CATTAAGTAC TIGTTTTCGC CTCTCATGGC AGAACTTCTT TCCAACCTAA AGCATATCAA 9731 GATAAGAGA TOTGATGGTA TTGGAGAAGT TOTTTCAAAC AGAGATGATG AGGATGAAGA AATGACTACA 9801 TTTACATCTA CCCACACAAC CACCACTTTG TTCCCTAGTC TTGATTCTCT CACTCTAAGT TTCCTGGAGA 9871 ATCTGAAGTG TATTGGTGGA GGTGGTGCCA AGGATGAAGG GAGCAATGAA ATATCTTTCA ATAATACCAC 9941 TGCAACTACT GCTGTTCTTG ATCAATTTGA GGTATGCTTT GTACATATTC AATTATTTAT TTAATTTCCT 10011 TITITATITG CAATATTCTA TAAATAATAC ATTITATACC CACTATACTA AGATAATAAT TACCTAGAGG 10081 GATGGATGCT ATGACACAGC TGCTACACTT CAGAAACTCT AGTAAGGGCA GTTATGGAAG TTCAATAAAA 10151 TGATAATGCC ATCTTTTGAT GGGTAATATA GGCAATTTAA GTTTTATTTC TGTTAAAGCA GTATTTAGCA 10221 AGTACTGGCC AGTAGGAGAG GAGAATATCA CCTTTTGTGA AAATCTGGTC ATTGTACCCA GAATTTAGTT 10291 AAATGTAACA TTTTAGATAT CAGGGGTCAT CAGGTGACAG ATATTGTAGA ATAGAACAAT ATATAATATC 10361 ACCCAAAACT ATTITITCTA AGGTTATTCT GITAAATATG TGCTTTCTTG TTTTCATNGA ATTNGCATTC 10431 GTATATTITA GGTGTTAAAG TGATTITNIC TICAATAAAT CCCGAAATTA ATTAAAAAA AAAAAACAAA 10501 AGTACATTIT TGATGTGGGG AGCACTGGTA TCACTTAGTA TATAAAAAGC TTGATTTTGA ATTAACTTTC 10571 TTATACAAAA GTTGTGTATA TAGTTTAATT AGTTTTACAT CATTTTTCCA TGTGGTGTIG CAGTTGTCTG 10641 AAGCAGGTGG TGTTTCTTGG AGCTTATGCC AATACGCTAG AGAGATGAGA ATAGAATTCT GCAATGCATT 10711 GTCAAGTGTA ATTCCATGTT ATGCAGCAGG ACAAATGCAA AAGCTGAAGG AGAGGACAGC GATTCTCGTA 10781 CGAACGGTTA CGATTCGACT GGCCGTCGTT TTACA

SEQ ID NO: 2/

RLGLA a.a.

MDV/NAILKPVVETLMVPVKKHIGYLISCRQYMREMGIKMRGLNATRLGVEEHVNRNISNQLEVPAQV RGWFEEVGKINAKVENFPSDVGSCFNLKVRHGVGKRASKIIEDIDSVMREHSIIIWNDHSIPLGRIDSTK ASTSIPSTDHHDEFQSREQTFTEALNALDPNHKSHMIALWGMGGVGKTTMMHRLKKVVKEKKMFNFIII EAVVGEKTDPIAIQSAVADYLGIELNEKTKPARTEKLRKWFVDNSGGKKILVILDDVWQFVDLNDIGLS PLPNQGVDFKVLLTSRDKDVCTEMGAEVNSTFNVKMLIETEAQSLFHQFIEISDDVDPELHNIGVNIVRK CGGLPIAIKTMACTLRGKSKDAWKNALLRLEHYDIENIVNGVFKMSYDNLQDEETKSTFLLCGMYPE?FD ILTEELVRYGWGLKLFKK?YTIGEARTRLNTCIERLIHTNLLMEVDDVRCIKMHDLVRAFVLDMYSKVEH ASIVNHSNTLEWHADNMHDSCKRLSLTCKGMSKFPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLE VISYDKMKYPLLPSSPQCSVNLRVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDRLPSTIGKLKKLR LLDLTNCYGVRIDNGVLKKLVKLEELYMTVVDRGRKAISLTDDNCKEMAERSKDIYALELEFFENDAQPK NMSFEKLORFOISVGRYLYGDSIKSRHSYENTLKLVLEKGELLEARMNELFKKTEVLCLSVGDMNDLEDIE VKSSSQLLQSSSFNNLRVLVVSKCAELKHFFTPGVANTLKKLEHLEVYKCDNMEELIRSRGSEEETITFP KLKFLSLCGLPKLSGLCDNVKIIELPQLMELELDDIPGFTSIYPMKKFETFSLLKEEVLIPKLEKLHVSSM WNLKEIWPCEFNMSEEVKFREIKVSNCDKLVNLFPHKPISLLHHLEELKVKNCGSIESLFNIHLDCVGAT GDEYNNSGVRIIKVISCDKLVNLFPHNPMSILHHLEELEVENCGSIESLFNIDLDCAGAIGQEDNSISLRNI KVENLGKLR?VWRIKGGDNSRPLVHGFQSVESIRVTKC?KFRNVFTPTTTNFNLGALLEISIDDCGENR GNDESEESSHEQEQIEILSEKETLQEATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTS RELYTTHHNQQQPIILPNLQELILWNMDNMSHVWKCSNWNKFFTLPKQQSESPFHNLTTIKIMYCKSIKY LFSPLMAELLSNLKHIKIRECDGIGEVVSNRDDEDEEMTTFTSTHTTTTLFPSLDSLTLSFLENLKCIGGG GAKDEGSNEISFNNTTATTAVLDQFEVCFVHIQLFI.

1	AGTTTTTTT	TTTCCCAATA	TCCATTTATA '	TGCGATTTAT	TICTGAAATA	ATTTTATCAA A	AACGCAGGAA
71	ACANTOTAGA	ATAATACTGG	TATAATTAAT '	TATATAAAGT	TATTAGGCTG	AAATCTTGAG (GCTACTATAA 📑
141	באו שינידה שמודודה	ATAATTTGAA	AATCATCAAA '	TTGTATICCA	TGTATATTTA	TGTTATCAGA (FAATTAATAA
211	שאיוויבוויבייה מייי	ACACAAATCC	ACATCATCAG .	ACACCCCACC	TTATTGTCGG	CTACCTCACC I	ACTTGCATGA
281	TYTELETE	TTCCCAACCC	CACCGACGAC	TIGGGGTCTC	CTTAATATAT	CAATTATTIT (CTGTAAGTAT
351	ALLAN ALLANASIONER.	AATTETTAA	TYPTY ATTEMPT	CCTTTTTTCT	AATATATACA	GAAACATAAA '	TTTTAAATGA
421	TIMITIGICI	Chalachan Valance	TTCCATTABA	AAAAAAGACT	GTACTGTTGT	CAATATTTTA	CTTATAACCT
	WATICANCIO	TOTAL PROPERTY	את ביים יים איים	TALKACATER CC	dala La Vala Mala La	GTGTTTTATA	GCCACCCTCA
491	GATTAATTAA	CNAMOCGIA	מ ביוביציים יויים	AAGCAGGGA	AATACAAAAA	ATTTACTCGA	AACAAATTTT
561	GGGTLACCGG	ACTOR CAMAGE	WCITATOTAL	ATTECATION	CACAACTACC	AGATTTAAGT	CATATATY
631	ATTCAATTTA	MOTOWONIAN	TANTOTICIO	VIII AND	CAMCACAAAA	TTAACTCGTG	ACTCCTTATA
701	ATTTAAAAGA	AATTGCATTA	TIMATITIOG	VICICIIGVI	GAIGACAAAA	TAGITATACT	ACACCERCAR
771	TATCATATAC	AAAATGAGTG	GCIAIGCITI	CGCITICCAA	WWW	INGITATION .	V V CCCLUCUY
841	ATTITAAAAG	GGGTTAAACA	TATCAAAATA	CTIGATAAGT	AATTATATAA	ATATGCATTT	MACCULCIAM
911	AGAAAATGCT	ACTAAGCTIG	GACCATCTCA	GAATTACAAT	CATACCCTIC	CCCTCAAAAA	AGATICGIAT
981.	ATATCATGTC	ATTIGGCATI	CATTICTITI	TCACAATICA	TAGTTCTATT	CTCAAAAAAT	TCGAGTTCTC
1051	GTATTTGTAA	GGAAGATCAG	AAGAGACIGI	TCACACAGGT	ACICICITIT	ATTTATTGAT	TCACATTCAT
1121	ATATGTTATT	GTTTTCTTGC	TTAATGGTTT	CGTCAGTCTA	ACIGCGCTIG	CIGATITAAA	TITCITCACT
1191	TTCTTCCACG	GATITITTAA	ATATTAGTTT	TGTGAATGAA	CAATTGGTGA	AGGAAAGAAA	CATGGGAGIC
1261	TTTTCTAAAG	TAAACCTAGA	TACTTAGGTT	ATAAGGGTAT	ATGCTAAAAT	GAACTATGCC	CATTCACCIT
1331	TGCCTTTTCT	TITACTITIT	AGTTTTTAGA	ATCCAAGTTT	TCATATGTAT	CTCGATGTGT	GAGAAGAATA
1401	GGCATTAGAA	AGGTAAAGGA	CGTACATAAA	ATTGATTAAT	TAGTGAATGT	TCTTTGATAT	CATTATTTTT
1471	ACTOTOATAA	AAAGCATATA	GATCAAACAC	AAATTGCTAC	TIGITAGIGT	AACAACTTCG	ACTTAATAAT
1541	GTTAATAATC	AAGATICICT	TGATTTCAAC	TATTTTCTAA	CCGAACAAGC	TCACTAAAAA	CTCATATIGC
1611	TITIGAGICIG	AGTGGTTTAT	ATTTGGGGTT	TTACATTTAA	TTTTTTGTGC	ATGAATGTGA	AAATAGACTG
1681	CTTATTGATT	CTTTGTGTTT	CATTGAGTTG	ATTITICATTA	TTACTACCTT	ACAAATTGCT	CAGTGATAGA
1751	TTTCCATTAA	TTTGCTAATT	CCGTTCCTTC	TAAATATGTA	GGAGCTACTA	AAAGCAAAAA	TATCGAGCAA
1821	TGTCGGACCC	AACGGGGATT	GCTGGTGCCA	TTATTAACCC	AATTGCTCAG	ACGGCCTTGG	TICCCGTTAC
1891						AGATGAAAAT	
1961	AATACCTCAA	GAATCAGTGT	AGAGGAACAC	ATTAGCCGGA	ACACAAGAAA	TCATCTTCAG	TTCCATCTCA
2031	AACTAAGGAA	TGGTTGGACC	AAGTAGAAGG	GATCAGAGCA	AATGTGGAAA	ACTITICCGAT	TGATGTCATC
2101	ACTIVITY	GTCTCAGGAT	CAGGCACAAG	CTTGGACAGA	AAGCNITCAA	GATAACTGAG	CAGATTGAAA
2171	GTCTAACGAG	ACAACTCTCC	CTGATCAGTT	GGACTGATGA	TCCAGTICYT	CTAGGAAGAG	TTGGTTCCAT
2241						AAACTTTTAC	
2311						GGGTGGAGTG	
2381						TATATIGTIG	
2451						TCGGTATACA	
2521						TTCAGATGGA	
2591						ATTGGGTTAA	
2661						TITGCACTAT	
						AAGICIGTIC	
2731						AAGTGTTGCG	
2801						GGAAGGATGC	
2871						CIACCACAAT	
2941						GATATICCTA	
3081						GAGAAGCAAG	
3151							TGTGTCAAGA
3221							TIGTCAACCA
3291							TICATTAACA
3361							CITATGCATG
3431							TATCATACGA
3501							TCATCTCACT
3571							CTGAGCTTTG
3641							TIGATCIGAG
3713							TTATATTTA A
378							CITICIGCAT
3853							AACGATICAA
392							A CATGITGCAA
399	1 TIGGIGACC	A ACAAAGGTG	A TGTATTAGA	C TCTAAACIT	A ATGGGTTAT	r titgaaaac:	A GAGGTGCTTT
406	1 TPTTAAGTG	T GCATGGCAT	G AATGATCTY	G AAGATGTTG	A GGTGAAGTC	G ACACATCCTA	CTCAGTCCTC

RLGZB (out.

SEQ 20 NO:23

4131 TTCATTCTGC AATTTAAAAG TTCTTATTAT TTCAAAGTGT GTAGAGTTGA GATACCTTTT CAAACTCAAT 4201 CTTGCAAACA CTTTGTCAAG ACTTGAGCAT CTAGAAGTTT GTGAATGTGA GAATATGGAA GAACTCATAC 4271 ATACTGGAAT TGGGGGTTGT GGAGAAGAGA CAATTACTTT CCCTAAGCTG AAGTTTTTAT CTTTGAGTCA 4341 ACTACCGAAG TTATCAAGTT TGTGCCATAA TGTCAACATA ATTGGGCTAC CACATCTCGT AGACTTGATA 4411 CTTAAGGGCA TTCCAGGTTT CACAGTCATT TATCCGCAGA ACAAGTTGCG AACATCTAGT TTGTTGAAGG 4481 AAGGGGTAGA TATATGTTCT TTATGTTAAT ACAATTTAAA TAATATTTTC AACCAAATTT TCATAATATA 4551 TCTGTAATTT GATTGTATGA TGTGTTATTG TTTATATGTG GCTATTAAGG GATGATTATT TTGCAGGTTG 4621 TGATTCCTAA GTTGGAGACA CTTCAAATTG ATGACATGGA GAACTTAGAA GAAATATGGC CTTGTGAACT 4691 TAGTGGAGGT GAGAAAGTTA AGTTGAGAGC GATTAAAGTG AGTAGCTGTG ATAAGCTTGT GAATCTATTT 4761 CCGCGCAATC CCATGTCTCT GTTGCATCAT CTTGAAGAGC TTACAGTCGA GAATTGCGGT TCCATTGAGT 4831 CGTTATTCAA CATTGACTTG GATTGTGTCG GTGCAATTGG AGAAGAAGAC AACAAGAGCC TCTTAAGAAG 4901 CATCAACGTG GAGAATTTAG GGAAGCTAAG AGAGGTGTGG AGGATAAAAG GTGCAGATAA CTCTGATCTC 4971 ATCAACGGTT TTCAAGCTGT TGAAAGCATA AAGATTGAAA AATGTAAGAG GTTTAGAAAT ATATTCACAC 5041 CTATCACCGC CAATTTTTAT CTGGAGGCAC TTTTGGAGAT TCAGATAGAA GGTTGCGGAG GAAATCACGA 5111 ATCAGAAGAG CAGGTAACGC TITCAATTTC ACTITCTTAA TTAATTAAGG ACTAAGCTCC TGTTTTTTGA 5181 ATAATAAAGA GGTGGGATGA CTAAACTTGG GCATCACAAT TGCAACAAAA TGTTACAAAC CATGAAACGT 5251 TCAAACCATT TCTTGAATTA AGGTTTCAAT ACAAGTCATT TAAAAATATG GCTTAAATTT TTTTTATATT 5321 TATGTATCAA CATGATTITT CATTAGAGAT CATTATTATA ATAGTAAGTT TAAAGCAATT TAAATCAGAA 5391 CTAATTCTAA CTTTAGCTAA TAAATCGTTA TAAATGTAAA TAATTACTTT TTAGTGAAAT AAGCAACGGA 5461 TITAATAAGI TAACAACITA AATGICATIT CCTAACAAAA AAAACTITGG TICAGAAAAA CCGCAATICA 5531 AGATAACTAA AATAAAAATA TITGACATTC ACTAAGAGCA TITTTTTTTC TAAATATGAT TGCAAATGAA 5601 TAAAACITAA ATITATACAG AAAATTCIIT TATATATGIT ATACAAAATT TACAAATTGA AATIGGATAT 5671 GTTAATTAAC GGTTTATAAT TCTGGTATCA CAAAGGGATA TATAATAAAA TATTATTTTC TGTAGTCATT 5741 TGTAATTGTA CTAGTTTATA ACCCGTGGGA ACCATGAGTT CTAAAATTAG TTAAACTTTC ATAATAAAAA 5811 TTTATAATTA TTATTTATTT TAAATAAATT ATTAATTAAG AGATATATCA AAAATTTAAA GTTATTATAA 5881 CITCAAATIT AACATATAAT TAGAAAATAT ATGATCATAA CITCTGCACT CICTTTGTAT AAATGCAGAG 5951 AAGCTATTAG TATATTTCTA ATCAAGTCCA AACCTAATGA AGCCTATATA ATTTTGTGAA AACTCAATTA 6021 GCATTAGGIT TIAAGAGICA CCAAATICAA AGAATAATCC AATGCTITCA TIACCACTAT GGAGAAAATA 6091 TTTTCTTAGT TTAAATGAAA TGAAAACAAA CATTCAAACT AATTGTTGCT TATTAAACCA AAGACCCATT 6161 ACTTAGCCAA GAGTTTAACA AAAAAAATT ACATTCATGT ATCATTATTC ATGACTAGAT ATATATGAAC 6231 ATGAAGGGG TTTTTATAGA AAATATAATC ATAGATATTC AACATAACTT CAGGGAATTC CTCAAAATAA 6301 CCAAGTTATT CAAGAAATTA CATCCAAGTC AACCAAAGAG AAGTTTAGCC TAGCATGGCT AAACTCAAGA 6171 AACTAAAATA AGGATTAGAA GTACCAAACA TGTAGTAAGA ATCACAGTAA AAGATGATGT TGTTCTTGAT 6441 GTTCTTCTAA GTTCTTCAAG TCTCCAGTTG CTCCTAATAA TGCAAAGGAG AGCCATTAAA TTCGTATGTA 6511 TIGATCCCTT CAAAAGCTGC ACCAACCTCC CTTAAATAAC ACTCAAAGCA AAAATGACAA AATGCCCCTGA 6581 AGGACCCTAT GTGGGTGCCT TGCGCGGGTG GAGCTGCATA CGAAAGGTCT TTGGTCTTTG TGAGGGTGAT 6651 GTTGTGCGGG ATAGCTTGTC GCATGCTTCC GCGCGGTTCA CGCACATGTG CACAGGTGAT GCATGGTGTG 6721 TGCGTTCTTG AGTTTTGAGC CTCCGATGCT TAGTCCACTT GGCCCAATTC GAGTCCAATC AGCTTATAAC 6791 CCATTTTTCT TCAAGITATC TTCAAGTTAA GCCCAATTTG GCTTCTCCAA ATCATCCATA ACTTCACAGA 6861 ATCGCCCGTT CATCITAATC CCGGATGCAC AATTATTCTC CCGTCTTCAT TTTAAGCAAG ATACCACCTT 6931 CTTCATGCTT CATCCATCAA TAGTACACTT CATGTATCAT CTCTACTAGT TATTTAGTCC ACAAATCCTT 7001 GTIGICCTCC AAATITAATT ATCTCATITA GTTCCCCGTT CCGCTACTTT CCTTAAAATT TGGAATTAAG 7071 CTCAGAGAAA TATTAAGTAC CCGAAATGGT CATAAAATTA ACAAAAAGGA AAATGCATGA AGATTAACTA 7141 AATGATGAAC GAAATATGCT AAAATAGACT ATAAAATGAA GTAAATAAAA TGAAATTATC GCACTCCGAC 7211 CACCETTATG GCTTGTAGTC CACCCACCCT TCATTCCTTG TACCAATATG GGATGGAAAC ATCATTAATT 7281 AAGCCAAAAA GCTAACATAT AAGGGTTTAG TGACAAAGGT AAGTACTAAA GATGAAAATA ATCCATTITT 7351 CTTGTTTTTA CACAACACAC ACATAGGGGC AGACGTAGGA TTTCAAAGTA CAGATTGTTG GTGGCACATA 7421 AGTGTTGCTG GTGACATTTT TTTTTTCTTT TTACGTGGTG GCACAACAGT AGGAAAAACG AAAAATTCGA 7491 AATTITITAC AATTIGICTI AAAAAAAACA GGGGTTGTTG GTGCCACTAT GGACAACAAA GTTGAACTGC 7561 CCTACGCGCG CACACACACA CACACATA GAGAGAGAGA GAGAGAGAGA GAGAGAGAGA AAGAAAGAAA 7631 GAGAGAGAG GTTTGGGATG TGATACTTCT TTTAGGAAAA TGGAGTTATA TCTTTGATAT TGTATTTTTT 7701 TAATGTAATT TATNTATITA ATCATTTTAG TTTATAAGTT NTATTTATIN GGNTATGAAA AAAAAAGTCT 7771 TITATACATT GGATTTAACA TAAAAATCCA ACAATATTAA TCAAAAAGAC CAAACATGTG GACAATTATG 7841 TATATAATTA ATTCACAATA GTCTTTAGGA ATAGTATTAT ATATATAATT AATTCTCAAT GGTCTTAGGA 7911 ATAGTAAGTT CTTATATTTC AAACTTTTGC CACAATTCTT TGCTTACTTT GACACTTTTC CTTCCTAACT 7981 TTACATATAT ATATATATTA AAGCGCAAAG GTCATAGGAA TATAATATTT TCTATTATTC TACGTTTTGC 8051 CACAAAAGTT TGAACACTTT GCCACTTTTT GTCCCTCCTT AACCTTTTCA ATGTTTTGCG ACAAAAGTTC 8121 CAAAACTTTG CCACTTTGAT CATTCCTCAA CTTTTCACCG CATTAGTTTG TGGAGTTGGC AGTTTTGGTC 8191 CCTCTAACTT CGATATTCTC TACTGCTAGC CAAAAAGGGT TCCAGAGTTT CACACTTTTG GTCCCTGACA

RLG2B cond.

						TCCCTTTTGG	
8331	TTCGATATTC	TACTATACGA	TCTTATTTTT	CTCAAATAAC	AACACGTATA	TTTCATC:CT	AATIGGAAAA
						AGTTTGTATC	
8471	AAAATTTAAG	GTGGAACGGT	GACCACATTA	ACCAGAAATG	TAATITATTC	TTTGATTTTG	ATAATTTTTA
8541	ATATTTTGTT	GTGATCTATG	TATTTAAAAG	TAAACAACAA	AGAACATAAT	CCAAAACCCT	AAATTGCAAG
B611	TCTCGCCCAA	TITCICTATC.	ACTAGTCCTC	ACTTACGATG	GCGTTACGTC	GCTCTCTCAC	TGCTTACAAC
8681	CCTTTGTTGC	TACTCATTAC	AATAACGAAA	AGTTGAATAT	CCATATATTT	ATTTGGATGT	GGAATTGAAC
8751	GAATCTCGTC	AAAATTTTGA	TITIGITGAT	GGATTTGAGT	AGAAGTTTGG	GCAGAACGGG	AATGATGGTC
8821	TGCAAGTGGT	TATAAACTTG	ATTCTGAGTT	ATTACTATAT	ATGTAGCCTC	TTTACAACGA	CCAAGGTTTC
8891	TTCCAGGTAC	CATTTGATCT	TTTTAGAACT	TAGTTTTCTG	AAACACCCTG	ATTTGGATCA	AATATCACCA
8961	ACAACTCTTA	AAAACTTGAT	TAATCAATTG	TTTTCTTCAT	CTTGATAACA	AGTGGAATGA	TITICTACIT
9031	AGATTAACTT	GAAAAAAAAG	GTCCATGTGC	GTCTGGTGGA	TCTGGTAAAT	GAAGATGGAA	GGGAGAGCTG
9101	ACTITAAAGA	CACAAACACG	TCACCATATC	TCTTATTTTA	TTTTAAATTT	GCTTTTGGTG	TATTTTCTTT
9171	TITCCTATTI	CTTTCTTTCT	TGATCTCCAG	ATGGTATGTG	GTGTGGATAA	TTTACACCTA	GAGATTGGGA
9241						CTCAATTICA	
9311						GCATAGGATC	
9381	TITAATAATT	TATTTGAAGG	TGAAAGATCC	AACTATTTT	TAGCTGTTGG	CATTTTCCAT	CATTTGCAAC
9451						AAAATTATAA	
9521						CTAATTACAT	
9591	GCAGATTGAA	ATTCTATCAG	AGAAAGAGAC	ATTACAAGAA	GCCACTGGCA	GTATTTCAAA	TCTTGTATTC
9661						TAATTATGAA	
9731						ACTCGCAATA	
9801						ACACGAGTCA	
9871		-				CCCATTCCAC	
9941						ATGGCAGAAC	
						CAAACAGAGA	
						TAGTCTTGAT	
						GAGGGGAGCA	
						GCTTTGTACA	
						ATACCCACTA	
						ACTOTARTAA	
		-				TTTAAGTITT	
						TGTGAAAATC	
			-			GACAGATATI	
						ATATGTGCTT	
						TAAATCCCGA	
						TCATTTAGTA	
						GTTTTACATC	
						ATACGCTAGA	
1099	L TAGGCAACTG	CCATGCATIG	TCAAGTGTG	A TICCATGITA	TGCAGCAGTA	CAAATGCAGA	AAGCTT

RLG2B an

MSDPTGIAGAIINPIAQTALVPVTDHVGYMISCRKYVRVMQMKMTELNTSRISVEEHISRNTRNHLQIP SQTKEWLDQVEGIRANVENFPIDVITCCSLRIRHKLGQKAFKITEQIESLTRQLSLISWTDDPV?LGRVG SMNASTSASLSDDFPSREKTFTQALIALEPNQKFHMVALCGMGGVGKTRMMQRLKKA?EEKKLFNYIV GAVI?EKTDPFAIQEAIADYLGIQLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGL SPFPNQGVDFKVLLTSRDSQVCTMMGVEANSIINVGLLTEAEAQSLFQQFVETSEPELQKIGEDIVRKC CGLPIAIKTMAC?LRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLQEEETKSTFLMCGLFPEDFDI PTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQTNLLIESDDVGCVKMHDLVRAFVLGMFSEVEH ASIVNHGNMPGWPDENDMIVHSCKRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLRFPQDFYEGMEKL HVISYDKMKYPLLPLAPRCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSHIEWLPSTVRNLKKL RLLDLRFCDGLRIEQGVLKSFVKLEEFYIGDASGFIDDNCNEMAERSYNLSALEFAFFNNKAEVKNMSFE NLERFKISVGCSFDENINMSSHSYENMLQLVTNKGDVLDSKLNGLFLKTEVLFLSVHGMNDLEDVEVKS THPTQSSSFCNLKVLIISKCVELRYLFKLNLANTLSRLEHLEVCECENMEELIHTGIGGCGEETITFPKLKF LSLSQLPKLSSLCHNVNIIGLPHLVDLILKGIPGFTVIYPQNKLRTSSLLKEGVVIPKLETLQIDDMENLEE IWPCELSGGEKVKLRAIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNIDLDCVGAIGEEDN KSLLRSINVENLGKLREVWRIKGADNSDLINGFQAVESIKIEKCKRFRNIFTPITANFYLEALLEIQIEGCG **GNHESEEQVILSISLS**

199 200 192 170 195 200 195 173 173 RIG2B RIG2B RIG2D RIG2D RIG2C RIG2C RIG2H RIG2C RIG2C RIG2C RIG2C RIG2C RIG2C RIG2C RIG2C RIG2C RLG2B ALG2B ALG2C ALG2C

BORNING BUILD BUI RLG2B RLG2C RLG2C RLG2D RLG2F RLG2F RLG2H RLG2H RLG2L RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RIG2B RIG2C RIG2C

	■
	410 420 430 440 450 460 470 480 490 500
RLG2A	ANCHUMICACMANGTITIATITICCACCAATITIVIADAAATITICGGATGATGTIBATCCIUMICTICCA-TAATIATIAGAGIUMATATIGIAAGGAAG
RLG2B	AGCAGAAGCTCAAAGTCTGTTCCAACAATTTGTAGAAACTTCTGAGCCCGAGCTCCA-GAAGATAGGAGAGGATATCGTAAGGAAG 485
RLG2C	
RLG2D	
HLG2E	
RIGZF	
HI G2G	TCTAGAAGGACAAAGTTTGTTCCGCCAGTTTGCTAAAAATGCGGGTGATGATGACCTGGATCCTGCTTTCAATGCCATAGCAGTAGTATTGCAAGTAGA
RLG2H	TOTAGAAGGACAAAGTITIGTTCCCGCCAGTTTTGCTAAAAATGCGGGTGATGATGACCTGGATCCTGCTTTTCAATAGGATAGCAGATAGCAGATAGGATAGCAGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGCAGATAGCAGATAGGATAGCAGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGCAGATAGCAGATAGCAGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGGATAGGATAGCAGATAGGATAGCAGATAGGATAGCAGATAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGATAGAGATAGAGATAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGATAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGAGATAGATAGAGAGATAGAGAGAGATAG
RLG2I	
RLG2J	
RIG2K	
RLG2L	
RLG2H	AGCAGAAGCTCAAAGTCTGTTCCAACAATATTGTAGAAACTTCTGAGCCCGAGCTCCA-GAAGATAGAGAGATATCGTAAGAAA 459
	TOTTE-COSTCTACCCATTGCCATCAAAACCATGGCCTGTACTGTAAAATAAAAAAAA
	510 520 530 540 550 560 570 560 590 600
RLG2A	
RLG2B	
RLG2C	
RLG20	
RLGZE	
HLG2F	
RLG2G	
RLG2H	
RLG21	
RLG2J	TOTOMAGGOTTITONCCATTGCOATCAAAACCATTGACTTIVAGTCTTAAAGGTAGAAGCAAGTCTGCATCTGCAACGGTCCAACTGCCATTGCCATTGCCATTGACTTTAAGGTCTTAAAGCTAGAAGCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTCAAGTCTAAGTC
RLG2K	
RI G2L	TOTICS-COTICIONE CONTROL CONTROL OF THE CONTROL OF
M7?7D	

RLG2A RLG2B RLG2C

	880 878	870	848	873	9/9	888	98	864	//8	7 2 2	3				= :	2 :	2 4	2.5	* 0 7 0	2 2	1 5	2 3	,	2 5			
												×	đŀ	1000		2 2											
SECTION SERVICE SERVIC	JCTCAACACATUCATITGAGCGCCTCATTICATACAAATTITGTIGATGGAAGTICATGATGTTAGGTGCGTGCATCAAGATGCATGATCTTGTTGGTGCTTTTTGTT OFFICE A SECTICA INTERCOCA CITCATGAAAATTIGTTAAAATGAAGATGATGGAGGTGGCAAGATGCATGAAGATGCATGATCTGGTCCGTGCTTTTGTT	CCTOA CACCISCATITICA CCACCIOCO CA AATTTA CTAATTTO CA ACACATA A COTOA CA ACATOA TO COTO CO	<u> GCTCAACACCTGCATTGAGCGACTGGTGCAGCCAAATTTACTAATTGGAAGTGATAATGGTGTACAGGTCAAGATGCATGATCTGGTCCGTGCTTTTGTT</u>	GCTCIA ACA CCTGCA TTGA GCGA CTGGTG CAGA A TTTGTTA A TAGA A A TGA TGA TGA TGA	GCTCAACACCTGCATTGAGCGACTGGTGCACACAAATTTGTTAATTGAAAGTGTTGATGGTGGTGCATGTGAAGATGCATGATGTTGGTTG	GCTCAACACCTGCACTGAGGGCCTTTAGGGAACAAATTTGTTTTGGAAGTGTTGGATTGGATTGGATGTAAATTGATTGATTGTTTGTTATTGTTTTTT	CCTOACHOCICEACTERACECCTIAN ACCAMBATE IN INTEGRACIAL CAN IN THE CONTRACT OF CON	<u>GCTCAACAACTGCACTGAAGCGCTTAAGCGACAAATTTGTTATTTGGAAGTCATGACTTTTGGGGCGTCAAGAATGCACGATGTGGTGCGTGATTTTGTT</u>	GTTGAACGCCTACATCGAGCTGCTCAAGGATTCTAATTTAATTGATTG	GCTCAACACCTGCATTGAGCGACTTGTCAGACAAATTTGTTAATTGAAAGTGATGATGGTGGGTG	gctcaacacctgcattgagcgactgotgcacacaattttgttaattgaaaggatgattgttgtiggtgtgtcalaatatcalcatcus.		TIGGGTATGTTTTCTGAAGTCGAGCATCCTTCAATTGTCAACCATGGTAATA-TGCCTGGGTGCCCTGAGAAAATGATATGAT	_	TIGGATATGTATICTAAAGTCGAGCATGCTTCCATTGTCAACCATAGTAATA-CACTAGAGTGGCATGCAGATAATATGCAGG-ACTTTGTA	TIGGGIATGTTTICTGAAGTCGAGGATGCTTCTATTGTCAACCATGGTAATA-TGCCTGGGTGGCCTGATSAAATGATATGATGTTGTGCACTTTGA	Progratgrattergargegaggargetteaattercaaceatografia - 1000 100 100 100 100 100 100 100 100	FIGGERATGRATTCTGAAGTCGACGCTTCAATTGTCAACCATGGTAATA -TGCCTGGATGACCTAATLAAAATGATATGATGTATTCTTCAATTGTCAACTCTTCAA	PROGRESSION TROPING TO THE ANGEST TO A TRANSPORT OF THE STREET THE TRANSPORT OF THE STREET THE STRE	TTGGGAATGTTTTCTGAAGTGGAGGTTCAATTGTCAACCATGGTAATA-TGCCCAAGTGAACTGAAAATGATATTCTGAAGTGAAG	ITICATATATICTCAGAAGTCCAACACGCTTCAATTGTCAACCATOOTAAC-GIGTCAGAGTUCCTAGA-GAAAALAT-AACATATATATATATATATATATATATATATATATAT	TTGCATATATTCTCAGAAGTCCAGCACGCTTCAATTGTCAACCATGGTAAG-GTGTCAGAGTGGCTAGAGCAAAAGTATTAGCATTGATCTTATA	TIGGATATATTCTCAGAAGICCAGCACCTICAATIGICAACCATGGTAAT-GIGTCAGGGGGCTAGGGAAAAICAIAGAAICAIAGAAICAIAGAAICA	TTGCATATGTTTTCAGAAGTCAAGCATGCTTCAATTGTCAACCATGGTAAC-ATGTCAGAGTGGCCAGAGAAAAATGATACCAGACTGTAAC-	FIGGATACGITTAATAGATTCAAGCATTCTITGATTGTTAACCATGGTAATGCTGSTAITTTAGGGTGGCTGGCTGAAGTGTGTGTGTGTGTGTGTGTG	TTGGGTATGTATTCTGAAGTCGAGGTCCTTCAATTGTAATA-TUCATAATA-TUCATAATGTGAACTGT-TGAATGTATGTAGAATTGTGAATTGTTGAATTGTTGAATTGTTG	
500	55	55	5	Ų.		3	ğ	TCAT		3 8	3		5	0	Ų.			۶ <u>د</u>	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	֓֞֝֞֝֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		֓֞֝֞֝֝֞֜֞֝֓֞֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	2	, i	5 5	2	
890		300	500	2			8	200			3	1888		990	5			3 3 5	5 [2 6	֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֓֓֓֓֓֓֜֜֜֜֜֜֜֓֓֓֓	5	֓֞֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֓֓֓֓֡֓֜֓֡֓֡֓֡֓֡֓֜֡֓֡֓֡֡֡֡֡֓֡֓֡֡֡֓֡֡֡֡֡֡	3 8 5 8	ا د		
E S		200	5	5		5	88	CIC	DY I	3 6	3		E E		2	10		3		3 6	2 5		2 9	2	2 6	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	
15 -88 -83 -88	A TOTAL	MICH	A CAN	ğ			8	COS		T.	3		GATA	980	AATA	5	Y (5	Y 1 Y 1	<u> </u>		5	5	1	5		į
e g	200	55	ATGC	2	2		18	V.TGC	9		3	*******	SAA1		AGA1	MAAT		AAA	AAA	AAA	AAA	W.	AAA.	AAA	AAA	7444	
870 870	200	SAR	CARG	SAC	S		35	CAAG	3		3		9	970	ğ	2		3′			3	9 6	3 :	A	֓֞֞֞֜֞֞֓֓֓֓֓֓֓֓֓֓֓֟֟֞֓֓֓֓֓֓֓֓֓֟֟֓֓֓֓֓֓֓֟֓֓֓֡֓֡֡֓֡֓֡֓֡֓	Ê	
© 55 8	SCA	ATC	ğ	ğ	ATC		8	500	5	1515	1515	H	2	6	Ä	2		5			I A C.	J. C.	TAGAC	A CA	3	٠ ١	5
500		GTAC	STAC	ğ	20		3 5	600	5	5	3	異ない			9	8		3	3		3		1000	5	3	ۼ ٷ	3
B60		5	1001	55	5	j	55	CHI	5	1151	IGI		8	960	AGAG	9	9	33			ACAG	AGAG	ACAG	AGAG	ATG!	3 6	3
	SATO SATO	SATA	SATA	2	2		9	27.70	ATC.	710	1		5		Ş	ဋ	ğ	ğ	5	Š	IGIC	101	1010	TCIC.	5	ع و و	3
25 -S	ACT:U	S	AAGT	£ 53	200		N S	MOT	15	Š	Š		¥ S	950	ATA.	ATA.					Š	ا چ	- L	် နှ		Y	5
E	A SECTION	Ĕ	TIGG	100	É	201		TICC	1	3	2	100 200	20		TAGE	1262	5	5	5	5		5	150	1551	50		3
	A L	3	CTAN	Ě	E.	TAT	TTAT	TETAT	E.	2	Ž		Ş		ACCA	ğ	ğ	Ş	Š	8	ğ	ğ	NO.	Š	2		Ş
TTTOE	N. F.	Ê	E	STEEN STEEN	E	E		THE	Ê	Ę			DIS.	940	5	ğ	ğ	Ę	5	2	ğ	ğ	5	ğ	E S	S	5
3 3	ACAA!	Ş	SCAN	3	3	S CAN		3	3	S.	3		AAT		E S	E ST	E X	E S	E A	E A	HATE	E A	FAT	F	S.	Z	IVI
	TCAT	9	3	8	3	SCAC	2000	GGAG	CAT	ğ	ğ		CTT	930	K	Ĕ	Ĕ	Ĕ	Ĕ	Ĕ	ž Ž	Ĕ	Ž,	ğ	E		i i
55	25.0	Ş	155	1551	100	TTAG	N CALL	TAG	3	E	ğ		CAT		2	ă	ž	ă	SE SE	ă	ğ	ğ	ğ	5	ğ	5	Š
SECOND SECOND	8	8	SG	SGAC	9	8		8	8	8	g	(A) 開始(A)	TCC	920	ğ	100	ğ	ğ	3	ğ	ğ	ğ	ğ	2	ğ		3
S E	TICAC	Ď	10,00	TOAC	TICAG	TCAC		9	CCAC	TCAG	200		CAAG	٥	AAAG	CAAG	SE SE	GAAG	GAAG	CAAG	SPAG	GAAG	GAAG	GAAG	Š	CARC	SAS:
₩Ž	25	j	5	5	ğ	2		ð	FACE	505	ğ		TTIC		E	E	Ē				5	ğ	ğ	Ē	EXE.	E	5
	CACA	10	S	5	PACC	S		รู	5	50	E S		TCI	910	101	E	6	Ē	E	(TGT	TAT	TAT	TAT	TOTA	6	TCT	11511
3	2	Ş	2	ZAA	100	3		ğ	TCAA	ž	ğ	9	COCT		SGAT	200	g	9	E	3	S	S	SCAT	Š	8	3001	50
※ 81	દ્ધ	3 8	8	8	8	દુ	કુ કુ	ያያ	5	ઇ	ઇ	3	Ē	l	E	Ē	Ë	Ē	Ē	Ĕ	Ē	E	E	Ē	E	Ē	T.
	RLG2A	R1620	RI G2D	RIGZE	RLG2F	RLG2G	RLC2H	R G23	RLG2K	RLG2L	RLG2H				RLG2A	128	RLG2C	120	:2E	RI G2F	12G	:2H	RI G2 I	RLG2J	RLGZK	RIGSE	RI CZM
	3	2 2	R	RIZ	RIL	RIC	2 2	Z Z	Z	7	¥				35	RLG2B	3	RIC	RLC	RIC	RIC	RLG2H	RIC	RIC	RIC	RIZ	H

**************************************	. 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
RLG2A RLG2B RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C	RLG2B RLG2B RLG2B RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C

ANGIGCTOACTTICCTA 1290 1290 ANGIGCTTACCTTICCTA 1300 ANGIGCTTACCTTICCTA 1267 ANGIGCTTACCTTICCTA 1267 ANGIGCTTACCTTICCTA 1267 ANGIGCTTACCTTICCTA 1267 ANGIGCTTACCTTICCTA 1268 ANGIGCTACCTTICCTA 1268 ANGIGCTACCTTICCTA 1269 ANGIGCTACCTTICCTA 1260 ANGIGCTACCTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTACACTTICCTA 1274 ANGIGCTCACCTTICCTA 1274 ANGIGCTCACCTTICCTAC 1274 ANGIGCTCACCTTICCTAC 1274 ANGIGCTCACCTTICCTAC 1274 ANGIGCTCACCTTICCTAC 1274 ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTTICCTAC ANGIGCTCACCTACCTAC ANGIGCTCACCTACCTAC ANGIGCTCACCTACCTAC ANGIGCTCACCTAC ANGIGCTCACCTACCTAC ANGIGCTCACCTAC ANGIGCTACCTAC ANGIGCTCACCTAC ANGIGCTCACCTACCTAC ANGIGCTCACCTAC ANGI	
ACCANCITICAGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	SHEWN BEHNOON
TAGGATOTTTGATIGOTOTT 1240 1240 1250 12	TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACGCTIACTE TITICAAGAAGCTIACGCTIACTE TITICAAGAAGCTIACGTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACTE TITICAAGAAGCTIACGCTIACTE TITICAAGAAGCTIACACTE TITICAAGAAGCTIAAGCTIACTE TITICAACAACATCTICTIACTE TITICAACAAGCTIAAGCTIACTE TITICAACAACATCTICTIACTE TITICAACAACATCTICTIACTE TITICAACAACATCTICTIACTE TITICAACAACACTIACTICTIACTE TITICAACAACACCTIACTICTICTIACTE TITICAACAACACCTIACTICTICTIACTE TITICAACAACATCTICTICTICTICTICTICTICTICTICTICTICTICTI
ESSOURCE TO THE TOTAL TO THE TO	CITACCTTCCACATICGGAAV 1320 1320 1330 1330 1310 1310 1310 131
HUITE-IN-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-SE-	ATTCTGCATTGATGA ATTCTGCATTGATGATGATGA ATTCTGCATTGATGATGATGATGATGATGATGATGATGATGATGATG
RLG2A RLG2B RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C RLG2C	H.G2A H.G2B H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C H.G2C

_	1437	1475	1417	1432	1437	1466	1420	7 4 5		1398	1441	1439 1500 1417 1412 1432 1438 1442 1442 1474 1437
1500		Ę			-				5			77 77 77 77 77 77 78 78 78 78 78 78 78 78 78 78 78 78 78 78 78 78 78 78
	8	305			A				5		ğ	
1490					11	AAA			7		-00-	
	98	9	;	4 -	CACCA	CATTGA		į	5	Y.	X5	
1480	TOGS.	500		-AGTA	TACA	IGACA		2		Ö	3	
	CCAGG	5	7.44	ACA-	T. B. L.	PACCIT		F - 6		SAG	CANA	
1470		3	Ì		55	GT1		ម្ភ ស្		3	500	
		DAY.				NGGCC	f:	- \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		TAAC	AAAC	
1460	CITAAAAAAATTGGTCAAACTGGAGGGGCTCTATAT-GACAGTGGTTGATCCAGGTCGAAAGGCGA 1417	<u>CTIGAABATTITOTCAAACTITTAAAAATTITAATAGGAAACCATCTGGGTTTATAGATGATGACGCATGCAAGGGTTCTTACAACCTT 1475</u>	TI LOMONO II TOS I LOMORAL I INDRAMANI I TITARAMATICAMBATI	citignarnatitikgtgararatikgargarcititatatitggtagarggagtattttttttagataga-agta-a	THUMANANTHIN FILINANCHUMANINK THINTATINKKAMIUAICTACCAGTTIACAGAATAA	CI'IPAAAAATITIGGICAAACITIGAAGGCI'ITATATGGGTGTTA-ATCGICCGTATGGACAGGCGGTTAGCTTGACAGATGAAAA	TTAAAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGTGTTA-ATCATCCGTATGGACT	CTITADAMATITISTICABE ANTICIDADE DE CONTROL D TITADAMATITISTICABE DE CONTROL DE	CCTAAAGAAATTCCTGAAACTTGAAGACCTTTTTTATAT	CTICIAAAATITGGTCCAACTICAAGAACTITATTTCCAAATGCATCTGCGTTTAGAGTTATAACTGCAATGGATTGCGATGACTGCCAATGACATTGCCAGA	CFIGNAAACTITITICOCA-CRIGNARAATTT-ATMTIGGAGACCC-TCTGGGTTTAIRBATGAAAACTGCCATGARATGGCAGACCTTTCAACC-	
	Ė	TTAT	TTATE	TTATA	CLIAC-	CCCCT	CCCT			TTAGA	TTATT	
1450	5	555		TAT-1	5	5		5 5		10001	10001	
	2	SCATA TACA	35	COCOC	U	A-ATC	A-ATC	A-ATC		200	5-12	12000-1
1440	SACAG	GAGA	CARA	XTTAG!	KKKKY	CICIL	CIGIL	5		CAAAT	GAGAC	SEG ED NO: 27 SEG ED NO: 27 SEG ED NO: 28 SEG ED NO: 30 SEG ED NO: 36 SEG ED NO: 37 SEG ED NO: 37 SEG ED NO: 37 SEG ED NO: 37
	TAT-C	TATA	TATE	TATIC	TATE	TATGG	TATOS	TATO	TAT	TATTO	TMTG	636363 0 H 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
1430	Ç	T.		0	WHEE X	CTITA	CLLL		ĺ	CFITA	TIT-A	San
	ACCAC	AAGAA	AACAA	AAGAA	AACIAC	AAGAG	AAGAG	AAGAG	AACAC	AAGAA	NANDA	# S S S S S S S S S S S S S S S S S S S
1420	ACTGG	S C L	CITGAAAAGTIIGGICAAACIIGAAGAATITTATATITGAAATICCATAIG	AATTG	ACTIVE	ACTTG	ACTIC		ACT TO	Q1.L2	CAIG	1510 1520
_	STCAA	5		GTCAA	TITIAN	STCAA	2		TCAA	TCCSA	Sicc	200000 000000 0000001 0000001
1410	AATTG			ATITIC	ATTIN	ATTIG	DE L	ATT 16	SEL S	TITO	ביויוים	EXECUTE SERVICES SERV
_	AAAA	ANA	SAR SA	BARA	MARK	MANA	MAMA	AAAA	AAAGA	. NAAA.	NAA.	11 11 12 12 12 12 12 12 12 12 12 12 12 1
	Ē.	E	į	<u></u>	1.1.	<u></u>	Ē	Ē	S	Ě	CIT	XOOD TOTA TOTA TOTA TOTA TOTA
												5 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	RIGZA	RLG2B	RIG2D	HIG2E	144.21	RI G2G	.G2H	RI G2.1	GZK	RI G21,	RIGZM	RIG2A TCTCATTAG RIG2E RIG2C RI
	2	2 5	2 2	Ξ	Ξ	Ξ	2 2	2 =	2	Ξ	Z	

SEQ IDAD:

100-42 99-43 100-45 99-45 99-45 89-49 89-49 /4 - 86 1 HIG2A PTOTE 6 IN GRITHMENDER LINAWERTHPIA 10 GAVADY I GIES ABETHER AIRWEVINSCH-KKILVII JAWADEVUD AD IGISPIFING GIES PTOTE 6 IN GRITHMENDER GIES ABETHER AD HIG2A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER AD HIG2A PTOTE 6 IN GRITHMENDER GIES ARTHER AD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER AD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER AD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER AD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER AD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER ARD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER ARD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER ARD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARTHER ARD HIG3A PTOTE 6 IN GRITHMENDER GIES ARTHER ARD HIG3A PTOTE 6 IN EDITHMENDER GIES ARD HIG3A PTOTE 6 IN EDITHMENDER GIES ARD HIG3A PTOTE 6 IN AR TACKVERGORING TO THE TOP TATE ON THE TOP TATE OF THE TOP TACK TOP TATE OF THE TOP TATE OF T 8

193 193 195 195 197 194 195 197 197 protein udekullysenguvangsvernuiedvekelteeerosleyqevkus--dt---hidriskalvrkosseelaikttantlanxngvmgdalshiedd protein udekullysedshushbensallanglikeelksleyqevetk--e--pelckikkulvrkoosselalaktracslangramadalshiehd protein udekullsedsguctracsansiinnglikeerogsleogevets--e--pelckikgedivrkoosselalaktractirnkgudaktalend RLG2A RLG2B RLG2C RLG2C

390 391 381 381 387 389 protein ihn--inwayfrikaynigheenstel acal feedingekalalpantireanningela PTEELARYGACIACLFURVYTIREARNRIANCIERUNGMILLIESDOUGCVRAHDLARACUL 10 250 260 260 300 300 300 300 300 --VAPKVFETSYTALODEETKSTFLACGLFPEDFDI 230 RLG2C RLG2D RLG2D RLG2F RLG2H RLG2H RLG2L RLG2L RLG2L RLG2L RLG2B RLG2B RLG2C RLG2C

INTERVITURESSLANDESSIGNITATIONS FAMOUR ENTRE PROTECTION AND ARREST TO AND
410 420 430 440 450 and 450
HIGSA PFOCALI VHI IVETHI JIKETI JIKETI JIKETI JIKI KATI KATI I JIKI KRI JI JI JI JIKETONI JI KATI JI JIKATONI JI KATI JI JI JIKATONI JI KATI JI
rigeb procola thirves the possiones aleves fanshiem pstyrator alederodgales yourse victors of the colors.
RLG2C protein thirvillitecslichetocscichlistensciehlpstyrnikachlidlikoyglrieggviksluadeefyichay
RIGID protein Thirvillitecsiamestagneshievisfansriemipstyrminatrijdirfodgirieggviksi.vmleefyigvayg-fidvm
RIG2E protein inlrvijijarcsipaficcscicaalalevisevksgiealpsticaliogacalliekcyglriekcylkalivkieelyigra-Di
RIGGE protein tilkulilibesleredessigalermevlsfanssiellpsvigalkaladlincygvriekdvlallykleelyirrgevyrg
RIGGG PLOEGIN TWYRVLIHIYCSLRHFDCSSIGHLINGEVLSFANSNIEWLPSTIGHLYQCALLDLINCKGLRIDKGVIGHAYLEHAYNG-VNRPYGQAVSLTDE
rigeh peoeein tingkulilikcslrhfdcssichllepeulsfansniehlpstichlikktrildlinckglriendvirglen Eelymg-Unhpyg
RIGII DIOLEIN TNIHVIIHECSIAMEDCSSIGMI MEVISFANSGIEMI PSTIGMI MOGALLIOLID COGLIHIM TOMAN EELYMG-ANRIFGKCH
RIGGI DFOLGIN HIVKVIIIHIYCSI RHFDCSSIGHLIMEVISFANSNI EHLPSTIGHLAGGRILDLINCKGI RICKVI ANLVKLEELYNG-VRRYGQAVSLTD
RIGIK prolein tniavliliigcsl-hfdcssignlanevisfansgiempstignlærvidlingdgiridngvlagvateelyhvggrygk
RLG1L protein tnientiehecsieheldcscientinienisfanscieripsaighisgeroldirgergelcibzgvijkilvelesiyigka-safröndnera
RLG2M protein Thirvlaltecslagencssignishievijkanskiewrpspygalikalizillaggokilktevekkanikm-RPSG-Fixenchradist

AC15-2A AC15-2B AC15-2C AC15-2C AC15-2C AC15-2C AC15-2H AC15-21 AC15-21 AC15-21 AC15-21 AC15-21 AC15-21 AC15-21

AC15-2A AC15-2B AC15-2C AC15-2D AC15-2B AC15-2H AC15-2H AC15-21 AC15-21 AC15-21 AC15-21 AC15-21 AC15-20

TCCAGATTCANTCCATCAGGAAAGGACTTACAAGAACCACTGCCAGTATTCTAATGTGTTATTCCCATCCTGTCTCATCAATCAATCAATTCAAT	
---	--

779 777 777 788 721 721 722 769 778

SEQ ID NO:

TANGTACTIGITATCACCTCTCACGG • 6 6
TANGTACTIGITATCACCTCTCACGG • 6 7
TANGTACTIGITATCACCTCTCACGG • 57
TANGTACTIGITATCACCTCTCACGG • 60
TANGTACTIGITATCACCTCTCACGG • 60
TANGTACTIGITATCACCTCTCACGG • 60
TANGTACTIGITATCACCTCTCACGG • 61 TANGTACTIGITTICACCICTCAC-64
TANGTACTIGITTICACCICTCACCCA-66
TANGTACTIGITTICACCICTCACCC-67
TANGTACTIGITTICACCICTCACCO-67

ACIS-2A ACIS-2B ACIS-2C ACIS-2C ACIS-2C ACIS-2H ACIS-21 ACIS-2L ACIS-2L ACIS-2C ACIS-2C ACIS-2C ACIS-2C ACIS-2C ACIS-2C

(1)

SEQ ID NO:68

RIG3 (real RIG3) [Strand]

1	AATGGCAAAA	GAAGTCGGAG	CAAGAGCTAA	GTTAGAGCAT	CTATTTGACG	TCATTATCAT	GGTAGATGTC
	ACTCAAGCAC						
141	AGAGCTTGTT	GGTAAGAGCA	GCTAGGGTAA	GTGCGAGGTT	AAAAATGCTT	ACAAGGGTGC	TGGTGATATT
211	AGACGATATA	TGGTCAAGGC	TTGACATGGA	GGAACTTGGG	ATTCCCTTTG	GATCAGATAG	ACAACACCAC
281	GGCTGCAAAA	TCTTGTTGAC	TTCAAGAAGT	ATTAGTGCTT	GTAACCAGAT	GAGAGCTGAT	AGAATCITTA
351	AAATACGAGA	AATGCCACTG	AATGAAGCAT	GGCTTCTTTT	CGAAAGAACA	GCTAAAAAAG	CTCCGAATCT
423	CCATCAACTA	CCAACACATA	TECTEGAGGA	CTCTCCTCCC	C		

RLG4 SEQ IO NO:69

1		GAATTCGGTG	TTGGTAAGAC	AACTCTTGCC	TCTTCTGTTT	TEATCAAAT	CTCTAGCAAG	Control of Control	
7	1	GCIGCTITCT	AAAAATATCT	GGGAGGAATC	AAGTAATAAA	GACCGTATAG	AAAGATTCCA	ACAAAAAA	:
1	41	ATTIGIGATG	TTTTGAAACA	AGAGCAAGTG	GGCGTAGGGA	GAGTTGAAGA	ACCEANACOCC	ATTENTABACC	
	11	ATAGGTTACA	ACATAGAAAG	GTATTGATTG	TGCTTGATGA	TOTOGROUP	CALLCYCCACC	TACCTROCARC	
2	81	AGTIGGCTGG	ATCACATGAT	TGGTTTGGTG	AAGGTAGCCG	CATAATAATC	ACAACTAGAG	TALCH PLANEL	
3	51	ATTAATTGCA	CACAAAGTAG	ATGTGATACA	CAATATAAGC	TTGTTAAACA	ACCATCAACC	ישיים מיבאר מיד	
	21	TICIGCAAGC	AAGCACCACG	GGGTCACAAA	CGTATACAAG	ATTATGAGCA	ACTITIAAAA	Cydenterion	
4	91	CTTATGCTGG	TGGGCTTCCA	CTAGCACTGT	CGAC				

SEQ. IO NO: 70

ATCGTAACCS TICGTACGAG ANCGCTGTCC CTCCTTCATC TITTGTCATA TGTCATATTC TCATNNATIN TGCCACATET ANTITITGTG TTATTITAAA TTAATTITTA TTCCACATGT CATTITATGA GTTTTTCTAT
TTTATTGAGT TTCACATAAT ATTTAAATGT AATAACAATA AATGCATATT TATTITICTIT TAAATAAACG
CATATAATAT ATAGATTAAA ATCATATAAT ACATAGGTTA AACTCATATA ATACATATGT TCATCCCCAG TITATITATA TOTOTCATCO TTAATITATT TATTATITAT TTATTAGAGT AGATGATOTT TOTGATATTA AAAATTTAAT TIGTICAAAA TITIAAAATTA TAATAATCC CACAATTTGA ATAAAAATTAA AAAAAATGGN CCCACCATTA GICCATCACT TITICAGCIC ATCAATATCG TGAGTATICT CCTICGTTTC CACCATAATC AATATTICCA GCGAATGACA GACTCCTACG GCGITTCTGA ATTIGCGTTC CGACACTGTT CATTGAAGGA 491 GATAATAAAT CAAATIGAGC TECTCCAATG TTCATTGCTG ATGAAAGGTG AATTGTATGT GAAGANAATG TCAGGGATCI ATCTCCATCC GGAACCCACC ACATTATCAG TGTACCACCA AACCACTCAA AACGGYGGAA GTAGRRAKAC WRKAAAGTCA TGAAGAATAG ATTATTTTTG TCCTCATGGG CTGACTGAGG AGCGGGTTTA
GTTCATCATT TTTCTTTGAN CAAAGAATTA TCGGTCCATC GAATTTTTAC ATCGACAAAG AAGTTTCACT 701 TCGCAATGIT TIGITAAACA ATTITTAATC TITTTATCIT TTCGTTGAAA CTCCTCAATT GCAACTIGCA ACTIGGACT TITIGGCCCA CAANTITGIG GIGGGGTA ATTITATICA CATATICACT GIAAAAAATA ATTICAAATG ATCICIGITC ATCCAATTCA TCAACATC TIGATAATIG AAACATTA GCATCATC 911 ATTICATION CATCITATACT ATATICTICIG CICTIATCAT ATTAAACGAT GGCTGAAATC GTTCTTTCTG 1121 1331 1401 GATGATATTS CCACCAGGIT ACAAGAACIG GTAGAGGCAA AAAATAATCT TGGTTTAAGT GTGATAACAT ATGAAAAGCC AAAAATTGAA AGGTATGAGG CGTCTTTGGT AGATGAAAGC GGTACTGTCG GACGTGAAGA 1541 ATGANAGEC AAAATTGAA AGGTATGAGG CCTCTTTGT AGATGAAGC CGTACTGCG GACGTGAAGA
TGATAAGAAA AAATTGCTGG AGAAGCTGTT GGGGGATAAA
GATGAATCAG GGAGTCAAAA CTTCAGCATC
GTGCCCATAG TTGGTATGGG TGGAGTTGGT AAAACAACTC
TGAAGGATCA CTTCGAACTC AGGGCTTGGG
AAAGAGATCA CTTCGAACTC AGGGCTTGGG
AAAGAGATCA CATTGGAACCA GCTATTCTA AAAGAACTC
AAAGAGAACT TAAGGAACCA GCTATTCTA AAAGATTTTG GAAGACTTTA ATCTGCTTCA AGAAGCTCT
AAAGAGAACT AGTGGGCCCA TTCCTTGCGG GGTCCCTGG AAGTAGAATA ATCTGCTACAA
GCAATTCCTC AGAAGCTGG GCTTTTCTCA TCAAGACCCT CTGGAGGGTC TATCACAACAG CTCGGAGGA
ACTTTTGTTTCT CTCAACACCC ATTTGGTTA CCAAACTTTG ATCACATCC AACACTAACG CCACATGGAG
AACAGACGAG GAACAATTGG AGGGCTTAC CTCTAGCTTT AAGAACACTT GAACACTTAT TAAGGACAAA
AACAGACGAG GAACAATTGA AGGGCCTTCT GGATGGTGT TAGGGAAAGG CCACATGGAG
AACAGACGAG GAACAATTGA AGGAGCTCTT GGATGGTGT TAGGGAAAGG CCATTGGAGTT 1751 1891 1961 AACAGACGAG GAACAATGGA AGGAGCTGTT GGATAGTGAG ATATGGAGGT TAGGAAAGAG CGATGAGATT 2241 CTTCCGGCTT TTAGACTANG CTACAATGAT CTTTCTGCCW CTTTGAAGCT RTTRTTTGCA TAYTGCTCCT
TGTTTCCCAA GGACTATGAG TTTGACAAGG AGGAGTTGAT TCTATTGTGG ATGGCAGAAG GGTTTTTGCA 2311 CCAACCAACT AYAAACAAGT CAAAGCAACG KTTGGGTCTT GAATATTTTR AAGAGTTRTT GTCAAGRTCR TTTTTTCAAC ATGCTCCTAA TRRCAAATCS TTGTTTGTGA TGCATGACCT AATGAATGAT TTGGCTACAT 2451 2521 TTGTTGCTGG AGAATTTTTT TCAAGGTTAG ACATAGAGAT GAAGAAGGAA TTTAGGATGS AATCTTTGGA 2593 TITOTTGCTGC AGARTTITIT TCAAGGTTAG ACATAGAGAT GAAGAAGGAA TITAGGATGS AATCTTTGGA
RAAGCACCGI CATAATGTCAT TTGTATGTGA GRATTACATA GGTTACAAAA RGTTCGAGCC ATTTAGAGGA
2501 GCTAAAAAAT TGAGAACATT TTTAGCATTG TCTGTTGGG TCGTAGAAGA TTGAAGAGAT TTTTAGCTTAT
2501 CAAACAAGGT CTTGAATGAC WTAGTTCAGA ATTTACCATT GTTAAGGGTC CTTAKTTTGA TTRTCTTAY
2501 AATAASTRAG GTACCARAAK TCGTSGGTAG TATGAASCAC TTGCGGTATC TTAATCTATC WGRAACTTWA
2501 ATCACMCATT TACCGGAAWA TKTCTCCCAAT CTTTATAATT TACCARCACT GATTGTKTCT GGCTGTGAMT
2501 ATTTAGTTAA KTTGCCCCAR ACCTTCTCAA ASCTTAAAAA TTTGCASCAT GTTTGACATGA GGGRTACTCC
2501 KAAKTTRADA AACATCCCCT MAGCGATTGG TGABTTGTAAAAA ATTTGCASCAT GTTGACCATGA GGGRTACTCC
2501 KAAKTTRADA AACATCCCCT MAGCGATTGG TGABTTGTAAAA ATTTGCASCAT CTTGACCATGA CATCTCTACA ASCTTAAAAA ATTTGCASCAT CTTGCACCAT CATCTCTACA ASCTTAAAAA ATTTGCASCAT CTTGCACCAT CATCTCTACA ASCTTAAAAA ATTTGCASCAT CTTGCACCAT CATCTCTACA ASCTTAAAAA ATTTGCASCAT CTTGCACCAT CATCTCTACA ASCTTAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCTCTACA ASCTTAAAAAA ATTTGCASCAT CATCTCTACA CATCT 3081 KAAKTTRAAR AACATGCCCT TARGGATTGG TGARTTGAAA ARTCTACAAA CTCTCTTYMG TAACATTGGC 3151 ATAGCAATAA CCGAGCTTAA GAACTTGCAM AAYCTCCATG GGAAARTTTG TATTGGCGGG CTGGGAAAAA TGGAAAATGC METHEGATGC ACCTTAAGCG AACTTGTCTC A: AAAAAGGT TWAATGARTT ANAAACTGGR 1291 WTKGGGGTG ATRAATTAA TGTTTTCCGA AATGGGAACA CTTGAAAAAA NAAGGTCCTC AATGAATTGA 1361 ATGCCTCATA ATGGTAYTCY AAMWAARRRY YYWTARWAAT TWMGKAWRRK GKGTTYATRR TKTTIYYRAAW WAGROTKIER KARGTAGGIT TCATCCAATC ACCCAAGTCG GAAAATAGAT GATATITTCA GGGCYTACTG 1501 ATGAGATOTTS GAGAGGTATG ATAGGGTIVIC TIGGGGCGGT AGAAGAAATA AGCATCCATT CTIGTAATGA 3511 AATAAGATAT YIGIGGGAAT CAGAAGCAGA GGCAAGTAAG GITCITATGA ATTIAAAGAA GITGGATITA
3641 GGTGAATGTS AAAATTIGGI GAGTTTAGGG GAGAAAAAGG AGGATAATCA TAATATTAAT AGTGGGAGCA GGTGANTGTS AAAATTTGT GAGTTTAGGG GAGAAAAAGG AGGATAATCA TAATATTAAT AGTGGGAGCA
1711 CCCTAACATE TITTAGGAG TIGAATGTAT GGAGATATGAA CAGCTTGGAG CATTGCAGGT GTCCAGATAG
1781 CATGGAGAAT TIGTATATGC ACATGIGTA TICAATNACA TCCTCTCCT TCCAACACG AGCAGGACAG
1851 AAGATCAAGT CACTTACAT CACTGATTCC AAGAAGCTT CGGAAGGAG GTTGGGAGGA CGAGAGAGGA
1921 CAAGAGTGCT TATAAACTCA AAAATGCAGA TGCTTGAATC AGTAGATATA CGTAATTGGC CAAATCTGAA
1991 ATCTATCAGT GAATTGAGTT GCTTCAATCA CCTGAACAGA TTATATATAT CAAACTGTCC GAGTTTGGA
1001 TCATTTCCTG ACCATGAGTT GCCAAATCTC ACCTCCTTAA CAGATCGAAG GAGAGGACAG CGATTTTCT RIGI-E169 [Strand]

4131 ACGAACGGTT ACGATTCGAC TGGCCGTCGT TTT

Further Characterization of RG2 Family Members:

5

10

15

20

25

30

Further sequencing of cloned RG2 polynucleotide sequences, as discussed above, identified additional RG2 species, listed below. Additionally, further sequencing of the 5' sections of RG2 sequences listed above resulted in modified and/or new sequence information, also listed below. The AC15 sequences found in the 3' sections of RG2 family have not changed.

Listed below are: four full length species, RG2A, RG2B, RG2C and RG2S; two near complete, but with a gap in the largest intron, RG2D and RG2J; three nearly complete RG2 gene sequences, RG2K, RG2N, and RG2O. The deduced translation products (polypeptides) encoded by these RG2 species are listed below. The polynucleotide sequences do not contain any gaps (as with some of the polynucleotide sequences), because all of the gaps in the sequences are in introns, *i.e.*, there are no gaps in exon, or coding, sequences.

They include: an RG2A polynucleotide sequence (SEQ ID NO:87) and its deduced polypeptide sequence (SEQ ID NO:88); an RG2B polynucleotide sequence (SEQ ID NO:89) and its deduced polypeptide sequence (SEQ ID NO:90); an RG2C polynucleotide sequence (SEQ ID NO:91) and its deduced polypeptide sequence (SEQ ID NO:92); an RG2D polynucleotide sequence (SEQ ID NO:93) and (SEQ ID NO:94), and its deduced polypeptide sequence (SEQ ID NO:95); an RG2E polynucleotide sequence (SEQ ID NO:96) and its deduced polypeptide sequence (SEO ID NO:97); an RG2F polynucleotide sequence (SEQ ID NO:98) and its deduced polypeptide sequence (SEQ ID NO:99); an RG2G polynucleotide sequence (SEQ ID NO:100) and its deduced polypeptide sequence (SEQ ID NO:101); an RG2H polynucleotide sequence (SEQ ID NO:102) and its deduced polypeptide sequence (SEO ID NO:103); an RG2I polynucleotide sequence (SEQ ID NO:104) and its deduced polypeptide sequence (SEO ID NO:105); an RG2J polynucleotide sequence (SEQ ID NO:106) and (SEQ ID NO:107), and its deduced polypeptide sequence (SEQ ID NO:108); an RG2K polynucleotide sequence (SEQ ID NO:109) and (SEQ ID NO:110), and its deduced polypeptide sequence (SEQ ID NO:111); an RG2L polynucleotide sequence (SEO ID NO:112) and its deduced polypeptide sequence (SEQ ID NO:113); an RG2M polynucleotide sequence (SEQ ID NO:114) and its deduced polypeptide sequence (SEQ ID NO:115); an RG2N polynucleotide sequence (SEQ ID NO:116) and its deduced polypeptide sequence (SEQ ID NO:117); an RG20

polynucleotide sequence (SEQ ID NO:118) and its deduced polypeptide sequence (SEQ ID NO:119); an RG2P polynucleotide sequence (SEQ ID NO:120) and its deduced polypeptide sequence (SEQ ID NO:121); an RG2Q polynucleotide sequence (SEQ ID NO:122) and its deduced polypeptide sequence (SEQ ID NO:123); RG2S polynucleotide sequence (SEQ ID NO:124) and its deduced polypeptide sequence (SEQ ID NO:125); an RG2T polynucleotide sequence (SEQ ID NO:126) and its deduced polypeptide sequence (SEQ ID NO:127); an RG2U polynucleotide sequence (SEQ ID NO:128) and its deduced polypeptide sequence (SEQ ID NO:130) and its deduced polypeptide sequence (SEQ ID NO:131); and, an RG2W polynucleotide sequence (SEQ ID NO:132) and its deduced polypeptide sequence (SEQ ID NO:133).

Characterization of New RG Family Groups and RG Species:

Further BAC insert characterization and sequencing, as discussed above, identified new RG polynucleotide sequences. The new sequences were characterized as belonging to new RG families; designated RG5 and RG7. These RG polynucleotides sequences, and their predicted translation products (the polypeptides which are encoded by these sequences) are summarized and listed below.

Identified and listed below is an RG5 family member, designated as the RG5 polynucleotide sequence set forth in SEQ ID NO:134, and its deduced polypeptide sequence (SEQ ID NO:135). This sequence contains an NBS region sequence.

Also identified and listed below is an RG7 family member, designated as the RG7 polynucleotide sequence set forth in SEQ ID NO:136. No deduced polypeptide sequence is given for the new RG7 family member as this sequence appears to be a pseudogene.

RG2A polynucleotide sequence (SEQ ID NO:87)

5

10

15

20

25

30

AAAGTTCATATCCAAGCTTGCCCTCCAACTCTAGCTCCTTCAATGGCACC
TCCTTCTCTCAAAAGCACACAAGAACACTTTCAAGCTCAACCACACTCA
CACAAGCTCTAGAACGAGGGTTAGGGCACATTTAGGGTTTTGCTCTCTGG
AAATGGTGTCTAAAAGTGAGGCCATAATGTTCCTTATATAAGGCTCACTC
CCACAATTAGGCTTTCAATCTGAACGTANTACGCCCAGTGTACACTATGG
TACGCCCAACGTACTCGGTAGTCTCCGCGTCAANAATACACTCATGAGTA

CGCGCAACGTACTTTCCCTTACGCCCAGCGTACTCAAAAGCCAAACATTC TTTTCAAGGACTAATTTTGACAACTTGAGGAAAGAAAGGATCAAAGANA TATACTTGAATTCCGGGATGTTACAATGAAGTTGANACCTTGGCTAAAAA ATTAAATTGGTTGTGGAAGCCGTTGGCTGAGCAAGCAACAAGGGTAAAAT TCGTAATCTACAAATGGTGTTATTTTCTATTTCTTATTATTTTACTT 5 GATTTACGGGTAGTTTTTTTTTTTTCTTACAAAAAATATTAAAGTTGATAAAG TATAGCCACTAAAATTGACTTTTTCCAAAACATAATGTCAAATGGTGCGT ATATGTATCATGTTGTATTANATAATGAATATGATGATNCTGTTCTATTT AANCCGAAAAATTATCTAATGATTTTATATTGGAAAACAAAGTTGTGAT TTTTNGCATAATATAATCAAATCCNCTTTTGTNTGGGAGGTGGATAAATG 10 TGGTAAATTTANAACAAGTGTTTTNACNTTGAAGGGTNTGGAAAGGTTGA AAAAAGTTAAAATGATAAAATGTTTACACAAATGTTGTATCCGACTGAAT ATNATGTTTAAGGATNATTGTATTAAATTGTTGATATATAGTAAGCATAA ATATTTAGAATTGTGACTTAAATTTATAAGTTATNCNAACTGGATTGAAA CATTTTTGATATANATTAGGAATGAAAATGAGCAACCCTAACATACTTAT 15 CTTTGGTAGTTTGGTTATTATATTTTTATTANAATATAGAANCATCCCTT TATTTTAAACCCATATTGTGGACGGACTTGAATAAATGGGAAAAATGTAC CTTGCTATTTAGCACAAAAAAATTATAAAAATGTACATTGCTATTTAGCA CAAACAAAAAAAAAACTTATCCTTTTTGCATTAGGTCACAAAGAAATA 20 TAAAATGGGAAATGTGTTGCTATTTAATGCACTAAAAGAAACTATTTTGC CTTTATTAAACCGGGTAAACCAATAGAAAAATGGAAGTACATTGTCATTT AGCATGAAAAAAAAATAACTTTCCATTTTTTGCATCCGGTCACAATAATAG AAAAATGAAAGTACGTTGCTATTTAGCGAAACTAACTTCCTTTTTTCTTT TTGGCATCGTATCATAAAATATAGACTAAAATACGTTAGTTTTACATTTT 25 TAATACATTGAAATGTCTAATCCACATGTTATTCTATAAAAAAGGGAAATG TAATTTACTTATTCTTTGATTCTTTGGCTTCTTTTTAGTACCCAAAACAT TTGTAGGGATGTTATAAATTTTGTAATTGTTTTTATGCAAAAAAGTGTTT TTTGTTAACTAGATTAACGAGATTCATTTTTCAGCATTTTAGGAGAAGTT 30 CATCCATCTTTTGGATATGAAGTGCAAGCCAAGTTCTTTAACATGGAATA TGAGGTCCCTATATGCTCAAAAAATAGCAAATGAGAAATTTTTTAAATTG GATCCCCATAAAAGAAAATTTGTTAATGGTTGTTTTAATATTGGTCAATG TGTCCACCGGATGAGCATAATACTAGTTTATAAGGGGTAAAGGTGGGTTT GGTGGGCCCATTTATCTTATTATTTCTAAAAGTCAGAATTAAGTAAAAA 35 AAATTATAAGATAAATACCATAAGGATAAAAAATCATTTTATTTGGACCA AAGACCAAAGTTGTTAAGGGGCTGTTTGTTTTTTTTTGTGAAGAGCTGTGC AACCACTTTTGTCTGCGCCGCACAGACAACGTGCAGACATATGCCCTCGC AGAGTGTTTGTTTTTGAAAGTGCGCAGACCAAAAAAACGTCTGCGCGAG GTCATCCTGGCGCATATATGTGTCACTGTCTTCAAAGGTCTTCAGACCTC 40 TTTCTCTTGTAGCTGAAAATGCATTTTTAATCTTTATGACATGAAATTAA TCTTCTTGTTGCAGACTGTGGACATTTGGTCCACCTCTTCTACCGCAGAG

ACTTGCAGATGTGGTCCGCAGACTGCAGACATTTTGGCTTCAAATAAACA AACATCACCTAATTTGACTACACCACACGGACCTCCAATGTAACAAAAAA AAGGTTGAAACAAAGTTGCCTATTTCTCCATATCCAGGGGCCATTTATGT AAGAGTTATCTAAATTTTAGTTCGGTAGATCAGTTCTCACATTTTAACCG GGTAAAGTGTATGTGTACGCGCGCACCTGAAAGGTTTGAANGTAACTT 5 CCAAACTGAANCAANAATCGATATGAAGTATCAAGTTAGAGGTTCAATTG GTG.AGGAATCAGCTGGAGGTTGGGGAATCGAGCTTCCACTATTAAGGTA AAATCCATAACCCTAAATGTTGGTACGCTCATATATCAAATTGCGTGTTT TGTTGAATGAAAAAGCATGCTCAAAAAACCAGTGTAAGGCACGGTATAT GACATATTTATAGTTACTGATAACAAATTATGATAATTTTGGGTTTACGT 10 AAGTTAGGATTCGTACTTCAACCAAATGTAATAGTTTTTGTGAGTCTATC TATGTATTTGGGGAATCACATTAGCAACGGGATTGTACTAGTAATTCGAA AAAGTCTTTTAAATAATTTTTCTGTTTATAATTTATGAATAGTTTTAGCG ACATCTAATATAAATAGAATGTATCTGATATTGAATTAATGTCCTTAAT 15 GTGAACATAGACCTTTTCCATTTACTAATGCCTAATTATTAGTTTCTAAT CAATAAATTTAATTTCTGTTTTATGCTTCTAAGACAATAAAAATCCATG GATACCAAACCCCCCCCCCATGCCCAATGTCTAAATATTCTTGATGCTTT TGCTTTTCCCTCTTTTCCTTGTTAGTCTATTATTCTGGAGAGTTTGAGAG 20 AGTTTCATACAAGAAATTTCAAGAAGAAAGCAAAGGTCCAGGTATTCTC TTTTCTTAATTATGTATTAACTTACAAGCATTTTTTACACGATCCATGGT TTTTTGTGTATGTTTTCAAATTGAAACTAGATTGGGACTTTTGCCCTTG ATGATTCATAAGATATTGCATGGAGTTGAGATTGTGTAAGAAAAGTGGTG AAT.AGAAAGAGCAAGTGAATCCAGATATAGTATTGGTAATATGATGAT 25 GAGATAGAGATATGTTAAAACTGGCTAGAAAATTGTTTTAATTTGAAATT TAGGTTGTTGAATTTGAAAGATACCAAGCTAATAACTAATTAGTTATGCT AAATAGTTATAAAGAACAACAACTCGTAGTTTTTTTTCATGATTTTCA ACCTCTTCGTACCAAACTAAATTATAACAAAATTGAATATCATTCTCTGC AATCAATTTAACTTTTGTTATTATCATCATGTCTAAAATTGCCACAAGT 30 TTATTTCATAGTCATATTGGATTATGAAAGGACTATTTTTACCAATTAC ATCTTTACTTTATGGCCAAAGCTAATACAATCCGACTAAACTAAAGGATT CTATTGTACTAATTTAGGTGCCACCACAAGTAAATTCCTGAAATGGATGT CGTTAATGCCATTCTTAAACCAGTTGTCGAGACTCTCATGGTACCCGTTA 35 AGAAACACATAGGGTACCTCATTTCCTGCAGGCAATATATGAGGGAAATG GGT.ATCAAAATGAGGGGATTGAATGCTACAAGACTTGGTGTCGAAGAGCA CGTGAACCGGAACATAAGCAACCAGCTTGAGGTTCCAGCCCAAGTCAGGG GTTGGTTTGAAGAAGTAGGAAAGATCAATGCAAAAGTGGAAAATTTCCCT AGCGATGTTGGCAGTTGTTTCAATCTTAAGGTTAGACACGGGGTCGGAAA 40 GAGAGCCTCCAAGATAATTGAGGACATCGACAGTGTCATGAGAGAACACT CTATCATCATTGGAATGATCATTCCATTCCTTTAGGAAGAATTGATTCC ACGAAAGCATCCACCTCAATACCATCAACCGATCATCATGATGAGTTCCA

GTC.AAGAGAGCAAACTTTCACAGAAGCACTAAACGCACTCGATCCTAACC

ACAAATCCCACATGATAGCCTTATGGGGAATGGGCGGAGTGGGGAAGACG ACAATGATGCATCGGCTCAAAAAGGTTGTGAAAGAAAAGAAAATGTTTAA TTTTATAATTGAGGCGGTTGTAGGGGAAAAAACAGACCCCATTGCTATTC AATCAGCTGTAGCAGATTACCTAGGTATAGAGCTCAATGAAAAAACTAAA CCAGCAAGAACTGAGAAGCTTCGGAAATGGTTTGTGGACAATTCTGGTGG 5 TAAGAAGATCCTAGTCATACTCGACGATGTATGGCAGTTTGTGGATCTGA ATGATATTGGTTTAAGTCCTTTACCAAATCAAGGTGTCGACTTCAAGGTG TTGTTGACATCACGAGACAAAGATGTTTGCACTGAGATGGGAGCTGAAGT TAATTCAACTTTTAATGTGAAAATGTTAATAGAAACAGAAGCACAAAGTT TATTCCACCAATTTATAGAAATTTCGGATGATGTTGATCCTGAGCTCCAT 10 AATATAGGAGTGAATATTGTAAGGAAGTGTGGGGGTCTACCCATTGCCAT AAAAACCATGGCGTGTACTCTTAGAGGAAAAAGCAAGGATGCATGGAAGA ATGCACTTCTTCGTTTAGAGCACTATGACATTGAAAATATTGTTAATGGA GTTTTTAAAATGAGTTACGACAATCTCCAAGATGAGGAGACTAAATCCAC CTTTTTGCTTTGTGGAATGTATCCCGAAGACTTTGATATTCTTACCGAGG 15 ATAGGAGAAGCAAGAACCAGGCTCAACACATGCATTGAGCGGCTCATTCA TACAAATTTGTTGATGGAAGTTGATGATGTTAGGTGCATCAAGATGCATG ATCTTGTTCGTGCTTTTGTTTTGGATATGTATTCTAAAGTCGAGCATGCT TCCATTGTCAACCATAGTAATACACTAGAGTGGCATGCAGATAATATGCA 20 CGACTCTTGTAAAAGACTTTCATTAACATGCAAGGGTATGTCTAAGTTTC CTACAGACCTGAAGTTTCCAAACCTCTCCATTTTGAAACTTATGCATGAA GATATATCATTGAGGTTTCCCAAAAACTTTTATGAAGAAATGGAGAAGCT TGAGGTTATATCCTATGATAAAATGAAATATCCATTGCTTCCCTCATCAC CTCAATGTTCCGTCAACCTTCGCGTGTTTCATCTACATAAATGCTCGTTA 25 GTGATGTTTGACTGCTCTTGTATTGGAAATCTGTCGAATCTAGAAGTGCT TAGCTTTGCTGATTCTGCCATTGACCGGTTGCCTTCCACAATCGGAAAGT TGAAGAAGCTAAGGCTACTGGATTTGACGAATTGTTATGGTGTTCGTATA GAT.AATGGTGTCTTAAAAAAATTGGTCAAACTGGAGGAGCTCTATATGAC AGTGGTTGATCGAGGTCGAAAGGCGATTAGCCTCACAGATGATAACTGCA 30 AGGAGATGGCAGAGCGTTCAAAAGATATTTATGCATTAGAACTTGAGTTC TTTGAAAACGATGCTCAACCAAAGAATATGTCATTTGAGAAGCTACAACG ATTCCAGATCTCAGTGGGGCGCTATTTATATGGAGATTCCATAAAGAGTA GGCACTCGTATGAAAACACATTGAAGTTGGTTCTTGAAAAAGGTGAATTA TTGGAAGCTCGAATGAACGAGTTGTTTAAGAAAACAGAGGTGTTATGTTT 35 AAGTGTGGGAGATATGAATGATCTTGAAGATATTGAGGTTAAGTCATCCT CACAACTTCTTCAATCTTCTTCGTTCAACAATTTAAGAGTCCTTGTCGTT TCAAAGTGTGCAGAGTTGAAACACTTCTTCACACCTGGTGTTGCAAACAC TTTAAAAAAGCTTGAGCATCTTGAAGTTTACAAATGTGATAATATGGAAG AACTCATACGTAGCAGGGGTAGTGAAGAAGAGACGATTACATTCCCCAAG 40 CTG.AAGTTTTTATCTTTGTGTGGGCTACCAAAGCTATCGGGTTTGTGCGA TAATGTCAAAATAATTGAGCTACCACAACTCATGGAGTTGGAACTTGACG ACATTCCAGGTTTCACAAGCATATATCCCATGAAAAAGTTTGAAACATTT

AGTTTGTTGAAGGAAGAGGTAAATATAAATTTTTAATGCTAATACATTAC AAAGGATCTTTCAGTTAAATCTTTCAAAATATATTGTAATTTGATTGTA TGGGGTATTATTGTTGGATGGGACTATTAATAAATGATTATCTTGCAGGT TCTGATTCCTAAGTTAGAGAAACTGCATGTTAGTAGTATGTGGAATCTGA AGGAGATATGGCCTTGCGAATTTAATATGAGTGAGGAAGTTAAGTTCAGA 5 GAGATTAAAGTGAGTAACTGTGATAAGCTTGTGAATTTGTTTCCGCACAA GCCCATATCTCTGCTGCATCATCTTGAAGAGCTTAAAGTCAAGAATTGTG GTTCCATTGAATCGTTATTCAACATCCATTTGGATTGTGTTGGTGCAACT GGAGATGAATACAACACAGTGGTGTAAGAATTATTAAAGTGATCAGTTG 10 TGATAAGCTTGTGAATCTCTTTCCACACAATCCCATGTCTATACTGCATC ATCTTGAAGAGCTTGAAGTCGAGAATTGTGGTTCCATTGAATCGTTATTC AACATTGACTTGGATTGTGCTGGTGCAATTGGGCAAGAAGACAACAGCAT CAGCTTAAGAAACATCAAAGTGGAGAATTTAGGGAAGCTAAGAGAGGTGT GGAGGATAAAAGGTGGAGATAACTCTCGTCCCCTTGTTCATGGCTTTCAA TCTGTTGAAAGCATAAGGGTTACAAAATGTAAGAAGTTTAGAAATGTATT 15 CACACCTACCACACAAATTTTAATCTGGGGGCACTTTTGGAGATTTCAA TAGATGACTGCGGAGAAAACAGGGGAAATGACGAATCGGAAGAGAGTAGC TAAGCTCCTGCTTTTGAATAAAAAAGGGACAAACCATTTCATGACTTAA TGTAGCAATACAAGTCATGTATAAGAGTGACCAACTCTTTTTTATTATA 20 AAATGACTACAAAATATTTTTTTTCATTAGAGATCATGTATAAATGTGAC TAATTTTCATCACCTAACTTTAGTTGATAAATCTTTATAAATGTCACTA GTTACTTTCAGTAAAATAACAAATTTAATAAATTATCAACAAAAAGCAT CAACTAAAAAATCCCACAACCCGTAATAATTTAAAATAAAAGGATTTAA 25 CATCTAATACGAACAATTTTTTTTTTTAAACATGATTTGGACCAAATATCA CCAGCAACTCAAGTTTGGAATCGATTCAGCTTAAAACTTGACCAGCATAA TTAGATAGATGAGAGTTGAAGCTAAAGTGCCTATATAAGTTCGTTTCATC TTTTTTCTTGATCTTGATAGCAAGTTGAATGATTTTCTTCTTCAAAATTG 30 GGGTCTTGGGTTCTGGTAGATGAAGATGGAAGGGGAGAGTAGATTTCAAA ATATCTTGCTCATATTTGTTACAGATATGTGAGGTCTATTAATCTTTTTA ATTAATAAGGGCACAATAGTCTTTTTAGGTAAGACAAGGACCAAACACGC 35 CCAAAAACATAAATTCCCCCAAACCATAGGGACCATTCATGTAATTTACT CTAGGTAACGAACTTGTTGAAGTGTTCCCATTTAGGATGTGACCTACTAC AACCGATCATAATAGTCATATGTGAACACTTCCAACAACTTTATTACTTA 40 GGTGTGTACAAAAAAAAAAATAGTTACCATGATGTGAACATACTGAAAAAT TAATTACCTTAGCAAGTTATTTTCCCATTTAGGTTGTATGGAAACAGTTC CGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAACTTAACCCTTC

AATTAACCTACCTTTTTCTTATTAACTCAATTTCAACCTAAATTCTGATT

CTTGTTTGAAAGTAAGTTGCATCTTTATTTTTGTATTATCTTGTTGCATA GGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATCCAACTA TTTTTAATCTGTTGGCATTTTCCATCATTTGCAACTGTTTCTTGAAAAAA AAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGAG 5 AATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAGTAAACA AGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAAA GAGACATTACAAGAAGCCACTGACAGTATTTCTAATGTTGTATTCCCATC CTGTCTCATGCACTCTTTTCATAACCTCCAGAAACTTATATTGAACAGAG TTAAAGGAGTGGAGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAGT 10 AGAGAATTGGTAACAACTCACCATAACCAACAACAACCTATTATACTTCC CAACCTCCAGGAATTGATTCTATGGAATATGGACAACATGAGTCATGTGT GGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATCA GAATCCCCATTCCACAACCTCACAACCATAAAAATTATGTATTGCAAAAG CATTAAGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCAACCTAA 15 AGCATATCAAGATAAGAGAGTGTGATGGTATTGGAGAAGTTGTTTCAAAC AGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCACACAAC CACCACTTGTTCCCTAGTCTTGATTCTCTCACTCTAAGTTTCCTGGAGA ATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGCAATGAA ATATCTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCAATTTGA 20 **GGT.ATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTTTATTTG** CAATATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAAT TACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGAAACTCT AGT.AAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGAT GGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGCA 25 AGTACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGTC ATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATCAGGGGTCAT CAGGTGACAGATATTGTAGAATAGAACAATATATAATATCACCCAAAACT ATTTTTTCTAAGGTTATTCTGTTAAATATGTGCTTTCTTGTTTTCATNGA ATTNGCATTCGTATATTTTAGGTGTTTAAAGTGATTTTNTCTTCAATAAAT 30 CCCGAAATTAATTAAAAAAAAAAAAAAAAAGTACATTTTTGATGTGGAG AGCACTGGTATCACTTAGTATATAAAAAGCTTGATTTTGAATTAACTTTC TTATACAAAAGTTGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCA TGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATGCC AATACGCTAGAGAGATGAGAATAGAATTCTGCAATGCATTGTCAAGTGTA 35 ATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGACAGT AAGTGATTGCAAAGGGATGAAGGAGGTATTTGAAACTCAATTAAGGAGGA GTAAATAACAATGTTATTATGCTTTCTGGTCTGAAGATATTGGAAATCAG CTTTTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGAAAGCC 40 TGAGACAGCTCCAAGAGTTAAAGATAACATTTTGCTACGGAATGAAAGTG ATTGTGAAGAAGAAGAAGATGAATATGGAGAGCAGTAAACAACAACAAC AACAACAATAACGAAGGGGCATCATCATCATCTTCTTCATCTTCTA

AGGAGGTTGTGGTCTTTCCTCGTCTCAAATCCATTGAACTAAATGATGTA

CCAGAGCTGGTAGGATTCTTCTTGGGGAAGAATGAGTTCCGGTTGCCTTC ATTGGAAGAAGTTACCATCAAGTATTGCTCAAAAATGATGGTGTTTGCAG CTGGTGGGTCCACAGCTCCCAACTCAAGTATATACACACAGAATTAGGC AGACATGCTCTTGATCAAGAATCTGGCCTTAACTTTCATCAGGTATATAT ATTTCTTTAATTGGCATCATCTAATTAAGAAAGATATCATTCCTGCCAAG 5 TAAATTTACTTCAAACACATTCACACTGGTTTCAGTCTAAGTTTATGTTG TTCTAGGAAGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTT CAGTGGAAAGGGTATTTTAGGTATTTTCTGTCAAAAGTTGTTATTGCAGG CTTTTTAGTACCTGGAATCGTGTGTGGGAGGAGCATTATTATTCTGATTT GCTTGTTTCTTATCATTTTTCTTAGCCTCTGGAACAGCTAGAAACCCT 10 TTTAATCTTTTGATTTTCAATGACAAAATTTTTCCTGTTACTACATTTGA TTGTTGTTCTTCATGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCT TTTGATTGTTATTTCATATCATGTTAGTCACTTGAATCAAGCTTTTCTA TTTTCAACCAGGGCAAAAGTCAAAAGTAACCTACTTTATGAGATCAAAA 15 ACAGCAACCCATCGGATAACTTTTAGTTGGAGTTAATAGTTACAATTACC ATTGTGATTAATAATTATAATATCTTGTATTAATTCATAAAAATTGGTAC GGCGTTTTCTTTATTGGACATGCAGACCTCATTCCAAAGTTTATACGGTG ACACCTTGGGCCCTGTAACTTCAGAAGGGACAACTTGTTCTTTTCATAAC 20 TTGATCGAATTATATATGGAATTTAATGATGCTGTTAAAAAAGATTATTCC ATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAGATTCATGTGACTT ATTGTAATTGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGG CACTACTCTTGTCAATCTTCCAAACCTCAGAGAAATGAAGTTATGGTATC 25 TAAATTGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG TTTCCAAACCTAACAAGAGTCGATATATGGGGATGTGATAGGTTAGAACA TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAC GCATATGGAACTGCAGTCAGATAGAGGTCGTGATTGTTCAGGATGCAGAT GTTTGTGTAGAAGAAGAAGAAGAAAGAATCTGATGGCAAGACGAATAA 30 GGAGATACTTGTGTTACCTCGTCTAAAGTCCTTGATATTAAAACACCTTC CAWGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA TTGGATACYTTGGAAATCTACRAATGCCCAGCAATAACCACCTTCACCAA GGGAAATTCCRCTACTCCACAGCTAAAAGAAATTGAAACAMATTTTGGCT TCTTTTATGCTGCAGGGGAAAAAGACATCAACTCCTCTATTATAAAGATC 35 AAACAACAGGTAAACCAGATCTTTGTTGCTTNNATAATTCTTAAACNACA TNTGAAAAGCTTCATGCAAGTTTTTTTTTTTTTATATNGTCAAAAACCGCAA CCTACATTTCAGCTTTANATTTATGTACTTTATGCAGGATTTCAAACAA GACTCTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTTCATGT TCCTAGTNGCCTATTAATTAAAGGCCTTTTAGTTCGNGATTTTTGGATGT 40 AATGTTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCA

TATGAAGGACATTAAAGAACATGGATGCTCTGAAGATGTTGGGAACACA

RG2A deduced polypeptide sequence (SEQ ID NO:88)

MDVVNAILKPVVETLMVPVKKHIGYLISCRQYMREMGIKMRGLNATRLGVEEHVN RNISNQLEVPAQVRGWFEEVGKINAKVENFPSDVGSCFNLKVRHGVGKRASKIIEDI DSVMREHSIIIWNDHSIPLGRIDSTKASTSIPSTDHHDEFQSREQTFTEALNALDPNHK SHMIALWGMGGVGKTTMMHRLKKVVKEKKMFNFIIEAVVGEKTDPIAIQSAVADY 5 LGIELNEKTKPARTEKLRKWFVDNSGGKKILVILDDVWQFVDLNDIGLSPLPNQGV DFKVLLTSRDKDVCTEMGAEVNSTFNVKMLIETEAQSLFHQFIEISDDVDPELHNIG VNIVRKCGGLPIAIKTMACTLRGKSKDAWKNALLRLEHYDIENIVNGVFKMSYDNL ODEETKSTFLLCGMYPEDFDILTEELVRYGWGLKLFKKVYTIGEARTRLNTCIERLI HTNLLMEVDDVRCIKMHDLVRAFVLDMYSKVEHASIVNHSNTLEWHADNMHDSC 10 KRLSLTCKGMSKFPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLEVISYDKMKY PLLPSSPOCSVNLRVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDRLPSTIGKLK KLRLLDLTNCYGVRIDNGVLKKLVKLEELYMTVVDRGRKAISLTDDNCKEMAERS KDIYALELEFFENDAQPKNMSFEKLQRFQISVGRYLYGDSIKSRHSYENTLKLVLEK GELLEARMNELFKKTEVLCLSVGDMNDLEDIEVKSSSQLLQSSSFNNLRVLVVSKC 15 AELKHFFTPGVANTLKKLEHLEVYKCDNMEELIRSRGSEEETITFPKLKFLSLCGLP KLSGLCDNVKIIELPQLMELELDDIPGFTSIYPMKKFETFSLLKEEVLIPKLEKLHVSS MWNLKEIWPCEFNMSEEVKFREIKVSNCDKLVNLFPHKPISLLHHLEELKVKNCGSI ESLFNIHLDCVGATGDEYNNSGVRIIKVISCDKLVNLFPHNPMSILHHLEELEVENC GSIE SLFNIDLDCAGAIGOEDNSISLRNIKVENLGKLREVWRIKGGDNSRPLVHGFQS 20 VESIRVTKCKKFRNVFTPTTTNFNLGALLEISIDDCGENRGNDESEESSHEQEQIEILS EKETLQEATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTSRELVTT HHNOOOPIILPNLQELILWNMDNMSHVWKCSNWNKFFTLPKQQSESPFHNLTTIKI MYCKSIKYLFSPLMAELLSNLKHIKIRECDGIGEVVSNRDDEDEEMTTFTSTHTTTT LFPSLDSLTLSFLENLKCIGGGGAKDEGSNEISFNNTTATTAVLDQFELSEAGGVSW 25 SLCOYAREMRIEFCNALSSVIPCYAAGQMQKLQVLTVSDCKGMKEVFETQLRRSSN KNNKSGAGEEGIPRVNNNVIMLSGLKILEISFCGGLEHIFTFSALESLRQLQELKITFC YGNIKVIVKKEEDEYGEQ.TTTTTTITKGASSSSSSSSKEVVVFPRLKSIELNDVPELV GFFLGKNEFRLPSLEEVTIKYCSKMMVFAAGGSTAPQLKYIHTELGRHALDQESGL NFHOTSFOSLYGDTLGPVTSEGTTCSFHNLIELYMEFNDAVKKIIPSSELLQLQKLEK 30 IHVTYCNWVEEVFETALEAAGRNGNSGIGFDESSQTTTTTLVNLPNLREMKLWYL NCLRYIWKSNQWTAFEFPNLTRVDIWGCDRLEHVFTSSMVGSLLQLQELRIWNCSQ IEV\TVQDADVCVEEDKEKESDGKTNKEILVLPRLKSLILKHLPCLKGFSLGKEDFSF PLLDTLEIYKCPAITTFTKGNSTTPOLKEIETHFGFFYAAGEKDINSSIIKIKQQDFKQ DSD.CEVNIK 35

RG2B polynucleotide sequence (SEQ ID NO:89)

40

GAACGGAATTGAATTATGTAAGATTCCTTCAAAATCCATGTTTAGGTATA TCGTTGTTTCTTGGGATGGATGGTAAAGAACGGAATTTCTCCTGTTCATT TTTTAATGAAAGACCAAATTGACCTTATAAACCTGTTAAAAAAATTACAT TCCAGTTTTCTTAACAAACTGAAAATGGTAAAGGAGTGTGATTGAATTCC AATCTGTTTCCTGTCCAAAACACGTGACGGAATATTACAATTCCTTCAAA 5 TTTCATTTCTTAAATTGTTATTCCCTTTCTTACAAAAACAAGGTAAACG AAACACCCGCTTACTTAATCATACTCCTACATGATGTAAATGAAAAGGGT ATAAATGGTATTTATTCACAGGGATGAGTCACCATGGTCATGAAAGAAT CATTAACCGCCCTTACCCAATTCATGTTTGCCCCTAAAATATGATTTAAA GTAATATTGGCTTATGGGATTCAAGTTGACTTTTTTGTGGCGAAGAAATA 10 ATGAAAATCTTCATTTCTAAAGTGTCTTCTACCACTGACATTTTCTAAGA AAGAACTTGCTAGAAGAAGGTGGGTTGTTTAGTCTTTTACTCTTTAAAT GTGAAGACTGTTGAGTTATTATTATTTTTGCCAACTATGGACAACTTG AATAATTTTATCAAAACGCAGGAAACAATGTAGAATAATACTGGTATAAT 15 TAATTATATAAAGTTATTAGGCTGAAATCTTGAGGCTACTATAATTTAAT TATCATAATTTGAAAATCATCAAATTGTATTCCATGTATATTTATGTTAT CAGATAATTAATATGTGAGCCACACAAATCCACATCATCAGACACCC CACCTTATTGTCGGCTACCTCACCACTTGCATGATCCCGACATCTTCCCA 20 ACCCCACCGACGACTTGGGGTCTCCTTAATATATCAATTATTTTCTGTAA GTATTTATTTGTGTAAATGTGTAATGTCATTTTACCTTTTTTCTAATATA TACAGAAACATAAATTTTAAATGAAATTCAACTGCGTTTCATTCTTGCAT TAAAAAAAAAGACTGTACTGTTGTCAATATTTTACTTATAACCTGATTAA TTAATTAAAGCGTAATTGCATAATTTGCATTAGGTTGTAATTTTGTGTTT 25 TATAGGGAGGGTGAGGGTCACCGGGAATCAAAGCACTTATGTAAAAGCAG GGAAATACAAAAATTTACTCGAAACAAATTTTATTCAATTTAAGTGAGA TAATAATGTTCTGATTAGATTATGAGAACTAGGAGATTTAAGTGATATAT CCCATTTAAAAGAAATTGCATTATTAATTTTGGATCTCTTGATGATGACA AAATTAACTCGTGACAGGTTATATATCATATACAAAATGAGTGGCTATGC 30 TTTCGCTTTCCAAAAAGCAATTATAGTTATACTACACCTACAAATTTTAA AAGGGGTTAAACATATCAAAATACTTGATAAGTAATTATAAATATGCA TTTAACCCTCTAAAGAAAATGCTACTAAGCTTGGACCATCTCAGAATTAC AATCATACCCTTCCCCTCAAAAAAGATTCGTATATATCATGTCATTTGGC ATTCATTTCTTTTCACAATTCATAGTTCTATTCTCAAAAAATTCGAGTT CTCGTATTTGTAAGGAAGATCAGAAGAGACTGTTCACACAGGTACTCTCT 35 TTTATTTATTGATTCACATTCATATATGTTATTGTTTTCTTGCTTAATGG TTTCGTCAGTCTAACTGCGCTTGCTGATTTAAATTTCTTCACTTTCTTCC ACGGATTTTTAAATATTAGTTTTGTGAATGAACAATTGGTGAAGGAAAG AAACATGGGAGTCTTTTCTAAAGTAAACCTAGATACTTAGGTTATAAGGG TATATGCTAAAATGAACTATGCCCATTCACCTTTGCCTTTTCTTTACTT 40 TTTAGTTTTTAGAATCCAAGTTTTCATATGTATCTCGATGTGTGAGAAGA

TGTTCTTTGATATCATTATTTTTACTCTCATAAAAAGCATATAGATCAAA

5

10

CACAAATTGCTACTTGTTAGTGTAACAACTTCGACTTAATAATGTTAATA ATCAAGATTCTCTTGATTTCAACTATTTTCTAACCGAACAAGCTCACTAA AAACTCATATTGCTTTGAGTCTGAGTGGTTTATATTTGGGGTTTTACATT TAATTTTTTGTGCATGAATGTGAAAATAGACTGCTTATTGATTCTTTGTG TTTCATTGAGTTGATTTTCATTATTACTACCTTACAAATTGCTCAGTGAT AGATTTCCATTAATTTGCTAATTCGGTTGCTTCTAAATATGTAGGAGCTA CTAAAAGCAAAATATCGAGCAATGTCGGACCCAACGGGGATTGCTGGTG CCATTATTAACCCAATTGCTCAGACGGCCTTGGTTCCCGTTACGGACCAT GTAGGCTACATGATTTCCTGCAGAAAATATGTGAGGGTCATGCAGATGAA AATGACAGAGTTGAATACCTCAAGAATCAGTGTAGAGGAACACATTAGCC GGAACACAAGAAATCATCTTCAGATTCCATCTCAAACTAAGGAATGGTTG GACCAAGTAGAAGGGATCAGAGCAAATGTGGAAAACTTTCCGATTGATGT CATCACTTGTTGTAGTCTCAGGATCAGGCACAAGCTTGGACAGAAAGCCT TCAAGATAACTGAGCAGATTGAAAGTCTAACGAGACAACTCTCCCTGATC AGTTGGACTGATGATCCAGTTCCTCTAGGAAGAGTTGGTTCCATGAATGC 15 ATCCACCTCTGCATCATTAAGTGATGATTTCCCATCAAGAGAGAAAACTT TTACACAAGCACTAAAAGCACTCGAACCCAACCAAAAATTCCACATGGTA GCCTTGTGTGGGATGGGTGGAGTGGGGAAGACTAGAATGATGCAAAGGCT GAAGAAGGCTGCTGAAGAAAAGAAATTGTTTAATTATATTGTTGGGGCAG TTATAGGGGAAAAGACGGACCCCTTTGCCATTCAAGAAGCTATAGCAGAT 20 TACCTCGGTATACAACTCAATGAAAAAACTAAGCCAGCAAGAGCTGATAA GCTTCGTGAATGGTTCAAAAAGAATTCAGATGGAGGTAAGACTAAGTTCC TCATAGTACTTGACGATGTTTGGCAATTAGTTGATCTTGAAGATATTGGG TTA.AGTCCTTTTCCAAATCAAGGTGTCGACTTCAAGGTCTTGTTGACATC 25 ACGAGACTCACAAGTTTGCACTATGATGGGGGTTGAAGCTAATTCAATTA TTA.ACGTGGGCCTTCTAACTGAAGCAGAAGCTCAAAGTCTGTTCCAACAA TTTGTAGAAACTTCTGAGCCCGAGCTCCAGAAGATAGGAGAGGATATCGT AAGGAAGTGTTGCGGTCTACCTATTGCCATAAAAACCATGGCATGTACTC TTAGAAATAAAGAAAGGATGCATGGAAGGATGCACTTTCGCGCATAGAG 30 CACTATGACATTCACAATGTTGCGCCCAAAGTCTTTGAAACGAGCTACCA CAATCTCCAAGAAGAGGAGACTAAATCCACTTTTTTAATGTGTGGTTTGT GGCTTGAAGCTATTTGATAGAGTTTATACGATTAGAGAAGCAAGAACCAG GCTCAACACCTGCATTGAGCGACTGGTGCAGACAAATTTGTTAATTGAAA 35 GTGATGATGTTGGGTGTCAAGATGCATGATCTGGTCCGTGCTTTTGTT TTGGGTATGTTTCTGAAGTCGAGCATGCTTCTATTGTCAACCATGGTAA TATGCCTGGTGGCCTGATGAAAATGATATGATCGTGCACTCTTGCAAAA GAATTTCATTAACATGCAAGGGTATGATTGAGATTCCAGTAGACCTCAAG TTTCCTAAACTAACGATTTTGAAACTTATGCATGGAGATAAGTCGCTAAG 40 GTTTCCTCAAGACTTTTATGAAGGAATGGAAAAGCTCCATGTTATATCAT ACGATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTCGATGCTCCACC AACATTCGGGTGCTTCATCTCACTGAATGTTCATTAAAGATGTTTGATTG

CTCTTCTATCGGAAATCTATCGAATCTGGAAGTGCTGAGCTTTGCAAATT

CTCACATTGAATGGTTACCTTCCACAGTCAGAAATTTAAAGAAGCTAAGG TTACTTGATCTGAGATTTTGTGATGGTCTCCGTATAGAACAGGGTGTCTT GAAAAGTTTTGTCAAACTTGAAGAATTTTATATTGGAGATGCATCTGGGT TTATAGATGATAACTGCAATGAGATGGCAGAGCGTTCTTACAACCTTTCT 5 GCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTGAAAAATATGTC ATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGATGCTCTTTTGATG AAAATATCAATATGAGTAGCCACTCATACGAAAACATGTTGCAATTGGTG ACCAACAAGGTGATGTATTAGACTCTAAACTTAATGGGTTATTTTTGAA AACAGAGGTGCTTTTTTAAGTGTGCATGGCATGAATGATCTTGAAGATG 10 TTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCATTCTGCAATTTA AAAGTTCTTATTATTTCAAAGTGTGTAGAGTTGAGATACCTTTTCAAACT CAATCTTGCAAACACTTTGTCAAGACTTGAGCATCTAGAAGTTTGTGAAT GTGAGAATATGGAAGAACTCATACATACTGGAATTGGGGGTTGTGGAGAA GAGACAATTACTTTCCCTAAGCTGAAGTTTTTATCTTTGAGTCAACTACC GAAGTTATCAAGTTTGTGCCATAATGTCAACATAATTGGGCTACCACATC 15 TCGTAGACTTGATACTTAAGGGCATTCCAGGTTTCACAGTCATTTATCCG CAGAACAAGTTGCGAACATCTAGTTTGTTGAAGGAAGGGGTAGATATATG TTCTTTATGTTAATACAATTTAAATAATATTTTCAACCAAATTTTCATAA TATATCTGTAATTTGATTGTATGATGTGTTATTGTTTATATGTGGCTATT 20 AAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGACACTTCAA ATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTTAGTGG AGGTGAGAAAGTTAAGTTGAGAGCGATTAAAGTGAGTAGCTGTGATAAGC TTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATCTTGAA GAGCTTACAGTCGAGAATTGCGGTTCCATTGAGTCGTTATTCAACATTGA 25 CTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCTCTTAA GAAGCATCAACGTGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGAGGATA AAAGGTGCAGATAACTCTCATCTCATCAACGGTTTTCAAGCTGTTGAAAG CATAAAGATTGAAAAATGTAAGAGGTTTAGAAATATATTCACACCTATCA CCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAGGTTGC 30 GGAGGAAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTCACTTTC TTAATTAATTAAGGACTAAGCTCCTGTTTTTTGAATAATAAAGAGGTGGG ATGACTAAACTTGGGCATCACAATTGCAACAAAATGTTACAAACCATGAA ACGTTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTTAAAAA TATGGCTTAAATTTTTTTATATTTATGTATCAACATGATTTTTCATTAG AGATCATTATAATAGTAAGTTTAAAGCAATTTAAATCAGAACTAATT 35 CTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTTAGTG AAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCCTAAC AAAAAAACTATTTGGTTCAGAAAAACCGTAATTCAAGATAACTAAAATA AAAATATTTGACATTCACTAAGAGCATTTTTTTTTTCTAAATATGATTGCA 40 AATGAATAAACTTAAATTTATACAGAAAATTCTTTTATATATGTTATAC AAAATTTACAAATTGAAATTGGATATGTTAATTAACGGTTTATAATTCTG GTATCACAAAGGGATATATAATAAAAATATTATTTTCTGTAGTCATTTGTA

ATTGTACTAGTTATAACCCGTGGGAACCATGAGTTCTAAAATTAGTTAA

ACTTTCATAATAAAAATTTATAATTATTATTTATTTAAATAAATTATTA ATTAAGAGATATATCAAAAATTTAAAGTTATTATAACTTCAAATTTAACA TATAATTAGAAAATATATGATCATAACTTTCTGCAACTCTTCTTTTGTAT TAAAATGACCAGAGAAGCTCTTAGTATATTTCTAATCAAAGTCTCAAAMC TAATGAAGCATATAATTTGTGAAAATCAATTAGCATTAGGTTTTAAGAGT 5 CACCAAATTCAAAGAATAATCCAATGCTTTCATTACCACTATGGAGAAAA TATTTTCTTAGTTTAAATGAAATGAAAACAAACATTCAAACTAATTGTTG TTACATTCATGTATCATTATTCATGACTAGATATATATGAACATGAAGGG AGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTCAGGGAAT 10 TCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCAACCAAAG AGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAACTAAAATAAGGATTAG AAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTTGTTCTTG ATGTTCTTCTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAATGCAAAGG AGAGCCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCACCAACCT 15 CCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTGAAGGACC CTATGTGGGTGCCTTGCGCGGGTGGAGCTGCATACGAAAGGTCTTTGGTC TTTGTGAGGGTGATGTTGTGCGGGATAGCTTGTCGCATGCTTCCGCGCGG TTCACGCACATGTGCACAGGTGATGCATGGTGTGTGCGTTCTTGAGTTTT GAGCCTCCGATGCTTAGTCCACTTGGCCCAATTCGAGTCCAATCAGCTTA 20 TAACCCATTTTCTTCAAGTTATCTTCAAGTTAAGCCCAATTTGCCTTCT CCAAATCATCCATAACTTCACAGAATCGCCCGTTCATCTTAATCCCGGAT GCACAATTATTCTCCCGTCTTCATTTTAAGCAAGATACCACCTTCTTCAT GCTTCATCCATCAATAGTACACTTCATGTATCATCTCTACTAGTTATTTA GTCCACAATCCTTGTTGTCCTCCAAATTTAATTATCTCATTTAGTTCCCG 25 TTCCGCTAGTTTCCTTAAAATTTGCAATTAAGCTCAGAGAAATATTAAGT ACCCGAAATGGTCATAAAATAACAAAAAGGAAAATATGCATGAAGATTAA CTAAATGATGAACGAAATATGCTAAAATAGACTATAAAATGAAGTAAATA AAATGAAATTATCGCACTCCGACCACCCTTATAGGCTTGTAGTCCACCCA 30 AAAAGCTAACATATAAGGGTTTAGTGACAAAGGTAAGTACTAAAGATGAA AATAATCCATTTTTCTTGTATATACACAACACACACATAGGGGCAGACGT AGGATTTCAAAGTACAGATTGTTGGTGGCACATAAGTGTTGCTGGTGACA TTTTTTTTTTTTTTACGTAGTGGCACAACAGTAGGAAAAACGAAAAAT TCGAAATTTTTTACAATTTGTCTAAAAAAAAAACAGTGGTTGTTGGTGCCAC 35 GAGAGTTTGGGATGTGATACTTCTTTTAGGAAAATGGAGTTATATCTTTG ATATTGTATTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATA AGTTTTATTTATTTTGATATGAAAAAAAAAGTCTTTTATACATTGGATTT 40 AACATAAAAATCCAACAATATTAATCAAAAAGACCAMACATGTGGACAMW TATGTATATAAWTAATTCACAATAGTCTTTAGGAATAGNATTATATATAT AATTAATTCTCAATGGTCTTAGGAATAGTAAGTTCTTATATTCAAACTT

TNGCCACAATTCTTTGKTTACTTWGACACTTYCCTCTCTCAATTATATA ATGTGTGCCCGCGCAAAGCAGTGACGTNNNGGAGAANACTTTCTTAAGCA 5 CTTTTAAATAAAATATTTATGTTTATACTTTATATTTATATTGCTTGTAT ACTATTAATATAATAATTAATATTTATGTCTAATTTATGAAATGTAAAT TAATTTAAATACATGAATTTAATATTTTTAAAATTTTCAGTTTGCTTCAA ATTGAGTTTCTTAATTATTTTTTTAATTCANGTATTCAAACTTTTGGTA AGTATTAAAGAATTATTATGCATAATTGATTTATACAAAAAACTTTGTA ACTTATACATCTTAAAATTCAAGATATAACTAACATGTTTTACAATATAT 10 TAAAGCGCAAAGGTCATAGGAATAGAATATTTTCTATTATTCTACGTTTT GCCACAAAAGTTTGAACACTTTGCCACTTTTTGTCCCTCCTTAACCTTTT CAATGTTTTGCGACAAAGTTCCAAAACTTTGCCACTTTGATCATTCCTC 15 AACTTTTCACCGCAATTAGTTTGTGGAGTTGGCAGTTTTGATCCCCCTAA CTTCGATATTCTCTACTGCTAGCCAAAAAGGGTTCCAGAGTTTCACACTT TTGGTCCCTGACAGTAACCAAATGTGAGATGTCAAATTTTTGCCACATTA GTTTGTGGAGTTGTCCCTTTTGGTCCCCCACATTCGATATTCTANTATA CGACCTTATTTTNTCAAATAACAACACGTATATTTAATTACCAATTATA 20 GAAATAGATATCAAATAAAGTATTTGTAACACTGTGTAAGAACGGTGCTA CTATAGGTAAAAATAAACATTTCAAAGTACGATATCCTAATTGGAAAAAG AGTTTTAAAAAATAACGACTAGGGGCGAGTTTTTTTTACAAGTTTGTAT CAAATCATATCAAAATTTAAGGTGGAACGGTGACCACATTAACCAGAAAT GTAATTTATTCTTTGATTTTGATAATTTTTAATATTTTGTTGTGATCTAT 25 GTATTTAAAAGTAAACAACAAGAACATAATCCAAAACCCTAAATTGCAA GTCTCGCCCAATTTCTCTATCACTAGTCCTCACTTACGATGGCGTTACGT CGCTCTCACTGCTTACAACCCTTTGTTGCTACTCATTACAATAACGAA AAGTTGAATATCCATATATTTATTTGGATGTGGAATTGAACGAATCTCGT CAA.AATTTTGATTGTTGATGGATTTGAGTAGAAGTTTGGGCAGAACGG 30 GAATGATGGTCTGCAAGTGGTTATAAACTTGATTCTGAGTTATTACTATA TATGTAGCCTCTTTACAACGACCAAGGTTTCTTCCAGGTACCATTTGATC TTTTTAGAACTTAGTTTTCTGAAACACCCTGATTTGGATCAAATATCACC AACAACTCTTAAAAACTTGATTAATCAATTGTTTTCTTCATCTTGATAAC AAGTGGAATGATTTCTACTTAGATTAACTTGAAAAAAAGGTCCATGTG CGTCTGGTGGATCTGGTAAATGAAGATGGAAGGGAGAGCTGACTTTAAAG 35 ACACAAACACGTCACCATATCTCTTATTTTATTTTTAAATTTGCTTTTGGT GTATTTCTTTTCCTATTTCTTTCTTTGATCTCCAGATGGTATGT GGTGTGGATAATTTACACCTAGAGATTGGGAACGATGGGAAGGGGTCTGT GATTTATGGCTGGCCGAGTTTTACTTATTAACTCAATTTCAACCTAAATT CTGATTCTTGTATATATCTTGT 40 TGCATAGGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATC CAACTATTTTTAGCTGTTGGCATTTTCCATCATTTGCAACTGTTTCTTG

AAAAAAAAATACCTAAAATAAAAATAACCATTTTCAAATCCAAAATTATA

AGAGAGAATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAG TAAACAAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCA GAGAAAGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATCTTGTATT CCCATCCTGTCTCATGCACTCTTTTCATAACCTCCGTGTGCTTACATTGG ATAATTATGAAGGAGTGGAGGTGGTATTTGAGATAGAGAGTGAGAGTCCA 5 ACATGTAGAGAATTGGTAACAACTCGCAATAACCAACAACAGCCTATTAT ACTTCCCTACCTCCAGGATTTGTATCTAAGGAATATGGACAACACGAGTC ATGTGTGGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAA CAATCAGAATCCCCATTCCACAACCTCACAACCATAAATATTCTTAAATG CAAAAGCATTAAGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCA 10 ACCTAAAGGATATCCGGATAAGTGAGTGTGATGGTATTAAAGAAGTTGTT TCAAACAGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCA CACAACCACCACTTTGTTCCCTAGTCTTGATTCTCTCACTCTAAGTTTCC TGGAGAATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGC AATGAAATATCTTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCA 15 ATTTGAGGTATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTT TATTTGCAATATTCTATAAATAATACATTTTATACCCACTATACTAAGAT AATAATTACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGA AACTCTAGTAAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCT TTTGATGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTAT 20 TTAGCAAGTACTGGCCAGTAGGAGAGAGAATATCACCTTTTGTGAAAAT CTGGTCATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGG GGACATCAGGTGACAGATATTGTAGAATAGAACAATATATAATATTACCC AAAACTATTTTTCTAAGGTTATTCTGTTAAATATGTGCTTTCTTGATTT CATTGAATTTGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCA 25 TATGGAGAGCACTGGTATCATTTAGTATAAAAAAAACTAGATTTTGAAT TAAGTTTCTTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCA TTTTCCATGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAG TTTATGCCAATACGCTAGAGAGATARAAATAGKTGGATGCTATGCATTGT 30 CAAGTGTGATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTG CTGAGAATAGAGTCTTGTGATGGCATGAAGGAGGTATTTGAAACTCAATT TTCCAAGAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTA 35 AGT.ATTGGAAATTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACT TGAAAGCCTGAGACAGCTCCAAGAGTTAAAGATAAAATTTTGCTACGGAA TGA.AGTGATTGTGAAGAAGGAAGAAGATGAATATGGAGAGCAGCAAACA ACAACAACAACAACGAAGGGGGCATCTTCTTCTTCTTCTTCTTCTTCTTCTTC TTCTTCTTAAGAAGGTTGTGGTCTTTCCTTGTCTAAAGTCCATTGTAT 40 CGGTTGCCTTCATTAGATAAACTTAAGATCAAGAAATGCCCAAAAATGAT GGTGTTTACAGCTGGTGGGTCCACAGCTCCCCAACTCAAGTATATACACA

CAAGATTAGGCAAACATACTCTTGATCAAGAATCTGGCCTTAACTTTCAT

WO 98/30083 PCT/US98/00615

CATTCCTGCCAAGTAAATTTACTTCAAACACATTCACACTGGTTTCAGTC TAAGTTTATGTTGTTCTAAGAAGGCCAAAATGGGAAAGCAAGATAGGGAA AAATAGTGTATTTCAGTGGAAAGGGTATTTTAGGCATTTTCTGTCAAAAG 5 TTGTTATTGCAGGCTTTTTAGTACCTGGAATCGTGTGTGGGAGGAGCATT ATTATTCTGATTTGCTTGTTTCTTTATCATTTTTTCTTAGCCTCTCGAAC AGCTAGAAACCCTTTTAATCTTTTGATTTTCAATGACGAAATTTTTCCCT GTTACTCCATTTGATTGTTCTTCATGGTTCTAAGTGAGTTATTGGCT CATCTGTTACTTCTTTTGATTGTTATTTTCATATCATGTTGTCCTTTGAA TCAAGCTTTTCATTTCAACCAGGGCAAAAGGTCAAAAGTAACCTACTT 10 TATGAGATCAAAAACAGCAACCCATCGGATAACTTTTAGTTGGAGTTAAT AGTTACAATTACCATTGTGATTAATAATAATATCTTGTATTAATTCA TATATATGCCTCTGGCGTTTTCTTTATTGGACTTGCAGACCTCATTCCAA AGTTTATACGGTGACACCTTGGGCCCTGCTACTTCAGAAGGGACAACTTG 15 GTCTTTCATAACTTTATCGAATTAGATGTGGAAGGTAATCATGATGTTA AAAAGATTATTCCATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAG ATTAATGTAAGGTGGTGTAAAAGGGTAGAGGGAGGTATTTGAAACTGCATT GGAAGCAGCAGGAGAAATGGAAATAGTGGAATTGGTTTTGATGAATCGT 20 CACAAACAACTACCACTACTCTTGTCAATCTTCCAAACCTTAGAGAAATG AACTTATGGGGTCTAGATTGTCTGAGGTATATATGGAAGAGCAATCAGTG GACAGCATTTGAGTTTCCAAACCTAACAAGAGTTGATATCTATAAATGTA AAAGGTTAGAACATGTATTTACTAGTTCCATGGTTGGTAGTCTATCGCAA CTCCAAGAGCTACATATATCCAACTGCAGTGAGATGGAGGAGGTGATTGT 25 GGGAGACGAATAAGGAGATACTTGTGTTACCTCGTCTAAACTCCTTGATA TTA.AGAGAACTTCCATGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTT TTCATTCCCATTATTGGATACTTTAAGAATTGAGGAATGCCCAGCAATAA CCACCTTCACCAAGGGAAATTCCGCTACTCCACAGCTAAAAGAAATTGAA 30 ACACATTTTGGCTCGTTTTGTGCTGCAGGGGAAAAAGACATCAACTCTCT TAT.AAAGATCAAACAACAGGTAAATCAGATCTTTGTTGCTTTAATAATTC AAAACCGCAACCTACATTTCAGCTTTATATTTATGTACTTTATGCAGGA GTTCAAACAAGACTCTGATTAATGTGAAGTAAATACTAAAGGTAAATTAT ATTTTCATGTTCCTAGTTGCCTATTAATTAATTGCCTTTTAGTTCATGAT 35 TTTTGGATGCATTCTTCATGATGATGTCAATCTTCTAATACCCCATTCAT TGTTTGGTTGAATGTTGACTCTATGTCTTGATGAATATTCAAGGGAAGAA TTGTTCATCATATGAAGGACATTAAAGAAGAACATGGATGCTATGAAGAT GTGGGAAAACAA

RG2B deduced polypeptide sequence (SEQ ID NO:90)

MSDPTGIAGAIINPIAQTALVPVTDHVGYMISCRKYVRVMQMKMTELNTSRISVEE HISRNTRNHLQIPSQTKEWLDQVEGIRANVENFPIDVITCCSLRIRHKLGQKAFKITE QIESLTRQLSLISWTDDPVPLGRVGSMNASTSASLSDDFPSREKTFTQALKALEPNQK FHMVALCGMGGVGKTRMMQRLKKAAEEKKLFNYIVGAVIGEKTDPFAIQEAIADY 5 LGIQLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGLSPFPNQ GVDFKVLLTSRDSQVCTMMGVEANSIINVGLLTEAEAQSLFQQFVETSEPELQKIGE DIVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLQ EEETKSTFLMCGLFPEDFDIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQ TNLLIESDDVGCVKMHDLVRAFVLGMFSEVEHASIVNHGNMPGWPDENDMIVHSC 10 KRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLRFPQDFYEGMEKLHVISYDKMKY PLLPLAPRCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSHIEWLPSTVRNLK KLRLLDLRFCDGLRIEQGVLKSFVKLEEFYIGDASGFIDDNCNEMAERSYNLSALEF AFFNNKAEVKNMSFENLERFKISVGCSFDENINMSSHSYENMLQLVTNKGDVLDSK LNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVLIISKCVELRYLFKL 15 NLANTLSRLEHLEVCECENMEELIHTGIGGCGEETITFPKLKFLSLSQLPKLSSLCHN VNIIGLPHLVDLILKGIPGFTVIYPQNKLRTSSLLKEGVVIPKLETLQIDDMENLEEIW PCELSGGEKVKLRAIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNIDLD CVGAIGEEDNKSLLRSINVENLGKLREVWRIKGADNSHLINGFQAVESIKIEKCKRFR NIFTPITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEATGSISNLVFPSCLMH 20 SFHNLRVLTLDNYEGVEVVFEIESESPTCRELVTTRNNQQQPIILPYLQDLYLRNMD NTSHVWKCSNWNKFFTLPKQQSESPFHNLTTINILKCKSIKYLFSPLMAELLSNLKDI RISECDGIKEVVSNRDDEDEEMTTFTSTHTTTTLFPSLDSLTLSFLENLKCIGGGGAK DEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAREIEIVGCYALSSVIPCYAA **GOMQKL** 25

RG2C polynucleotide sequence (SEQ ID NO:91)

ATAATATTACACAAAGGTAACGTCATTAATTAATTACGATACGAGACAGA CTTTTTCACTCGGACATNAACGGTCTATTCCTAACTTNANNTAATTNAAT GAATTTAGGATGTGCTAATATGCATGTAANATTCGCTACCGTCATCTTTC 30 AAATGACCATATTTTTATGTATTTATAATGAATCAATGAAAAAACCGGATT TCTATTTAAAATTCTTAAAACTTCATCTTTTAAGCCAGGGTGAATACAAT TGCTAGATCCACTGTTAATTTCCATCGAATTATGCCTGATCAATTGTTGG CTGCCTACGATGCAGGTGCTACCACAAGAATATGGCCATGGAAACTGCTA ATGAAATTATAAAACAAGTTGTTCCAGTTCTCATGGTTCCTATTAACGAT 35 TACCTACGCTACCTCGTTTCCTGCAGAAAGTACATCAGTGACATGGATTT GAAAATGAAGGAATTAAAAGAAGCAAAAGACAATGTTGAAGAGCACAAGA ATCATAACATTAGTAATCGTCTTGAGGTTCCAGCAGCTCAAGTCCAGAGC TGGTTGGAAGATGTAGAAAAGATCAATGCAAAAGTGGAAACTGTTCCTAA AGATGTCGGCTGTTGCTTCAATCTAAAGATTAGGTACAGGGCCGGAAGGG 40 ATGCCTTCAATATAATTGAGGAGATCGACAGTGTCATGAGACGACACTCT CTGATCACTTGGACCGATCATCCCATTCCTTTGGGAAGAGTTGATTCCGT

GATGGCATCCACCTCTACGCTTTCAACTGAACACAATGACTTCCAGTCAA GAGAGGTAAGGTTTAGTGAAGCACTCAAAGCACTTGAGGCCAACCACATG ATAGCCTTATGTGGAATGGGGGGAGTGGGGAAGACCCACATGATGCAAAG GCTGAAGAAGGTTGCCAAAGAAAAGAGGAAGTTTGGTTATATCATCGAGG 5 CGGTTATAGGGGAAATATCGGACCCCATTGCTATTCAGCAAGTTGTAGCA GATTACCTATGCATAGAACTGAAAGAAAGCGATAAGAAAACAAGAGCTGA GAAGCTTCGTCAAGGGTTCAAGGCCAAATCAGATGGAGGTAACACTAAGT TCCTCATAATATTGGATGATGTCTGGCAGTCCGTTGATCTAGAAGATATT GGTTTAAGCCCTTCTCCCAATCAAGGTGTCGACTTCAAGGTCTTGTTGAC 10 TTCACGAGACGAACATGTTTGCTCAGTGATGGGGGTTGAAGCTAATTCAA TTATTAACGTGGGACTTCTAATTGAAGCAGAAGCACAAAGATTGTTCCAG CAATTTGTAGAAACTTCTGAGCCCGAGCTCCACAAGATAGGAGAAGATAT TGTTAGGAGGTGTTGCGGTCTACCCATTGCCATCAAAACCATGGCGTGTA CTCTAAGAAATAAAAGAAAGGATGCATGGAAGGATGCACTTTCTCGTTTA 15 CAACACCATGACATTGGTAATGTTGCTACTGCAGTTTTTAGAACCAGCTA TGAGAATCTCCCGGACAAGGAGACAAAATCTGTTTTTTTGATGTGTGGTT TGTTTCCCGAAGACTTCAATATTCCTACCGAGGAGTTGATGAGGTATGGA TGGGGCTTAAAGTTATTTGATAGAGTTTATACAATTATAGAAGCAAGAAA CAGGCTCAACACCTGCATTGACCGACTGGTGCAGACAAATTTACTAATTG GAAGTGATAATGGTGTACATGTCAAGATGCATGATCTGGTCCGTGCTTTT 20 GTTTTGGGTATGTATTCTGAAGTCGAGCAAGCTTCAATTGTCAACCATGG TAATATGCCTGGGTGGCCTGATGAAAATGATATGATCGTGCACTCTTGCA AAAGAATTTCATTAACATGCAAGGGTATGATTGAGTTTCCAGTAGACCTC AAGTTTCCTAAACTAACGATTTTGAAACTTATGCATGGAGATAAATCGCT 25 AAAGTTTCCTCAAGAATTTTATGAAGGAATGGAAAAGCTCCGGGTTATAT CATACCATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTCAATGCTCC ACCAACATTCGGGTGCTTCATCTCACGGAATGTTCATTAAAGATGTTTGA TTGCTCGTGTATTGGAAATCTATCGAATCTGGAAGTGCTGAGCTTTGCTA ATTCTTGCATTGAGTGGTTACCTTCCACGGTCAGAAATTTAAAAAAGCTA AGGTTACTTGATTTGAGATTGTGTTATGGTCTCCGTATAGAACAGGGTGT 30 CTTGAAAAGTTTGGTCAAACTTGAAGAATTTTATATTGGAAATGCATATG GGTTTATAGATGATAACTGCAAGGAGATGGCAGAGCGTTCTTACAACCTT TCTGCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTGAAAAATAT GTCATTTGAGAATCTTGAACGATTTAAGATCTCAGTGGGATGCTCTTTTG 35 ATGGAAATATCAATATGAGTAGCCACTCATACGAAAACATGTTGCGATTG GTGACCAACAAGGTGATGTATTAGACTCTAAACTTAATGGGTTATTTTT ATGTTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCATTCTGCAAT TTA.AAAGTCCTTATTATTTCAAAGTGTGTAGAGTTGAGATACCTTTTCAA 40 ACTCAATGTTGCAAACACTTTGTCAAGACTTGAGCATCTAGAAGTTTGTA AATGCAAGAATATGGAAGAACTCATACATACTGGGATTGGGGGTTGTGGA GAAGAGACAATTACTTTCCCCAAGCTGAAGTTTTTATCTTTGAGTCAACT ACCGAAGTTATCAGGTTTGTGCCATAATGTCAACATAATTGGGCTACCAC

ATCTCGTAGACTTGAAACTTAAGGGCATTCCAGGTTTCACAGTCATTTAT ATGTTCTTTATGTTAATACAATTTAAACAATATTTTCAACCAAATTTTCA TAATATCTGTAATTTGATTGTATGATGTGTTATTGTTTATATGTGGCT ATTAAGGGATGATAATTTTGCAGGTTGTGATTCCTAAGTTGGAGACACTT 5 CAAATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTTAG TGGAGGTGAGAAAGTTAAGTTGAGAGAGATTAAAGTGAGTAGCTGTGATA AGCTTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATCTT GAAGAGCTTACAGTCGAGAATTGCGGTTCCATTGAGTCGTTATTCAACAT TGACTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCTCT 10 TAAGAAGCATCAACGTGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGAGG ATAAAAGGTGCAGATAACTCTCATCTCATCAATGGTTTTCAAGCTGTTGA AAGCATAAAGATTGAAAAATGTAAGAGGTTTAGAAATATATTCACACCTA TCACCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAGGT TGCGGAGGAAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTCACT 15 TTCTTAATTAATTANGGACTAAGCTCCTGTTTTTTGAATAATAAAGAGGT GGGATGACTAAACTTGGGCATCACAATTGCAACAAAATGTTACAAACCAT GAAACGCTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTTAA AAATATGGCTTAAATTTTTTTATATTTATGTATCAACATGATTTTTCATT AGAGATCATTATTATAATAGTAAGTTTAAAGCAATTTAAATTAGAACTAA 20 TTCTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTTAG TGAAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCCTA ACAAAAAAACTATTTGGTTCAGAAAAACTGTAATTCAAGATAACTAAAA TAAAAATATTTGACATTCACTAAGAGCATTTTTTTTCTAAATATGATTGCA AATGAATAAAACTTAAATTTATACAGAAAAGATTTTTATATATGTTATAC 25 AAAATTTACAAATTGAAATTGGATATGTTAATTAACGGTTTATAATTCTG GTATCACAAAGGGATATATAATAAAAATATTATTTTCTGTAGTCATTTAT AATTGTACTAGTTTATAACCCGTGGGAACCATGAGTTCTAAAATTAGTTA AACTTTCATAATAAAAATTTATATTATTTATTTTAAATAAATAAATTATT AATTAAGAGATATATCAAAAATTTAAAGTTATTATAACTTCAAATTTAAC 30 ATATAATTAAAAAATATATGATCATAACTTTCCGCAACTCTTCTTTTGTA TTAAAATGACCAGAGAAGCTCTTAGTATATTTTCTAAATCAAAGTCACAA AACTAATGAAGCATATAATTTTGTGAAAATCAATTAGCATTAGGTTTTAA GAGTCACCAAATTCAAAGAGTAATCCAATGCTTTCATTACCACTATGGAG AAAATATTTTCTTAGTTTAAATGAAATGAAAACAAACATTCAAACTAATT 35 GTTGCTTATTAAACCAAAGACCCATTACTTAGCCAAGAGTTTAACCAAAA AGGGAGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTCATG GAATTCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCAACC AAAGAGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAAATAAAATAAGGA 40 TTAGAAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTTGTT CTTGATGTTCTTCTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAATGCA AAGGAGAGCCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCACCA

5

10

15

20

25

30

35

40

ACCTCCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTGAAG GACCCTATGCGGGTGCCTTGCGCGGGTGGAGCTGAATATGAAAGGTCTTT GGTCTTTGTGAGGGTGATGTTGTGCGGGTTAGCTTGTCGCATGCTTCCGC GCGGTTCGCGCACATGTGCACAGGTGATGCATGGTGTACGTTCTTGAC TTTTGAGCCTCCGATGCTTAGTCCACTTGGCCCAATTCGAGTCCAATCAA CTTATGACCCATTTTCTTCAAGTTATCTTCAAGTTAAGCCCAATTTGCC TTCTCCAAATCATCCATAACTTCACAGAATCGCCCGTTCATCTTAATCCC GAATGAACAATTATTCTCCCGTCTTCATTTTAAGCAAGATACCACCTTCT TCATGCTTCATCCATCAATAGTACACTTCATGTATCATCTCTACTAGTTA TTTAGTCCACAGTCCTTGTTGTCCTCCAAATTTAATTATCTCATTTAGTT CCCGTTCCGCTAGTTTCCTTAAAATTTGCAATTAAGCTCACAGAAATATT AAGTACCCGAAATGGTCATAAAATAACAGAAAGGAAAATATGCATGAAGA TTAACTAAATGATGAACGAAATATGCTAAAATAGACTATAAAATGAAGTA AATAAAATGAAATTATCGCACTCCGACCACCCTTATAGGCTTGTAGTCCA GCCAAAAACTAACATATAAGGGGTGAGTGACAAAGGTAAGTACTAAAGA TGAAAAAATCCATTTTCTTGTATATACACAACACACACATAGGGGCAG ACGTAGGATTTCATAGTACAGATTGTTGGTGGCACATAAGTGTTGCTAGT AATTCGAAATTTTTTACAATGTGCCTAAAAAAAAACAGTGGTTGTTGGTGC GGATGTGATACTTCTTTTGGGAAAATGGAGTTATATCTTTGATATTGTAT TTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATAAGTTTTATT TATTTKGATATGAAAAAAAAAGTCTTTTATACATTGGATTTAACATAAAA ATCCAACAATATTAATCAAAAAGACCAAACATGTGGACAATTATGTATAT AATTAATTCACAATAGTCTTTAGGAATAGNATTATATATATAATTAATTC TCAATGGTCTTAGGAATAGTAAGTTCTTATATTTCAAACNTTTGCCACAN TTCTTTGNTTACTTNGACACTTTYCTCTMWNNANWMWWTWATATATAT ATATATATATAHAHAHAHAVACACACACACTAGATGTGTGCCMGCGCA AAGCAGTGACGTNNNGGAGAANACTTTCTTAAGCATAAATAATTATTATA TTTATGTTTATACTTTATATTTATATTGCTTGTATACTATTAATATAATA AATTTAATATTTTAAAATTTTCAGTTTGCTTCAAATTGAGTTTCTTAAT TTTAGGAATAGTATTATATATATAATTAATTCTCAATGGTCTTAGGAATA GTAAGTTCTTATATTTCAAACTTTTGCCACAATTCTTTGCTTACTTTGAC ACTTTTCCTTACCTTACATATATATATATATATAAAGCGCAAAGGTC ATAGGAATATATTTCTATTATTCTACGTTTTGCCACAAAAGTTTGA ACACTTTGCCACTTTTTGTCCCTCCTTAACCTTTTCAATGTTTTGCGACA AAAGTTCCAAAACTTTGCCACTTTGATCATTCCTCAACTTTTCACCGCAT

TAGTTTGTGGAGTTTGGCAGTTTTGGTCCCTCTAACTTCGATATTCTCTAC

5

10

15

20

25

30

35

40

TGCTAGCCAAAAAGGGTTCCAGAGTTTCACACTTTTGGTCCCTGACAGTA ACCAAATGTGAGATGTCAAATTTTTGCCACATTAGTTTGTGGAGTTGTCC CTTTTGGTCCCCCACATTCGATATTCTACTATACGATCTTATTTTTCTC AAATAACAACACGTATATTTAATTACTAATGATAGAAATAGATATCAAAT AAAGTATTTGTAACACTGTGTAGAGTTTTTTTTTACAAGTTTGTATCAAA TCATATCAAAATTTAAGGTGGAACGGTGACCACATTAACCAGAAATGTAA TTTATTCTTTGATTTTGATAATTTTTAATATTTTGTTGTGATCTATGTAT TTAAAAGTAAACAACAAAGAACATAATCCAAAACCCTAAATTGCAAGTCT CGCCCAATTTCTCTATCACTAGTCCTCACTTACGATGGCGTTACGTCGCT CTCTCACTGCTTACAACCCTTTGTTGCTACTCATTACAATAACGAAAAGT TGAATATCCATATATTTATTTGGATGTGGAATTGAACGAATCTCGTCAAA TTTTTGATTTAGTTGATGGATTTGAGTAGAAGTTTGGGCAGAACGGGAAT GATGGTCTGCAAGTGGTTATAAACTTGATTCTGAGTTATTACTATATATG TAGCCTCTTTACAACGACCAAGGTTTCTTCCAGGTACCATTTGATCTTTT TAGAACTTAGTTTTCTGAAACACCCTGATTTGGATCAAATATCACCAACA ACTCTTAAAAACTTGATTAATCAATTGTTTACTTCATCTTGATAACAAGT GGAATGATTTCTACTTGAAAAAAAGGTCCATGTGCGTCTGGTGGATCT GGTAAATGAAGATGGAAGGGAGAGCTGACTTTAAAGACACAAACACGTCA CCATATCTTTATTTTAAATTTTCTTTTTTCCTATTTCTTT CTTGATCTCCAGATGGTATGTGGTGTGGATAATTTACACATAGAGATTGG GAACGACTGTGATTTAGAGAGGACGTGGCTTGGGGTTGAGGATGGTTTAT GGCTGGCCGAGTTTCATTTATAAACAAACAAATATATAAAACAAGGGG TTTTTTTTTTTTTTTTTTTAGAAGGGGTATACCAGTGTCAGC CTCTTATTCCCAACCAGTCAAATAGGGACTTAGGTTGTTTGGAAACAGTT CCGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAACTTAACCCTT CAATTAACCTACCTTTTTCTTATTAACTCAATTTCAACCTAAATTCTGAT TCTTGTTTGAAAATAAGTTGCATCTTTATTTTTGTATTATCTTGTTGCAT AGGATCCTTAGCATCTTTTAATAATTTATTTGAAGGTGAAAGATCCAACT ATTTTAATCTGTTGACGTTTTCCATCATTTGCAACTGTTTCTTGAAAAA AAAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGA GAATTGTAAATGGACATGGAATCATAAATCATTAACACAGTTCAGTAAAC AAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAA AGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATCTTGTATTCCCAT CCTGTCTCATGCACTCTTTTCATAACCTCCGTGTGCTTACATTGGATAAT TATGAAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAG TAGAGAATTGGTAACAACTCACAATAACCAACAACAGCCTATTATACTTC CCT.ACCTCCAGGAATTGTATCTAAGGAATATGGACAACACGAGTCATGTG TGGAAGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATC AGAATCACCATTCCACAACCTCACAACCATAGAAATGAGATGGTGTCATG GCTTTAGGTACTTGTTTTCGCCTCTCATGGCAGAACTTCTTTCCAACCTA AAGAAAGTCAAGATACTTGGGTGTGATGGTATTAAAGAAGTTGTTTCAAA

CAGAGATGATGAGGATGAAGAAATGACTACATTTACATCTACCCACAAAA

CCACCAACTTGTTCCCTCATCTTGATTCTCTCACTCTAAACCAACTGAAG AATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGAGCAATGA AATATCTTTCAATAATACCACTGCAACGACTGCTGTTCTTGATCAATTTG AGGTATGCTTTGTACATATTCAATTATTTATTTAATTTCCTTTTTTATTT 5 GCAATATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAA TTACCTAGAGGGATGGATGCTATGACACAGCTGCTACACTTCAGAAACTC TAGTAAGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGA TGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGC AAGTACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGT 10 CATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGGGGTTA TCAGGTGACAGATATTGTAGAATAGAACAATATGTAATATTACCCAAAAC TATTTTTCTAAGGTTGCTCTGTTAAATATGTGCTTTCTTGATTTCATTG AATTTGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCAATAAA TCCCGAAATTAATTAAAAAAAAAAAAAAAAAAAATTTTTTGATATGGA 15 GAGCACTGGTATCATTTAGTATATAAAAAAACTAGATTTTGAATTAAGTT TCTTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCATTTTTC CATGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATG CCAATACGCTAGAGAGATAAAAATAGGCAACTGCCATGCATTGTCAAGTG TGATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGAGA 20 GTAATGGCTTGCAATGGGATGAAGGAGGTATTTGAAACTCAATTAGGGAC GAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTAAGTATT GGA.AATTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGAAAG CCTGAGACAGCTCCAAGAGTTAACGATTAAGGGTTGCTACAGAATGAAAG TGATTGTGAAGAAGAAGAAGATGAATATGGAGAGCAGCAAACAACAACA 25 -ACA-ACAACGAAGGGGCATCTTCTTCTTCTTCTTCTTAAGAAGGTGGT GGTCTTTCCTTGTCTAAAGTCCATTGTATTGGTCAATCTACCAGAGCTGG TAGGATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTAGATAAA CTTATCATCGAGAAATGCCCAAAAATGATGGTGTTTACAGCTGGTGGGTC 30 CACAGCTCCCAACTCAAGTATATACACACAGAGTTAGGCAAACATACTC AATTGGCATCATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTTA CTTCAAACACATTCACACTAGTTTCAGTCCAAGTTTATGTTGTTCTAGGA AGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGAGTATTTCAGTGGAA 35 AGGGTATTTTAGGTATTTTCTGTCAAAAATTGTTATTGCAGGCTTTTTAG TACCTGGAAGAGCATGATTATTCTCGATTTGCTTGTTTCTTTATCATTTT TCTTAGCCTAGCATGATTTTCAATGAAATCTTTCCCTGTTACTCCATTTG ATTGTTGTTCTTCATGGTTCTAAGTGAGTTAGTGGCTCATCTGTTACTTC TTTTGATTGTTATTTTCATAGCATGTTGTCACTTGAATCAAGCTTTTCCA 40 TTTTCAACAAGGACAAAAGGTCAAAACTAACCTACTTTATGAGATCAAAA ATAGCAACCCATCGGATAACTTTTAGTTGGAGTTAATACTTACAATTACC ATTGTGATTAATAATTATAATATCTTGTATTAATTCATAAAAATTGGTAC

GGCGTTTTCTTTATTGGACATGCAGACTTCATTCCAAAGTTTATACGGTG ACACCTTGGGCCCTGCTACTTCAGAAGGGACAACTTGGTCTTTTCATAAC TTTATCGAATTAGATGTGAAATCTAATCATGATGTTAAAAAGATTATTCC ATCCAGTGAGTTGCTGCAACTGCAAAAGCTGGTAAAGATTAATGTAATGT 5 GGTGTAAAAGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGG CACTACTCTTGTCAATCTTCCAAACCTTGGAGAAATGAAGTTACGGGGTC TCGATTGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG TTTCCAAACCTAACAAGAGTTGAAATTTATGAATGTAATTCATTAGAACA 10 TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAG AGATTGGTTTGTGCAACCATATGGAGGTCGTGCATGTTCAGGATGCAGAT GTTTCTGTAGAAGAAGACAAAGAGAAAGAATCTGATGGCAAGATGAATAA GGAGATACTTGTGTTACCTCATCTAAAGTCATTGAAATTACTACTTCTTC AAAGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA 15 TTGGATACTTTGGAAATCTACGAATGCCCAGCAATAACCACCTTCACCAA GGGAAATTCCGCTACTCCACAGCTAAAAGAAATGGAAACAAATTTTGGCT TCTTTTATGCTGCAGGGGAAAAAGACATCAACTCCTCTATTATAAAGATC AAACAACAGGTAAACCAGATCTTTGTTGCTTTAATAATTCTTAAACTACA TTTGAAAAGCTTCATGCAAGTTTTTTTTTTTTATATTGTCAAAAACCGCAA 20 CCTACATTTTCAGCTTTATATTTATGTACTTTATGCAGGATTTCAAACAA GACTCTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTTCATGT TCCTAGTTGCCTATTAATTAAAGGCCTTTTAGTTCGTGATTTTTGGATGT ATTCTTCATGATGTCAATCTTCTAATACCCCATTCATTGTTTGGTTG AATGTTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCA 25 TATGAAGGACATTAAAGAACATGGTGCTAT

RG2C deduced polypeptide sequence (SEQ ID NO:92)

MAMETANEIIKQVVPVLMVPINDYLRYLVSCRKYISDMDLKMKELKEAKDNVEEH KNHNISNRLEVPAAQVQSWLEDVEKINAKVETVPKDVGCCFNLKIRYRAGRDAFNI 30 IEEIDSVMRRHSLITWTDHPIPLGRVDSVMASTSTLSTEHNDFQSREVRFSEALKALE ANHMIALCGMGGVGKTHMMQRLKKVAKEKRKFGYIIEAVIGEISDPIAIQQVVADY LCIELKESDKKTRAEKLRQGFKAKSDGGNTKFLIILDDVWQSVDLEDIGLSPSPNQG VDFKVLLTSRDEHVCSVMGVEANSIINVGLLIEAEAQRLFQQFVETSEPELHKIGEDI VRRCCGLPIAIKTMACTLRNKRKDAWKDALSRLOHHDIGNVATAVFRTSYENLPD 35 KETKSVFLMCGLFPEDFNIPTEELMRYGWGLKLFDRVYTIIEARNRLNTCIDRLVQT NLLIGSDNGVHVKMHDLVRAFVLGMYSEVEOASIVNHGNMPGWPDENDMIVHSC KRISLTCKGMIEFPVDLKFPKLTILKLMHGDKSLKFPQEFYEGMEKLRVISYHKMKY PLLPLAPQCSTNIRVLHLTECSLKMFDCSCIGNLSNLEVLSFANSCIEWLPSTVRNLK KLRLLDLRLCYGLRIEQGVLKSLVKLEEFYIGNAYGFIDDNCKEMAERSYNLSALEF 40 AFFNNKAEVKNMSFENLERFKISVGCSFDGNINMSSHSYENMLRLVTNKGDVLDSK LNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVLIISKCVELRYLFKL NVANTLSRLEHLEVCKCKNMEELIHTGIGGCGEETITFPKLKFLSLSQLPKLSGLCH

NVNIIGLPHLVDLKLKGIPGFTVIYPQNKLRTSSLLKEEVVIPKLETLQIDDMENLEEI. WPCELSGGEKVKLREIKVSSCDKLVNLFPRNPMSLLHHLEELTVENCGSIESLFNID LDCVGAIGEEDNKSLLRSINVENLGKLREVWRIKGADNSHLINGFQAVESIKIEKCK RFRNIFTPITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEATGSISNLVFPSC LMHSFHNLRVLTLDNYEGVEVVFEIESESPTSRELVTTHNNOOOPIILPYLQELYLR NMDNTSHVWKCSNWNKFFTLPKQQSESPFHNLTTIEMRWCHGFRYLFSPLMAELL SNLKKVKILGCDGIKEVVSNRDDEDEEMTTFTSTHKTTNLFPHLDSLTLNQLKNLK CIGGGGAKDEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAREIKIGNCHAL SSVIPCYAAGOMOKLOVLRVMACNGMKEVFETOLGTSSNKNNEKSGCEEGIPRVN NNVIMLPNLKILSIGNCGGLEHIFTFSALESLRQLQELTIKGCYRMKVIVKKEEDEYG EOOTTTTTKGASSSSSSKKVVVFPCLKSIVLVNLPELVGFFLGMNEFRLPSLDKLII EKCPKMMVFTAGGSTAPQLKYIHTRLGKHTLDOESGLNFHOTSFOSLYGDTLGPAT SEGTTWSFHNFIELDVKSNHDVKKIIPSSELLQLQKLVKINVMWCKRVEEVFETALE AAGRNGNSGIGFDESSQTTTTTLVNLPNLGEMKLRGLDCLRYIWKSNQWTAFEFPN LTRVEIYECNSLEHVFTSSMVGSLLQLQELEIGLCNHMEVVHVQDADVSVEEDKEK ESDGKMNKEILVLPHLKSLKLLLLQSLKGFSLGKEDFSFPLLDTLEIYECPAITTFTK GNS.ATPQLKEMETNFGFFYAAGEKDINSSIIKIKQQDFKQDSD.

5

10

15

RG2D polynucleotide sequence (SEQ ID NO:93) and (SEQ ID NO:94)

20 ACGACCACTATAGGGCGAATTGGGCCCGACGTCGCATGCTCCCGGCCGCC ATGGCCGCGGATGTAAAACGACGCCAGTCGAATCGTAACCGTTCGTAC GAGAATCGCTGTCCTCCTTCAACCATTTAATGTATATGAGCTAAATTG AAACATCTACTATCATGTTTAAAATTTATAAACTTTTTCCTTTAGATTCAC TTGTCTGGATGTTTTAATAAAACCCAATTTCCCACATGCGTAGAGATCA 25 TAGATGTAACTATTGTTAATCAATTTTGCCTGCCAAGTTTTAATAATTAT ACTTGGATATTAACAAAACTTTATCTAACGACCAAGGTAATATTAAAAAT AGGTTATTATTCTTCATGCTAATTAAAAGATGGGTTGCAAAAGTGAGACC ATGAAAACATTAACACGTTGATATTTTCAACTTTTATTCTTTCATATTCA CCATATTTTTACTTTCGTATTGATTAATCATCTTTCAATCACAGGCTCC 30 TTGGCAAAAGTCAGATCTATTAACAAATACTTCCATGTGGTTGCAAATT ACAAGGATTTCAACATAATTACCAAAACATAGCATTATCATAAGATCGAA ATTACGATACGAGACAGACTTTTTCACTCGTGACATCAACGGTCTATTCT AACTTTACTTAATTAAATGAATCTAGGATGTGCTCATATGCATGTAATAT 35 TTGCTACCGTCATCTTTCAAATGACCATATTTTTATGTATTTATAATGAA TCAATGAAAAACCGGATTTCTATTTAAAATTCTTAAAACTTCATCTTTTA AGCCAGGGTGAATACAATTGTAGATCCACTGTTAATTTCCATCGATTATG CGTGATCAATTGTTGGCTGCATACGATGCAGGTGCTACCACAAGAATATG GCC.ATGGAAACTGCTAATGAAATTATAAAACAAGTTGTTCCAGTTCTCAT 40 GGTTCCTATTAACGATTACCTACGCTACGTCGTTTCCTGCAGAAAGTACA TCAGTGACATGGATTTGAAAATGAAGGAATTAAAAGAAGCAAAAGACAAT

GTTGAAGAGCACAAGAATCATAACATTAGTAATCGTCTTGAGGTTCCAGC

5

10

15

20

25

30

35

40

AGCTCAAGTCCAGAGCTGGTTGGAAGATGTAGAAAAGATCAATGCAAAAG TGGAAACTGTTCCTAAAGATGTCGGCTGTTGCTTCAATCTAAAGATTAGG TACAGGGCCGGAAGGGATGCCTTCAATATAATTGAGGAGATCGACAGTGT CATGAGACGACACTCTCTGATCACTTGGACCGATCATCCCATTCCTTTGG GAAGAGTTGATTCCGTGATGGCATCCACCTCTACGCTTTCAACTGAACAC AATGACTTCCAGTCAAGAGGGTAAGGTTTAGTGAAGCACTCAAAGCACT TGAGGCCAACCACATGATAGCATTATGTGGAATGGGGAGAGTGGGGAAGA CCCACATGATGCAAAGGCTGAAGAAGGTTGCCAAAGAAAAGAGGGAAGTTT GGTTATATCATCGAGGCAGTTATAGGGGAAATATCGGACCCCATTGCTAT AGAAAACAAGAGCTGAGAAGCTTCGTCAAGGGTTCAAGGCCAAATCAGAT GGAGGTAACACTAAGTTCCTCATAATATTGGATGATGTCTGGCAGTCCGT TGATCTAGAAGATATTGGTTTAAGCCCTTCTCCCAATCAAGGTGTCGACT TCAAGGTCTTGTTGACTTCACGAGACGAACATGTTTGCTCAGTGATGGGG GTTGAAGCTAATTCAATTATTAACGTGGGACTTCTAATTGAAGCAGAAGC ACAAAGATTGTTCCAGCAATTTGTAGAAACTTCTGAGCCCGAGCTCCACA AGATAGGAGAAGATATTGTTAGGAGGTGTTGCGGTCTACCCATTGCCATC AAAACCATGGCGTGTACTCTAAGAAATAAAAGAAAGGATGCATGGAAGGA TGCACTTTCTCGTTTACAACACCATGACATTGGTAATGTTGCTACTGCAG TTTTTAGAACCAGCTATGAGAATCTCCCGGACAAGGAGACAAAATCTGTT TTTTTGATGTGTGTTTCCCGAAGACTTCAATATTCCTACCGAGGA GTTGATGAGGTATGGGGGCTTAAAGTTATTTGATAGAGTTTATACAA TTATAGAAGCAAGAACAGGCTCAACACCTGCATTGAGCGACTGGTGCAG GCAAATTTACTAATTGGAAGTGATAATGGTGTACACGTCAAGATGCATGA TCTGGTCCGTGCTTTTGTTTTGGGTATGTATTCTGAAGTCGAGCAAGCTT CAATTGTCAACCATGGTAATATGCCTGGGTGGCCTGATGAAAATGATATG ATCGTGCACTCTTGCAAAAGAATTTCATTAACATGCAAGGGTATGATTGA GATTCCAGTAGACCTCAAGTTTCCTAAACTAACGATTTTGAAACTTATGC ATGGAGATAAGTCTCTAAAGTTTCCTCAAGAATTTTATGAAGGAATGGAA AAGCTCCAGGTTATATCATACGATAAAATGAAGTACCCATTGCTTCCTTT GGCACCTCAATGCTCCACCAACATTCGGGTGCTTCATCTCACTGAATGTT CATTAAAGATGTTTGATTGCTCTTCTATCGGAAATCTATCGAATCTGGAA GTGCTGAGCTTTGCTAATTCTCGCATTGAATGGTTACCTTCCACAGTCAG AAATTTAAAGAAGCTAAGGTTACTTGATCTGAGATTTTGTGATGGTCTCC GTATAGAACAGGGTGTCTTGAAAAGTTTGGTCAAACTTGAAGAATTTTAT ATTGGAAATGCATATGGGTTTATAGATGATAACTGCAAGGACATGGCAGA GCGTTCTTACAACCTTTCTGCATTAGAATTCGCGTTCTTTAATAACAAGG CTGAAGTGAAAAATATGTCATTTGAGAATCTTGAACGATTCAAGATCTCA GTGGGGTGCTCTTTTGATGGAAATATCAGTATGAGTAGCCACTCATACGA AAACATGTTGCAATTGGTGACCAACAAGGTGATGTATTAGACTCTAAAC TTAATGGGTTATTTTGAAAACAGAGGTGCTTTTTTTAAGTGTGCATGGC ATGAATGATCTTGAAGATGTTGAGGTGAAGTCGACACATCCTACTCAGTC

CTCTTCATTCTGCAATTTAAAAGTCCGTATTATTTCAAAGTGTGTAGAGT

TGAGATACCTTTCAAACTCCATGTTGCAAACACTTTGTCAAGCCTTGAG GATTGGGGGTTGTGGAGAAGACAATTACTTTCCCCAAGCTGAAGTCTT TATCTTTGAGTCAACTACCGAAGTTATCAGGTTTGTGCCATAATGTCAAC ATAATTGGGCTACCACATCTCGTAGACTTGAAACTTAAGGGCATTCCAGG 5 TTTCACAGTCATTTATCCGCAGAACAAGTTGCGAACATCTAGTTTGTTGA AGGAAGAGGTAGATATATGTTCTTTATGTTAATACAATTTAAATAATATT TTCAACCAAAATTTCATAATATATCTGTAATTTGATTGTATGATGTGTTA TTGTTTATATGTGGCTATTAAGGGATGATTATTTTGCAGGTTGTGATTCC TAAGTTGGAGACACTTCAAATTGATGGCATGGAGAACTTAGAAGAAATAT 10 GTGAGTAGCTGTGATAAGCTTGTGAATCTATTTCCGCACAATCCCATGTC TCTGTTGCATCATCTTGAAGAGCTTAAAGTCAAAAATTGTCGTTCCATTG AGTCGTTATTCAACATCGACTTGGATTGTCTCAGTGCAATTGGAGAAGAA GACAACAAGAGCATCTTAAGAAGAATCAAAGTGAAGAATTTAGGGAAGCT 15 AAGAGAGGTGTGGAGGATAAAAGGTGCAGATAACTCTCGTCCCCTCATCC ATGGCTTTCCAGCTGTTGAAAGCATAAGTATCTGGGGATGTAAGCGGTTT AGAAATATATTCACACCTATCACCGCCAATTTTGATCTGGTGGCACTTTT GGAGATTCACATAGGAAATTACAGAGAAAATCATGAATCGGAAGAGCAGG 20 TAACGCTTTCAATTTCACTTTCTTACTTAATTAAGGACTAAGCTCTTGTT TTTTGAATAATAAAGAGGTGGGATGACTAAACTTGGGCATCACAATTGTA ACAAAATGTTACAAACCATGAACGTACAAACCATTTCTTGAATTAAGGTT TCAATACAAGTCATTTACAAATATGGCTTAAGTTTTTTATATTTATGTA TCAACATTATTTTCATTAGAGGTCATTATTATAATAGTAAGTTTAAAGC 25 AATTTAAATTAGCACTAATTTTTCATCATCTAACTTTAGCTAATAAATCG TTATAAATGTCAATAGCTAAAATAAAAATATTTGACATTCACTGAGAGCA ATTTTTTCTAAACATGATTGCAAATGATTAAAACTTAAACTAAA AAGATTTTATATATGTTATACAAAATTTACAAATTGAAATTGGATATGT TAATTAACAGTTTATAATTATTGTATTACAAAGCGATATATAATAAAATA 30 TTATTTTCTGTAGTCATGTATAATTGTATATGTAAATGATTTTTTAAGA TGGTAGAAGTGGAAACTAGTCAATCTCACTTAACTCATTGTCACACCAGT TTTATATCCGTTTCTCTCTCTCTCTCTTCTTGCCTCCATCTTTTTTCAAC TCATAACACATAAAAATAACATATTTTCCAACACATTTAAGTCACTACCA CATCATTATTTTAATTTAATTAAATTAGAAAATATAAAATTAAATAAAA CAT.AACATTTTTTTATTAAAAGGCACTAATACAAATAAAAAGATACACGG 35 TAAATAAAAAACGATAATTAGAAAAAAAACATAATAAAAAAAGACAACA TTA.AAAATAWAAAGCGACAACTAAAATTAACTAATGATCAAGAAAATTCT AAAACTCCCACCATATTTTCTGCAATTTGTCATTTATGTTCAAACACCA TTCGCAGAATCCCTCCTATCAAGTGATCATGTTGATTGAGAAAAAACTGT 40 ATGTCTCTCATGTATCTCCAAGTCCAACAAGTTAGCTTTCATTTCTTC ATTTTCTCATGTAAGACGCAAATTTTCATCCCGATATTGTTTTCTATCTT CCACCTCTACTTTATTCACAGTGTGGATGAAGGAGAGGACAGCGATTCTC

GTACGAACGGTTACGATTCGACTGGCCGTCGTTTTACAATCCCGCGGCCA

TGGCGGCCGGAGCATGCGACGTCGGGCCCATTCGCCCTATAGTGGTCGT AATACA (SEQ ID NO:93)

Sequence gap

- TGAGCCTCCGATGCTTAGTCCACTTGGCACAGTTCAAGTCCAATCAACTT 5 ATAACCCATTTTCTTCAAGTTGTCTTCAAGTTAAGCCCAATTTGCCTTC TCCAAATCATCCATAACTTCATGGAATCGCCCCTTCATCTTAATCCCGAA TGCACAATTATTCTCCCATCTTCATTTTAAGCAAGAGGCCACCTTCTTCA TGCTTCATCCATCAATAGTCTGTTGGAATAGTGTCTAAGGCTGCAACTAT ATTAGACAAGTATTTGACCCGGTTGTGCATGGTCCTTTTGGGTTGCCTTC 10 ACCATAGCAACTTGATAGGATGATTTATTAAGAGAGAGTAAATATTATTA ATATATTATGAGAATAATATAATGAATAATATATTTGTTATTTGATTAAT ATAAGTCATAGAATTAATTAGAATTAATTTGGTGACTTAAAGAGATTAAT TAAATAAAGGGGTATAAACTGTCAATTGTTTGATAGTTAAGCTTTAGACT GTAAATCCATTTGGATATGGTATGGACGAATCCTAAGGGATTTAGGATAG CTAAAATCGTCCATATGAGTTATCTAAGAAGGATTTGGATAGCCTTAAGA 15 GAAGATTATCTGATAGGGACTTATCTGTAATCCTTAAGGAGTCTACAAGT ATAAATAGACCCTATGGCTGATGGAATTCGACACATCTCCTAAAGTAAGA GAGCCTTGGCCGAATTCCTCCCCTCACCTCTCTCTAAATCATTCTTCTT GCTATTGGTGTTTGTAAGCCATTAGAGGAGTGACATTTGTGACTCTAGAA 20 TCTCCAAGACCTCAAGATCAACAAGGAATTCAAAGGTATGATTCTAGATC TGTTTCAATGTTGTTATTTGTCCTAATTAGTCATTAGAAGACTTGGATTC AAAGCATGTTTATTAGAAAGCCTAGATCYGAGCAATAGGGTTTTGCATGC GCACATAGGAAAGTTCTTATGGCTAAAACCCATCATAGTCCACTTCATGT ATCATCTCTACTAGTTATTTAGTCCATAATCCTTGTTGTCCTCCAAGTTT 25 AATTACCTCCCTTAGTTCCTGTTCTGCTAGTTTCCTTAAAATTTGCTATT AAGATCACAGAACTAGAGAGTACCCAAAATGGTTATAAAATAACAAAAAG GAA-AATATGCATGAAGATTAACTAAATTATAAATGTAATATGCTAAAATA AACTATAAAAAAAAGTAAATAAAATGAAACTATCACACTCCGACCACCC TTATAGGCTTGTACTGCACCCACCCTTCATTCCTTGTACCAATATGGGAT 30 ACACACATAGGGGCGACGTAGGATTTGTAGTATGTGTTGTGGGTGAC ACATTTTTCTTTTACGTAGTGACACAATAGTAGAGAAAACGAGAAATTC CAATTTTTTACATTGTGTTCGAAAAAATATACAGGGGTTGCTGGTGCTAC 35 TGGGATGTGATACTTCTTTTGGGAAAATGGAGCAATATCTTTAATATTGT ATTTTTTAATGTAATTTATATATTTAATCATTTTAGTTTATAACTTTTA GTTTTTTTTTTTAATCTGTATATTTAATCATTTCAGTTTATAAGTTTT ATTTATTTTGGTATACCAGAAAAAAAGTCTTTTATGTGTTGGATTTAAC
- 40 ATAAAAATCTAACAATATTAATCAAAAAGACCAAACATGTGGACAATTAT GTATATAATTCTCAATGGTCTTAGTGTAACGATATAAATTTCAAAA CAATTTTCACATTAAAAAAAACACTTTCAGTCATAATTGTTATAAATTA

TCATTGTATCACAAAATCAGTTCATAACATCACATCCCAAGATCAATAAA GTGTAAATACTCCTCATGTGTGTACTAATCAAGCCGACGCCTTCCCGCGA TTCTCACTGGTACCTGAAACACGTAACATAACAACTGTAAGCATAAATGC TTAGTGAGTTCCCCAAAATACCACATACCACATATATGCCTTTCCAGGCC ATAACTCTGTAGGATCTTCCGACCCAAGTGTCTCAGGGGACTTCCGTCCC 5 GAATCCCGGTAGACCTTCCGGTCCTACCCGTATTGACCTTCCGGTCCGTA ATACATCTCATAACATAAAAGACCTTCCGGTCACATAAAGGTACCCTTCC AGGTACAGTATAGTGAGAANACTCACCTCGTATGATGTCTAATACCTCAC GTGCTCGATATCCCTGAATCTCGAAACAATGACCTAGCCCCGCCTACTCA 10 CATAAAGTAATTATTCAAATCATTAACGGCTCTCAAGGCTAGACTACAT CCCTTTCTATAAATCCACAGAAGGGTAAAAGACCATTTTACCCCTCCTTG ACCCAAAAGTCCAAATGTTGATCAAAACCCCAAAAGTCAACGAAAGACAA TGGTCAACTTTGACCCTACTCGTGGAGTGCACAAAGGTGACTCGGCAAGT ACATGCGGGTCCTCTGAATCCTTTCAGTCTCTTTGGCTCGTCGAGTCTT 15 TCTTCCACCGACGAGTTACACCTGTCATGAATCGCGGGGCAACCCCGAC TCGACTTGTCGAGTCCGCTCATGGACTCAACGAGTTCATTCCATGCTCAC ACTCAAATGACCTCCTGAGGTCAGATCTGTTCCTCTAATCCATAGATCTG ACCTTCCCAAGCTCAATAAACACGTAAAGGTTCGAACTTGATACTCATGC AACGTCCAAATGATTCTACTTGATGATTTAGCCCCAAATACAACATCCTA 20 AGTCCATACGACCTTATTTTCTCAAATAACAACACATATATTTAATTAC CAATGACAGTAATAGATATCATATAAAGTATTTGTAACACTTTGTAAGAA CCTTGCTACTATAGGTAAAAAGAAACATTTCAAAGTACATGCCCTAATTA 25 TTTGTATCAAATTATCAAAATTTAAGGTGGAAAAGAATGACGACCACA TTAACCAGAAATGTAATTATTTTTTTTTTTTTTGGTAATTTTTAATATTTGTT GTGATCTATGTATTTAAAAGTAAATATCAAACAAGAACATAATCCAAACC CTA-AATTGCAAGTCTCGCCCAATTTCTCTATCACTAGTCCTCACTTACGA TGGCGTTACGTCGCTCTCACTTCCTACAACCCATTGTTGCTACTAATT 30 ACACTAACGAAAAGTTGAATATCCATATATTTATTTGGATGTGAAATTGA ACGAATCTCGTCAAATTTTTTATTTTGTTGATGGATTTGAGTGGAAGTTT AGGCAGAACGGGAATGATGGTCTGCAAGTGGTTATAAACATGGGTGAAGA TAAAATGGAGTTGTCGCCGTTGTATTATAGATCTCTTAGGGGTTTGATTC TGAGTTATTACTGTATACGTAGCCTCTTTACAACGACCATTCTTCCAAGT 35 ACCATTTGATCTTTTAGAATCCAGTTGTCTGAAACACCCTGATTTGGAT ATCTTGATAACAAGAGGAAACACGTCACCATATCTTTATTTTAAATTTG CTTTTGGTGTATTTCTTCTTCCCATTTCTTTCTTGATCTGTTCCAGAT GGTATTTGGTGTGGATAATTTACACCTGGAGATTGTGAACGATGGGAAGG 40 GGTATGTGATTTACAGAGGATGTGGCTTGTGGTTGAGGATGGTTTATGGC TGGCCGAGTCTAATTTATATTATATAAACAAATAAATATATAAAACAAG GGTAAAATATGTATTTAAGCGTCCTCTTTTAATGGTGACAATTTTTACAG

CCCCCCCTTTTTTTTAAAATAAAAAATTAAGAAGGGGTACCACCAT ATACCCGTGTCAGCTTCTTATTCCCAAGCAGTCAAATAGGGACTTAGGTT GTATGGAAACAGTTCCGTGACTTGGATGGCAGATAAATTTAGTAAACTTA ACCCTTCAATTAACCTACCTTTTTCTTATTAACTCAATTTCAAGCTAAAT TCTGATTCTTGTTTGAAAATAAGTTGCATCTTTATTTTTGCATATTATCT 5 TGTTGCATAGGATCCTTAGCATCTTTAATAGTTTATTTGAAGCTGAAAG ATCCAACTAGTTTTGATCTGTTGGCATTTTCCATCATTTGCAACTGTTTC TTGAAAAAAAATACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTA TAAGAGAGAATTGTTAATGGACGTGGAATCATAAATCATTAACACAGTTC AGTACACAAGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTAT 10 CAGAGAAAGAGACATTACAAGAAGTCACTGATACTAATATTTCTAATGAT GTTGTATTATTCCCATCCTGTCTCATGCACTCTTTTCATAACCTCCATAA ACTTAAATTGGAAAATTATGAAGGAGTGGAGGTGTTTTGAGATAGAGA GTGAGAGTCCAACATGTAGAGAATTGGTAACAACTCACAATAACCAACAA 15 CAGCCTATTATACTTCCCAACCTCCAGGAATTGTATCTAAGGAATATGGA CAACACGAGTCATGTGTGGAAGTGCAGCAACTGGAATAAATTCTTCACTC TTCCAAAACAACAATCAGAATCACCATTCCACAACCTCACAACCATAGAA ATGAGATGGTGTCATGGCTTTAGGTACTTGTTTTCGCCTCTCATGGCAGA ACTTCTTTCCAACCTAAAGAAAGTCAAGATACTTGGGTGTGATGGTATTG AAGAAGTTGTTTCAAACAGAGATGATGAGGATGAAGAAATGACTACATTT 20 ACATCTACCCACACAACCACCAACTTGTTCCCTCATCTTGATTCTCTCAC TCTAAAATACATGCACTGTCTGAAGTGTATTGGTGGAGGTGGTGCCAAGG ATGAGGGGAGCAATGAAATATCTTTCAATAATACCACTACAACTACCGAT CAATTTAAGGTATGTTTGTACATATTTAATTATATATTTAATTTCCTTGT TAATTTCCTTTTCTTTGCAATATTCTATGCGAACTCAAGAATGGGATTTG 25 GAGGCATATAAAGTTACATTCATTTGAACAAGTATTACCTTTTATTTGTT AATTAGAAGAGGTCCACATGTCTAATTAGGTTTTCCATTCTATGTGTAAC CTCTATTCTCTCTGTAATCAAGCATCTTAGATTATTTATCCATTTTCATA 30 TTTTAATTTATTATTTTTTTTTTTTGGTAATTGCAACCTGTCATATAT TCAAGTCTTAATGTAACATAATAATACATTTTATACCCACTATACTAAGA TAATAATTACCTAAAGGGATGGATGCCATGACACTGCTACACTTCAGNAA CTCTAGTAAGGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTT 35 TGATGGGTAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTT AGCTAGTAGTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTCAAAATCT GGTCATTGTACCCAGAATTTAGTTAAATGTAACATTTTAGATATTAGGGG TCATCAGGTGACAGATATTGTAGAATAGAACAATATGTAATATTACCCAA AACTATTTTTCTAAGGTTGCTCTGTTAAATATGTGCTTTCTTGATTTCA 40 TTGAATTTGCATTCGTATATTTTAGGTGGTAAACTGATTGTCTCTTCAAT AAATCCTGAAATTAATTAAAAAAAAAAAAAAAAAGTACATTTTTGATTT GGAGAGCACTGGTATCATTTAGTATAGAAAAAAACTAGATTTTGAATTAY

CTTTCTTATATAAAAGTTGTGTATATAGTTTAATTAGTTTTACATCATTT

ATGCCAATACTCTAGAGAGATAGAGATATATAGGTGTGATGCACTGTCAA GTGTAATTCCATGTTACGCAGCAGGACAAATGCAAAAGCTGCAAGTGCTG ACAGTCAGTTCTTGTAATGGTCTGAAGGAGGTATTTGAAACTCAATTAGG 5 CAAGAGTAAATAACAATGTTATTATGCTTCCCAATCTAAAGATATTGGAA ATCTACGGTTGTGGGGGTTTGGAACATATATTCACATTCTCTGCACTTGA AAGCCTGAGACAGCTCCAAGAGTTAACGATTAAGGGTTACTACTCTTGTC AATCTTCCAAACCTCAAAGAAATGAGGTTGGAGTGGCTAAGTAATCTGAG 10 GTATATATGGAAGAGCAATCAGTGGACAGCATTTGAGTTTCCAAACCTAA CAAGAGTTGAAATTTGTGAATGTAATTCATTAGAACATGTATTTACTAGT TCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTACATATATTTAACTG CAGTCTGATGGAGGAGGTAATTGTTAAGGATGCAGATGTTTCTGTAGAAG AAGACAAAGAGAAAGAATCTGATGGCAAGACGAATAAGGAGATACTTGTG TTACCTCATCTAAAGTCCTTGAAATTACAACTTCTTCGAAGTCTTAAGGG 15 GTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTATTGGATACTTTAG AAATCAAAAGATGCCCAACAATAACCACCTTCACCAAAGGAAATTCCGCT ACTCCACAACTAAAAGAAATACAAACAAATTTTGGCTTCTTTTATGCTGC AGGGGAAAAAGACATCAACTCTCTTATAAAGATCAAACAACAGGTAAATC AGATCTTTGTTGCTTTAATAATTCTTAAACTACATTTGAAAAGCTTCATG 20 CAAGTTTTTTTGTTATATTGTCAAAAACCGCAACCTACATTCAGCTTTAT ATTTATGTACTTTATGCAGGATTTCAAACAAGACTCAGATTAATGTGAAG TGAATATTAAAGGTAAATTATATTTTCATGTTCCTAGTTGCCTATTAATT AATGGCCTTTTAGTTCATGATTTTTTGGATGTATTCTTCATGATGATGTGA 25 ATCTTCTAATACCCCATTCATTGTTTGGTTGAATGTTGACTCTATGTCAG GATGAATATTCAAGGGAAGAATTGTTCATCAWATGAAGGACATTAAAGAA CATGGATGCTATGAAGATGTTGGGAAAACATATGTATCAAGTGGCAARCT GCTTAATGATCTAAGTTTGTTGGTTGANGATGTTGATTTTAATATTTCAA ATTCATTGGTTATATGGGCTTATCAATAGTGTTAATGGGATAATGAGTGA 30 CTT.AACCTAAATTATGTTGTTGGTAAATGTTGGACAAGTATGGAAAATTA

RG2D deduced polypeptide sequence (SEQ ID NO:95)

MAMETANEIIKQVVPVLMVPINDYLRYVVSCRKYISDMDLKMKELKEAKDNVEE

HKNTHNISNRLEVPAAQVQSWLEDVEKINAKVETVPKDVGCCFNLKIRYRAGRDAF
NIIEEIDSVMRRHSLITWTDHPIPLGRVDSVMASTSTLSTEHNDFQSREVRFSEALKA
LEANHMIALCGMGRVGKTHMMQRLKKVAKEKRKFGYIIEAVIGEISDPIAIQQVVA
DYLCIELKESDKKTRAEKLRQGFKAKSDGGNTKFLIILDDVWQSVDLEDIGLSPSPN
QGVDFKVLLTSRDEHVCSVMGVEANSIINVGLLIEAEAQRLFQQFVETSEPELHKIG
EDIVRRCCGLPIAIKTMACTLRNKRKDAWKDALSRLQHHDIGNVATAVFRTSYENL
PDKETKSVFLMCGLFPEDFNIPTEELMRYGWGLKLFDRVYTIIEARNRLNTCIERLV
QANLLIGSDNGVHVKMHDLVRAFVLGMYSEVEQASIVNHGNMPGWPDENDMIVH

GGAATGACTTGTGAAAAAAAAAAAAAAAAAA (SEQ ID NO:94)

SCKRISLTCKGMIEIPVDLKFPKLTILKLMHGDKSLKFPQEFYEGMEKLQVISYDKM . KYPLLPLAPOCSTNIRVLHLTECSLKMFDCSSIGNLSNLEVLSFANSRIEWLPSTVRN LKKLRLLDLRFCDGLRIEOGVLKSLVKLEEFYIGNAYGFIDDNCKDMAERSYNLSA LEFAFFNNKAEVKNMSFENLERFKISVGCSFDGNISMSSHSYENMLQLVTNKGDVL DSKLNGLFLKTEVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVRIISKCVELRYL 5 FKLHVANTLSSLEHLEVCGCENMEELIHTGIGGCGEETITFPKLKSLSLSQLPKLSGL CHNVNIIGLPHLVDLKLKGIPGFTVIYPQNKLRTSSLLKEEVVIPKLETLQIDGMENL EEIWPCELSGGEKVKLREIKVSSCDKLVNLFPHNPMSLLHHLEELKVKNCRSIESLF NIDLDCVSAIGEEDNKSILRRIKVKNLGKLREVWRIKGADNSRPLIHGFPAVESISIW GCKRFRNIFTPITANFDLVALLEIHIGNYRENHESEEQIEILSEKETLQEVTDTNISND 10 VVLFPSCLMHSFHNLHKLKLENYEGVEVVFEIESESPTCRELVTTHNNQQQPIILPN LOELYLRNMDNTSHVWKCSNWNKFFTLPKQQSESPFHNLTTIEMRWCHGFRYLFS PLMAELLSNLKKVKILGCDGIEEVVSNRDDEDEEMTTFTSTHTTTNLFPHLDSLTLK YMHCLKCIGGGGAKDEGSNEISFNNTTTTTDOFKLSEAGGVCWSLCQYSREIEIYRC 15 DALSSVIPCYAAGOMOKLOVLTVSSCNGLKEVFETQLGTSSNKNNEKSGCEEGIPR VNNNVIMLPNLKILEIYGCGGLEHIFTFSALESLROLOELTIKGYYTLVNLPNLKEM RLEWLSNLRYIWKSNQWTAFEFPNLTRVEICECNSLEHVFTSSMVGSLLQLQELHIF NCSLMEEVIVKDADVSVEEDKEKESDGKTNKEILVLPHLKSLKLQLLRSLKGFSLGK EDFSFPLLDTLEIKRCPTITTFTKGNSATPQLKEIQTNFGFFYAAGEKDINSLIKIKQQ 20 DFKQDSD.CEVNIK

RG2E polynucleotide sequence (SEQ ID NO:96)

TGGGAAGACACAATGATGCAAAGGTTGAAGAAGGTTGCTAAAGAAAATAGAAT 25 AGCAAGAGCTGATAAGCTTCGTGAATGGTTTAAGGCCAACTCTGGAGAAGGTA AGAATAAGTTCCTTGTAATATTTGATGATGTTTGGCAGTCCGTTGATCTGGAAG ACATTGGTTTAAGTCATTTTCCAAATCAAGGTGTCGACTTCAAGGTCTTGTTGA CTTCACGAGACGAACATGTTTGCACAGTAATGGGGGGTTGAAGCTAATTCAATTC 30 TTAATGTGGGACTTCTAGTAGAAGCAGAAGCACAAAGTTTGTTCCAGCAATTTG TAGAAACTTTTGAGCCCGAGCTCCATAAGATAGGAGAAGATATCGTAAGGAAG TGTTGTGGTTTACCTATTGCCATTAAAACCATGGCATGTACTCTAAGAAATAAA AGAAAGGATGCATGGAAGGATGCACTTTTGCATTTAGAGTACCATGACATTAGC AGTGTTGCGCCCAAAGTCTTTGAAACGAGCTACCATAATCTCCACAACAAGGAG **ACTAAATCTGTGTTTTTGATGTGTGTTTTTTTCCTGAAGACTTCAATATTCCAA** 35 TCGAGGAGTTGATGAGGTATGGATGGGGCTTAAAGATATTTGATAGAGTTTATA CTATTAGACAAGCAAGAATCAGGCTCAACACCTGCATTGAGCGACTGGTGCAG ACAAATTTGTTAATAGAAAGTGATGATGGTGTGCACGTCAAGATGCATGATCTG GTCCGTGCTTTCGTTTTGGTTATGTTTTCTGAAGTTGAACATGCTTCAATTATCA 40 ACCATGGTAATATGCTTGGATGGCCTGAAAATTATATGACCAACTCTTGCAAAA CAATTTCATTAACATGCAAGAGTATGTCTGAATTTCCGGGAGATCTCAAGTTTC CAAACCTAACGATTTTGAAACTCATGCATGGAGATAAGTTGCTAAGATATCCTC

AAGACTTTTATGAAGGAATGGAAAAGCTCTGGGTTATATCATATGATGAAATGA AGTATCCATTGCTTCCCTCGTTACCTCAATGCTCCATCAACCTTCGAGTGCTTCA CCTCCATCGATGCTCATTAATGATGTTTGATTGCTCTTGTATTGGAAATATGTTG AATCTGGAAGTGCTTAGCTTTGTTAAATCTGGCATTGAATGGTTACCTTCCACA ATAGGAAATTTAAAGAAGCTAAGGTTACTTGATCTGAGAGATTGTTATGGTCTT CGTATAGAAAAAGGTGTCTTGAAAAAATTTGGTGAAAAATTTGGAGGAATTTATATT GGTAGAGCAGATATTTTATAGAT

RG2E deduced polypeptide sequence (SEQ ID NO:97)

5

25

30

35

40

10 WEDTMMQRLKKVAKENRMFNYMVEAVIGEKTDPLAIQQAVADYLCIELKESTKP ARADKLREWFKANSGEGKNKFLVIFDDVWQSVDLEDIGLSHFPNQGVDFKVLLTS RDEHVCTVMGVEANSILNVGLLVEAEAQSLFQQFVETFEPELHKIGEDIVRKCCGL PIAIKTMACTLRNKRKDAWKDALLHLEYHDISSVAPKVFETSYHNLHNKETKSVFL MCGFFPEDFNIPIEELMRYGWGLKIFDRVYTIRQARIRLNTCIERLVQTNLLIESDDG VHVKMHDLVRAFVLVMFSEVEHASIINHGNMLGWPENYMTNSCKTISLTCKSMSE FPGDLKFPNLTILKLMHGDKLLRYPQDFYEGMEKLWVISYDEMKYPLLPSLPQCSI NLRVLHLHRCSLMMFDCSCIGNMLNLEVLSFVKSGIEWLPSTIGNLKKLRLLDLRD CYGLRIEKGVLKNLVKIGGIYIGRADIL.

20 RG2F polynucleotide sequence (SEQ ID NO:98)

CTGTGGAAGACACAATGATGCAAAAGGCTGAAAAAGGTTGTGCATGAAAAGAAA ATTCAGGATGCTATAGCAGATTACCTAGGTGTAGAGCTCAATGAAAAATCTAAG CAAGCAAGAGCTGATAAGCTCCGTCAAGGATTCAAGGACAAATCAGATGGAGG CAAAAATAAGTTCTTTGTAATACTTGACGATGTTTGGCAGTCTGTTGATCTGGA AGATATTGGTTTAAGTCCTTTTCCAAATCAAGGCGTCGACTTCAAGGTCTTGTT GACATCACGAGACAGACATGTTTGCACAGTGATGGGGGTTGAAGCCAAATTAA TTCTAAACGTGGGACTTCTAATTGAAGCTGAAGCACAAAGTTTGTTCCACCAAT TTGTTGTCACTTCTGAGCCCGAGCTCCATAAGATAGGAGAAGATATTGTAAAGA AGTGTTTCGGTCTGCCAATTGCCATCAAAACCATGGCATGTACTCTACGACATA AAAGAAAGGATGCATGGAAGGATGCACTTTCACGTTTAGAGCACCATGACATT CAAAGTGTTGTGCCTAAAGTATTTGAAACGAGCTACAACAATCTCAAAGACAA GGAGACTAAATCCGTATTTTTGATGTGTGTGTTTTCCTGAAGACTTGGATAT ACCTATCGAGGAGTTGATGAGGTATGGATGGGGCTTAAGATTATTTGATAGAGT TAATACTATTACACAAGCAAGAAACAGGCTCAACACCTGCATTGAGCGACTGG TGCACACAAATTTGTTAATTGAAAGTGTTGATGGTGTGCATGTCAAGATGCATG ATCTGGTTCGTGCTTTTGTTTTGGGAATGTTTTCTGAAGTGGAGCATGCTTCAAT CAAACAAATTTCATTAACATGCAAGAGTATGTTGGAGTTTCCTGGAGACCTCAA GTTTCCAAACCTAAAGATTTTGAAACTTATGCATGGAGGTAAGTCACTAAGGTA TCCTCAAGACTTTTATCAAGGAATGGAAAAGCTGGAGGTTATATCATACGATGA AATGAAGTATCCATTGCTTCCCTCGTTGCCTCAATGTTCCACCATCCTTCGAGTG CTTCATCTCCATGAATGTTCATTAAGGATGTTTGATTGCTCTTCAATCGGTAATC.
TTTTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAGCATTGAATTGTTACCTTC
CGTAATTGGAAAATTTGAAGAAGTTGCGGCTGCTAGATTTGACAAACTGTTATGG
TGTTCGTATAGAAAAAGGATGTCTTGAAAAAATTTGGTGAAAACTTGAAGAGCTTTA
TATTAGGAATGGTCTACCAGTTTACAGAGGAT

RG2F deduced polypeptide sequence (SEQ ID NO:99)

5

VEDTMMQRLKKVVHEKKMFNFIVEAVIGEKTDPVAIQDAIADYLGVELNEKSKQA
RADKLRQGFKDKSDGGKNKFFVILDDVWQSVDLEDIGLSPFPNQGVDFKVLLTSRD
RHVCTVMGVEAKLILNVGLLIEAEAQSLFHQFVVTSEPELHKIGEDIVKKCFGLPIAI
KTMACTLRHKRKDAWKDALSRLEHHDIQSVVPKVFETSYNNLKDKETKSVFLMCG
LFPEDLDIPIEELMRYGWGLRLFDRVNTITQARNRLNTCIERLVHTNLLIESVDGVH
VKMHDLVRAFVLGMFSEVEHASIVNHGNMPEWTENDMTDSCKQISLTCKSMLEFP
GDLKFPNLKILKLMHGGKSLRYPQDFYQGMEKLEVISYDEMKYPLLPSLPQCSTILR
VLHLHECSLRMFDCSSIGNLFNMEVLSFANSSIELLPSVIGNLKKLRLLDLTNCYGV
RIEKDVLKNLVKLEELYIRNGLPVYRG

RG2G polynucleotide sequence (SEQ ID NO:100)

GAAGACACGATGATGAAGAACTGAAGGAGGTCGTGGGACAAAAGAAATCATTC 20 AATATTATTCAAGTGGTCATAGGAGAGAGACAAACCCTATTGCAATTCAG AAGAGCTGATAAGCTTCGTAAACGGTTTGAAGCCGATGGAGGAAAGAATAAGT TCCTTGTAATACTTGACGATGTATGGCAGTTTGTCGATCTTGAAGATATTGGTTT AAGTCCTCTGCCAAATAAAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAGA 25 TTCACATGTTTGCACTCTGATGGGAGCTGAAGCAAATTCAATTCTTAATATAAA AGTTTTAAAAGATGTAGAAGGACAAAGTTTGTTCCGCCAGTTTGCTAAAAATGC GGGTGATGACCTGGATCCTGCTTTCAATGGGATAGCAGATAGTATTGCAAG TAGATGTCAAGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAAAGG TAGAAGCAAGTCTGCATGGGACGTTGCACTTTCTCGTCTGGAGAATCATAAGAT 30 TGGTAGTGAAGATTGTGCGTGAAGTTTTTAAAATTAGCTACGACAATCTCCA AGATGAGGTTACTAAATCTATTTTTTACTTTGTGCTTTATTTCCTGAAGATTTT GAAGCAAAAACTATAAGAGAAGCAAGAAACAGGCTCAACACCTGCACTGAGCG GCTTAGGGAGACAAATTTGTTATTTGGAAGTGATGACATTGGATGTCAAGAT 35 GCACGATGTGGTGCGTGATTTTGTTTTGCATATATTCTCAGAAGTCCAACACGC TTCAATTGTCAACCATGGTAACGTGTCAGAGTGGCTAGAGGAAAATCATAGCAT CTACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTCTCAGTTTCCCAA AGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTATGCATGGAGATAAGTC ACTGAGCTTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATC 40 ATATGATAAATTGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACCAA CGTTCGAGTGCTTCATTACTGTTCATTAAGGATGTTTGATTGCTCTTCA ATTGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAACATTGAA

TGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGCTACTAGATTTGACA .
AATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTAAAAAAATTTGGTCAAACTT
GAAGAGCTTTATATGGGTGTTAATCGTCCGTATGGACAGGCCGTTAGCTTGACA
GATGAAAA

5

10

15

RG2G deduced polypeptide sequence (SEQ ID NO:101)

RHDDEELKEVVGQKKSFNIIIQVVIGEKTNPIAIQQAVADYLSIELKENTKEARADKL RKRFEADGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTSRDSHVCTL MGAEANSILNIKVLKDVEGQSLFRQFAKNAGDDDLDPAFNGIADSIASRCQGLPIAI KTIALSLKGRSKSAWDVALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIFLLCAL FPEDFDIPTEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVK MHDVVRDFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSQFPKDL KFPNLSILKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNVRVLH LHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKGLRID NGVLKNLVKLEELYMGVNRPYGOAVSLTDE

RG2H polynucleotide sequence (SEQ ID NO:102)

TGAAGGAGGTTGTGGAACGAAAGAAAATGTTCAGTATTATTGTTCAAGTG GTCATAGGAGAGAGACAAACCCTATTGCTATTCAGCAAGCTGTAGCAGA 20 TTACCTCTCTATAGAGCTGAAAGAAACACTAAAGAAGCAAGAGCTGATA AGCTTCGTAAATGGTTCGAGGCCGATGGAGGAAAGAATAAGTTCCTTGTA ATACTTGACGATGTATGGCAGTTTGTCGATCTTGAAGATATTGGTTTAAG TCCTCTGCCAAATAAAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAG ATTCACATGTTTGCACTCTGATGGGAGCCGAAGCCAATTCAATTCTCAAT 25 ATA.AAAGTTTTAACAGCTGTAGAAGGACAAAGTTTGTTCCGCCAGTTTGC TAA.AAATGCGGGTGATGATGACCTGGATCCTGCTTTCAATAGGATAGCAG ATAGTATTGCAAGTAGATGTCAAGGTTTGCCCATTGCCATCAAAACCATT GCCTTAAGTCTTAAAGGTAGAAGCAAGCCTGCGTGGGACCATGCGCTTTC TCGTTTGGAGAACCATAAGATTGGTAGTGAAGAAGTTGTGCGTGAAGTTT 30 TTAAAATTAGCTATGACAATCTCCAAGATGAGATTACTAAATCTATTTTT TTACTTGTGCTTTATTTCCTGAAGATTTTGATATTCCTACTGAGGAGTT GATGAGGTATGGATGGGGCTTGAAATTATTTATAGAAGCAAAAACTATAA GAGAAGCAAGAAACAGGCTCAACACCTGCACTGAGCGGCTTAGGGAGACA AATTTGTTATTTGGAAGCGATGACATTGGATGCGTCAAGATGCACGATGT GGTGCGTGATTTTGTTTTGCATATATTCTCAGAAGTCCAGCACGCTTCAA 35 TTGTCAACCATGGTAACGTGTCAGAGTGGCTAGAGGAAAATCATAGCATC TACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTCTGAGTTTCC CAAAGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTATGCATGGAG ATAAGTCGCTGAGCTTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTT CAGGTAATATCATATGATAAATTGATGTATCCATTGCTTCCCTCATCACT 40 TGAATGCTCCACTAACGTTCGAGTGCTTCATCTCCATTATTGTTCATTAA GGATGTTTGATTGCTCTTCAATTGGTAATCTTCTCAACATGGAAGTGCTC

PCT/US98/00615 136

AGCTTTGCTAATTCTAACATTGAATGGTTACCATCTACAATTGGAAATTT GAAGAAGCTAAGGCTACTAGATTTGACAAATTGTAAAGGTCTTCGTATAG ATAATGGTGTCTTAAAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGT **GTTAATCATCCGTATGGAC**

5

10

15

RG2H deduced polypeptide sequence (SEQ ID NO:103)

KEVVERKKMFSIIVQVVIGEKTNPIAIQQAVADYLSIELKENTKEARADKLRKWFEA DGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTSRDSHVCTLMGAEAN SILNIKVLTAVEGQSLFRQFAKNAGDDDLDPAFNRIADSIASRCQGLPIAIKTIALSLK GRSKPAWDHALSRLENHKIGSEEVVREVFKISYDNLQDEITKSIFLLCALFPEDFDIP TEELMRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVKMHDVVR DFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEFPKDLKFPNLSI LKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNVRVLHLHYCSL RMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKGLRIDNGVLKN LVKLEELYMGVNHPYG

RG2I polynucleotide sequence (SEQ ID NO:104)

AAGAAGAGCTGAAGGAGGTTGTGGAACAAAAGAAAACGTTCAATATTATT GTTCAAGTGGTCATAGGAGAGAGACAAACCCTATTGCTATTCAGCAAGC 20 TGTAGCAGATTCCCTCTCTATAGAGCTGAAAGAAACACTAAAGAAGCAA GAGCTGATAAGCTTCGTAAATGGTTCGAGGCTGATGGAGGAAAGAATAAG TTCCTCGTNATACTTGACGATGTATGGCNGTTTGTTGATCTTGAAGATAT TGGTTTAAGTCCTCATCCAAATAAAGGTGTCANCTTCAAGGTCTTGTTGA CGTCAAGAGATTCACATGTTTGCACTCTGATGGGAGCTGAAGCCAATTCA 25 ATTCTCAATATAAAAGTTTTAAAAGATGTAGAAGGAAAAAGTTTGTTCCG CCAGTTTGCTAAAAATGCGGGTGATGATGACCTGGATCCTGCTTTCATTG GGATAGCAGATATTGCAAGTAGATGTCAAGGTTTGCCCATTGCCATC AAAACCATTGCCTTAAGTCTTAAAGGTAGAAGCAAGTCTGCATGGGACGT TGCACTTTCTCGTCTGGAGAATCATAAGATTGGTAGTGAAGAAGTTGTGC 30 GTGAAGTTTTTAAAATTAGCTATGACAATCTCCAAGATGAGGTTACTAAA TCTATTTTTTACTTTGTGCTTTATTTCCTGAAGATTTTGATATTCCTAC AAACTATAAGAGAAGCAAGAACAGGCTCAACACCTGCACTGAGCGGCTT AGGGAGACAAATTTGTTATTTGGAAGTGATGACATTGGATGCGTCAAGAT GCACGATGTGGTGCGTGATTTTGTTTTGCATATATTCTCAGAAGTCCAGC 35 ACGCTTCAATTGTCAACCATGGTAATGTGTCAGAGTGGCTAGAGGAAAAT CATAGCATCTACTCTTGTAAAAGAATTTCATTAACATGCAAGGGTATGTC TGAGTTTCCCAAAGACCTCAAATTTCCAAACCTTTCAATTTTGAAACTTA TGCATGGAGATAAGTCGCTGAGCTTTCCTGAAAACTTTTATGGAAAGATG GAAAAGGTTCAGGTAATATCATATGATAAATTGATGTATCCATTGCTTCC 40 CTCATCACTTGAATGCTCCACCAACCTTCGAGTGCTTCATCTCCATGAAT GTTCATTAAGGATGTTTGATTGCTCTTCAATTGGTAATCTTCTCAACATG

WO 98/30083 PCT/US98/00615 137

GAAGTGCTCAGCTTTGCTAATTCTGGCATTGAATGGTTACCATCTACAAT TGGAAATTTGAAGAAGCTAAGGCTACTGGATCTGACAGATTGTGGAGGTC TTCATATAGATAATGGCGTCTTAAAAAATTTGGTCAAACTTGAAGAGCTT TATATGGGTGCTAATCGTCTGTTTGGAAAGTGCCAT

5

10

15

RG2I deduced polypeptide sequence (SEQ ID NO:105)

EELKEVVEOKKTFNIIVOVVIGEKTNPIAIOOAVADSLSIELKENTKEARADKLRKWF EADGGKNKFLVILDDVW?FVDLEDIGLSPHPNKGV?FKVLLTSRDSHVCTLMGAEA NSILNIKVLKDVEGKSLFROFAKNAGDDDLDPAFIGIADSIASRCQGLPIAIKTIALSL KGRSKSAWDVALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIFLLCALFPEDFDI PTEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIGCVKMHDVV RDFVLHIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEFPKDLKFPNLS ILKLMHGDKSLSFPENFYGKMEKVQVISYDKLMYPLLPSSLECSTNLRVLHLHECSL RMFDCSSIGNLLNMEVLSFANSGIEWLPSTIGNLKKLRLLDLTDCGGLHIDNGVLKN LVKLEELYMGANRLFGKCH

RG2J polynucleotide sequence (SEQ ID NO:106) and (SEQ ID NO:107)

ATGTCCGACCCAACAGGGATTGTTGGTGCCATTATTAACCCAATTGCTCA AACGCCTTGGTTCCCCTTACAGACCATGTAGGCTACATGATTTCCTGCA 20 GAAAATATGTGAGGGACATGCAAATGAAAATGACAGAGTTAAATACCTCA AGAATCAGTGCAGAGGAACACATTAGCCGGAACACAAGAAATCATCTTCA GATTCCATCTCAAATTAAGGATTGGTTGGACCAAGTAGAAGGGATCAGAG CGAATGTTGCAAACTTTCCAATTGATGTCATCAGTTGTTGTAGTCTCAGG ATCAGGCACAAGCTTGGACAGAAAGCCTTCAAGATAACTGAGCAGATCGA 25 AAGTCTAACGAGACAAAATTCGCTGATTATCTGGACTGATGAACCTGTTC CCCTGGGAAGAGTTGGTTCCATGATTGCATCACCTCTGCAGCATCAAGT GATCATCATGATGTCTTCCCTTCAAGAGAGCAAATTTTTAGGAAAGCACT AGAAGCACTTGAACCCGTCCAAAAATCCCACATAATAGCCTTATGGGGGA TGGGCGGAGTGGGAAGACCACGATGATGAAGAAGCTGAAAGAGGTCGTG 30 GAACAAAGAAAACGTGCAATATTATTGTTCAAGTGGTCATAGGAGAGAA GACAAACCCTATTGCTATCCAGCAAGCTGTAGCAGATTACCTCTCTATAG AGCTGAAAGAAACACTAAAGAAGCAAGAGCTGATAAGCTTCGTAAACGG TTCGAAGCCGATGGAGGAAAGAATAAGTTCCTTGTAATACTTGACGATGT ATGGCAGTTTTCGATCTTGAAGATATTGGTTTAAGTCCTCTGCCAAATA 35 AAGGTGTCAACTTCAAGGTCTTGTTGACGTCAAGAGATTCACATGTTTGC ACTCTGATGGGAGCTGAAGCCAATTCTATTCTCAATATAAAAGTTTTAAA AGATGTAGAAGGAAAAAGTTTGTTCCGCCAGTTTGCTAAAAATGCGGGTG ATGATGACCTGGATCCTGCTTTCATTGGGATAGCAGATAGTATTGCAAGT AGATGTCAAGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAA 40 AGGTAGAAGCAAGTCTGCATGGGACGTCGCACTTTCTCGTCTGGAGAATC ATAAGATTGGTAGTGAAGAAGTTGTGCGTGAAGTTTTTAAAATTAGCTATGACAATCTCCAAGATGAGGTTACTAAATCTATTTTTTTACTCTGTGCTTT

ATTTCCTGAAGATTTTGATATTCCTATTGAGGAGTTGGTGAGGTATGGGT GGGGCTTGAAATTATTATAGAAGCAAAAACTATAAGAGAAGCAAGAAAC AGGCTCAACAACTGCACTGAGCGGCTTAGGGAGACAAATTTGTTATTTGG AAGTCATGACTTTGGGTGCGTCAAGATGCACGATGTGGTGCGTGATTTTG 5 TTTTGCATATGTTTTCAGAAGTCAAGCATGCTTCAATTGTCAACCATGGT AACATGTCAGAGTGGCCAGAGAAAAATGATACCAGCAACTCTTGTAAAAG AATTTCATTAACATGCAAGGGTATGTCTAAGTTTCCTAAAGACATCAACT ATCCAAACCTTTTGATTTTGAAACTTATGCATGGAGATAAGTCGCTGTGC TTTCCTGAAAACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATCATA TGATAAATTGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACTA 10 ACGTTCGAGTGCTTCATCTCCATTATTGTTCATTAAGGATGTTTGATTGC TCTTCAATTGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTC TAACATTGAATGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGC TACTAGATTTGACAAATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTA AAAAATTTGGTCAAACTTGAAGAGCTTTATATGGGTGTTAATCGTCCGTA 15 TGGACAGGCCGTTAGCTTGACAGATGAAAACTGCAATGAAATGGTAGAAG GTTCCAAAAAACTTCTTGCACTAGAATATGAGTTGTTTAAATACAATGCT CAAGTGAAGAATATATCCTTCGAGAATCTTAAACGATTCAAGATCTCAGT GGGATGTTCTTTACATGGATCTTTCAGTAAAAGCAGGCACTCATACGAAA 20 ACACGTTGAAGTTGGCCATTGACAAAGGCGAACTATTGGAATCCCGAATG AACGGGTTGTTTGAGAAAACGGAGGTTCTTTGTTTAAGTGTGGGGGATAT GTATCATCTTCAGATGTTAAGGTGAAGTCCTCTTCGTTCTACAATTTAA GAGTCCTTGTCGTTTCAGAGTGTGCAGAGTTGAAACACCTCTTCACACTT GGTGTTGCAAATACTTTGTCAAAGCTTGAGCATCTTAAAGTCTACAAATG 25 CGATAATATGGAAGAACTCATACATACCGGGGGTAGTGAAGGAGATACAA TTACATTCCCCAAGCTGAAGCTTTTATATTTGCATGGGCTGCCAAACCTA TTGGGTTTGTGTCTTAATGTCAACGCAATTGAGCTACCAAAACTTGTGCA AATGAAGCTTTACAGCATTCCGGGTTTCACAAGCATTTATCCGCGGAACA AGTTGGAAGCATCTAGTTTGTTGAAAGAAGAGGTACATATACATATAGTT TATGTTAATACATTTTAAACAATCTTTTCAACTAAAAGTTTCAGAATATA 30 TCTGTATTTTGATTGTATGATGTTTTGGATGTGGCTATTAAAG GATAATTATTTGGCAGGTTGTGATTCCTAAGTTGGATATACTTGAAATTC ATGACATGGAGAATTTAAAGGAAATATGGCCTAGTGAGCTTAGTAGAGGT GAGAAAGTTAAGTTGAGAAAGATTAAAGTGAGAAATTGTGATAAACTTGT 35 GAATCTATTTCCACACAATCCCATGTCTCTGCTGCATCATCTTGAAGAGC TTATAGTCGAGAAATGTGGTTCCATTGAAGAGTTGTTCAACATCGACTTG GATTGTGCCAGTGTAATTGGAGAAGAAGACAACAACAGCAGCTTAAGAAA CATCAATGTGGAGAATTCAATGAAGCTAAGAGAGGTGTGGAGGATAAAAG GTGCAGATAACTCTCGTCCCCTCTTTCGTGGCTTTCAAGTTGTTGAAAAG 40 ATAATCATTACGAGATGTAAGAGGTTTACAAATGTATTCACACCTATCAC CACAAATTTTGATCTGGGGGCACTTTTGGAGATTTCAGTTGATTGTAGAG GAAATGATGAATCAGACCAAAGTAACCAAGAGCAAGAGCAGGTATGGATT

TCAATTTACTCTTTACTTAATTAATGATTAAGCCCCTGCTTTTTAATA

AAAAGGGGACAAACCATTTCTTGACTTAATGTTGCAATACAAGTCATGTA TAAGAGTGATTAACTTTTTTTTATTATAAAATAACTACAAAACATGTTT TTTCATTATAGATCATGTATAAATGTGACTAATTTTTTTCATCGCCTAAC TTTTGTTGATAAATCATTAGAAATGTCACTAATTACTTTTTAGTATTTAT AAAATAACTACAAAACATGTTTTTTCATTATAGATCATGTATATATCAAC TAAAAATATTATTCCCTTACACAAAAAAAAAAAGGTTCAAGAAAGCCTGTA TTTCGAAATAACTAAAAAGAAAATATTTGATATTCACTAAGAGAAATTTT TTTCTAAACATGATCGCAAATGATTAAAACTTAAAATTAAAACTAAAAAGA TTTTTATATATGTTATNCAAAATTAAAATTTGAAATTAAGTTTATAATTC TNGTNTCACAAAGGGATATATATAGTAAAATATTATTTTTTTGCAGTCAT GCATAGTTGTATTTTAAATGATTTATTAACGTGGTAGGAGTGGAAACCA CTCAATCTAGTAGACCCACTATCACATGTCACATCAGCTTTACATCTATT TTTCTTTCTCCTTTTTTCATCTTTTTAAACTCATAACACNTAAAANTANC TTA.AATTNGAAAATTAAAATTAANTAAANCNTAACATTTTTTAATTAAAA AATATTAATCCAAATAAAAANTNCACGATAAATTAAAAANGTTTANTTTG GAAAAAANCC (SEQ ID NO:106)

Sequence gap

5

10

15

20

25

30

35

- ATA.ACCCTTTCAAGGGTCAACTCAAGTCCAAGTTAAAGTCAAGGTCAAAA CCTTGGTTAAAGTCAACTTTGGTCAAAGTCAACATCTACTTGACTCACCT CACCGAGTTGGTCCACCAACTTGTCGAGTCCCTTAATCCACAAACTTCAA GAACTTCGATCCTACTCGTCGAGTCTTTCAAGAACTCTTCGAGTTTCCAT TACACAGAATCGGGACCTTTTGCTCATGACTCGCCGAGTTCATCCTTGAA CTTGTCGAGTCTAGCTTCATACGAGTTCGAGTGTTTAGTCCTTGACTCGT CGAGTTCTTCCTTGAACTCGTCGAGTCCATCTTCGTATAGTTGGGACATT GCCTTGAACTCACCGAGTTCATCATTGAACTCATCGAGTCCTTCGATCTT CAAGTCCATAATCCTGTCCATCTTGTTGAGTCCTCTTCTAGACTCAACCA GATTCCTCAGAAACAGAAAAGGTTAGGGAACCATTACCTGACTCGCCGAG TCCCAAGAACGAATCCCCGAGTCCCCCAATGTCCATGACCATACAATCGA TTTTCGTTGGGCTCATTGCATCCAAAGCATAGATCTAACCTCCTAGGGTC CTCAAATGGCATTAAAATGGGGTTTATCTGATGCATGGGACTCCCATGGC CATAAAGTTAACACCTTTATGCCATGGGAATCCTCAATGGTTCCATATCT GAAGTTAACACTCTACAATATGTTCTAAACCCGAAGGTGGCTTAGAAATG CCCCAAAATGGCAAGATTCAAGCCTTAAAGGAGATCTAACAAATGATAAG TCAAGGTTCAAGCTTTTTACCTTGAATAAGCTGGAAATGAAGCAAAATCT CTGGATCCACTTCTTCAAGAACCCCCAAGCTTCCACTTCTTC AAGTTTCAAACACTTTAAACACTCAAAAATGGCTCAAGAACACTCAAAA
- AGCTTTAGGGTTTCGAGTTAGGGCTTTTTGGAAGCGAGAGGGACGATGGG
 40 GGCTGAAATGAGGCTAGAAAAAGTGTTTAAATAGGGGGCAAACCCTAAAT
 ATTAGGGTTTCATCCAGGCAGCCCTACTCGTCGAGTCGGGCTCCCGACTC
 GTCGAGTAGGTCACTTAAAACCCGCGTCCATAATCCAGTCTACTCGACGA
 GTTGGGCCTCCAACTCGTCGATTCCGAGTGCAAAACGTTCAATTACTTAA

ATTTAAATATGTACCAGGAACCGGGTGTTACAGTTGAGACTTTATACCTC CATAAGATAGATCTAGGTGCACATAGCCTGGATCCACAAGCTCCATGTCA ACAAGCGACTCTTCAAGAAGTTCATTCTTCCTCCTTAAGCACCAAAAAAC ACACAAAATCACCATGAAGCTCAAGAAATACTCAAATAGAGGATAGGGTT TCGTTCGTAGGGTTAGAGAGGATGGAGGCTAGAGGAAATGAGGGATAGAG 5 GCGAGTTAAGGTCTTTAAATAGGGTCCAAGACCCTAAATTAGGGTTTTAA TCTGGCCAGACGAACGCAGGGTGTTCCCAAATGCATATGTGTCCAAATTC TCGTGTGCGCCATGCGTACCTCCCTTGTACGCCATGTGTACCGGGTTTGG TCCAAACCCTTCTAACTTCAAATGATCATAACTTGCACCCCTTATCTGTT TTCGATGTTCTTATATCCACGGAAAGGTAACAAGAAGCCCTATACTTCT 10 ATAAACTTTATTTAATCTGAAAACCAACCGAAATTAAATCCAAAATTCAT AAAAGTCCCGAACCAACACATTTACCGATACCCTTGGGCTCCAAAACACA AATTGAAAACCCGGATCATCCAAACTACATCATCCACCTCCAAATGAGCC CAAACTCAATTATTCAAGGGTTCTAAGCCTGTTAATGCCCACTCCTCGAT TACCACCCGCAATGGGAAACGATTCAAAACAGGGCGTTACATAATTTGT 15 TGTGGTTTTGTATTTTTATTTCCGGTGAAGGTGAAAGATCCAACTATTT TACCTAAAATCAAAATAACCATTTTCAAATCCAAAATTATAAGAGAGAAT TGTAAATGGACATGGAATCTTAAATCATTAACACAGTTCAGTACACAAGT TGCTAATTACATTTCTTGCTGTGCAGATTGAAATTCTATCAGAGAAAGAG 20 ACATTACAAGAAGCCACTGACAGTATTTCTAATGTTGTATTCCCATCCTG TCTCATGCACTCTTTTCATAACCTCCAGAAACTTATATTGAACAGAGTTA AAGGAGTGGAGTGTTTTGAGATAGAGAGTGAGAGTCCAACAAGTAGA GAATTGGTAACAACTCACCATAACCAACAACAGCCTGTTATATTTCCCAA CCTCCAGCATTTGGATCTAAGGGGTATGGACAACATGATTCGCGTGTGGA 25 AGTGCAGCAACTGGAATAAATTCTTCACTCTTCCAAAACAACAATCAGAA TCCCCATTCCACAACCTCACAACCATAAATATTGATTTTTGCAGAAGCAT TAAGTACTTGTTTTCACCTCTCATGGCAGAACTTCTTTCCAACCTAAAGA AAGTCAATATAAAATGGTGTTATGGTATTGAAGAAGTTGTTTCAAACAGA GATGATGAGGATGAAGAATGACTACATTTACATCTACCCACACAACCAC 30 CATCTTGTTCCCTCATCTTGATTCTCTCACTCTAAGTTTCCTGGAGAATC TGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGGGGGAGCAATGAAATA TCTTTCAATAATACCACTGCAACTACTGCTGTTCTTGATCAATTTGAGGT ATGCTTTGTTCATATTCAATTATTTATTTAATTTCCTTTTTTATTTGCAA TATTCTATAAATAATACATTTTATACCCACTATACTAAGATAATAATTAC 35 CTAGAGGGATGCTATGACACAGCTGCTACACTTCAGAAACTCTAGT AAGGCAGTTATGGAAGTTCAATAAAATGATAATGGCATCTTTTGATGGG TAATATAGGCAATTTAAGTTTTATTTCTGTTAAAGCAGTATTTAGCAAGT ACTGGCCAGTAGGAGAGGAGAATATCACCTTTTGTGAAAATCTGGTCATT GTACCCAGAATTTAGTTAAATGTAACATTTTAGATATCAGGGGACATCAG 40 GTGACAGATATTGTAGAATAGAACAATATATAATATTACCCAAAACTATT TTTTCTAAGGTTTTTCTGTTAAATATGTGCTTTCTTGATTTCATTGAATT TGCATTCCTATATTTTAGGTGGTAAAGTGATTGTCTCTTCAATAAATCCC

GAAATTAATTAAAAAAAAAAAAAAAAAAAAAAATTTTTGATATGGAGA GCACTGGTATCATTTAGTATATAAAAAAACTAGATTTTGAATTAAGTTTC TTATATAAAAGCTGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCA TGTGGTGTTGCAGTTGTCTGAAGCAGGTGGTGTTTCTTGGAGCTTATGCC AATACGCTAGAGAGATAAGTATAGAATTCTGCAATGCATTGTCAAGTGTG 5 ATTCCATGTTATGCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGACAGT CAGTTCTTGTAATGGTCTGAAGGAGGTATTTGAAACTCAATTAAGGAGGA GCAGCAACAAAACAACGAGAAGAGTGGTTGTGATGAAGGAAATGGTGGA ATTCCAAGAGTAAATAACAATGTTATTATGCTTTCTGGTCTGAAGATATT GGAAATCAGCTTTTGTGGGGGTTTGGAACATATATTCACATTCTCTGCAC 10 TTGAAAGCCTGAGACAGCTCGAAGAGTTAACGATAATGAATTGCTGGTCA ATGAAAGTGATTGTGAAGAAGGAAGAAGATGAATATGGAGAGCAGCAAAC AACAACAACAACGAAGGGGACTTCTTCTTCTTCTTCTTCTTCTTCTT CTTCTTCTTCTTCTTCTCCTCCTCTTCTTCTAAGAAGGTTGTGGTC TTTCCTTGTCTAAAGTCCATTGTATTGGTCAATCTACCAGAGCTGGTAGG 15 ATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTAGATGAACTTA TCATCGAGAAATGCCCAAAAATGATGGTGTTTACAGCTGGTGGGTCCACA GCTCCCCAACTCAAGTATATACACACAAGATTAGGCAAACATACTATTGA TCAAGAATCTGGCCTTAACTTTCATCAGGTATATATGTTTCTTTAATTGG CATCATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTTACTTCAA 20 ACACATTCACACTGGTTTCAGTCTAAGTTTATGTTGTTCTAGGAAGGCCA AAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTTCAGTGGAAAGGGTA TTTTAGGTATTTCTGTCAAAAGTTGTTATTGCAGGCTTTTTAGTACCTG GAATCGTGTGTGGGAGGAGCATTATTATTCTGATTTGCTTGTTTCTTTAT CATTTTTCTTAGCCTCTCGAACAGCTAGAAACCCTTTTAATCTTTTGAT 25 TTTAAATGACAAAATTTTTCCCTGTTACTCTATTTGATTGTTCTTCA TGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCTTTTGATTGTTATT TTCATAGCATGTTAGTCACTTGAATCAAGCTTTTTCATTTTCAACCAGGG CAAAAGGTCAAAAGTAACCTACTTTATGAGATCAAAAACAGCAACCCATC 30 GGATAACTTTTAGTTGGAGTTAATAGTTACAATTACCATTGTGATTAATA ATTATAATATCCTGTATTAATTCATAAAAATTGGTACAGCACATATATGA CATTTCAAAGGTTTTTGTTTGACATATATATGCCTCTGGCGTTTTCTTTA TTGGACTTGCAGACCTCATTCCAAAGTTTATACGGTGACACCTTGGGCCC 35 CTGCAACTGCAAAAGCTGGAAAAGATAAATATAAACAGTTGTGTTGGGGT AGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGGAGAAATGGAAATA GTGGAATTGGTTTTGATGAATCGTCACAAACAACTACCACTACTCTTGTC AATCTTCCAAACCTTAGAGAAATGAACTTATGGGGTCTAGATTGTCTGAG GTATATATGGAAGAGCAATCAGTGGACAGCATTTGAGTTTCCAAAACTAA 40 CAAGAGTTGAAATTAGTAATTGCAACAGTTTAGAACATGTATTTACTAGT TCCATGGTTGGTAGTCTATCGCAACTCCAAGAGCTACATATAAGTCAGTG

CAAACTTATGGAGGAGGTGATTGTTAAGGATGCAGATGTTTCTGTAGAAG

AAGACAAAGAGAAAGAATCTGATGGCAAGATGAATAAGGAGATACTTGCG TTACCTAGTCTAAAGTCCCTGAAATTAGAAAGCTTACCATCTCTTGAGGG GTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTATTGGATACTTTAA GAATTGAGGAATGCCCAGCAATAACCACCTTCACCAAGGGAAATTCCGCT ACTCCACAACTAAGAGAAATAGAAACAAGATTTGGCTCGGTTTATGCAGG GGAAGACATCAAATCCTCTATTATAAAGATCAAACAACAGGTAAATCAGA TCATTGTTGGTTTAATAATTCTTAAACTACATTTGAAAAGTTTCATGTAA GTTTTTTATTATTGTCAAAAGCCGCAACCTATATTTTCAACTTTATATTT ATGTACTTTATGCAGGATTTCAAAAAAGCCCAGGACTCTATTTAATGTGA AGTAAATACTAGAAGAGGTAAATTCTATTTACATGTCTCCTGATTGCCTA TTAATTAATGGCCTTTCAGTTCATGGTTTTTTGGATGTATTCTTCATGATG ACGTGAATGTTAAATACCCCACTAGTTAATTGTTAGGTTGAATGTTGAT GACCAAAGGACTATATGTCGGGAAGAATATTCAAGGAAAGAATTGTTCAT CATATGAAGGCATTAAATTAAGAAGAACATGGATGCTATGAAGATGTTG **GGA.AAATATATGAATCAAATAACAAGCTACTCACTTATCTAAGTTTGTTG** GTTGAGGATGTTGATTTTAATATTTCAAATTCATTGGTATCATTATATGG GTTTATCAGTAGTGTTAATGGGATAATGAGCAACTTAACCTTAAATTATG CTGTTGGTAAATGTTGGACTCAAGTATGGAAAATTAGGAATAACTTGTGA AAAATATATGCAAAAGTAGGATTGAGATTTTCAATGAAAAAAATTATGAA ACTATACTACTATAGTATATAAATAAATTCAACTTACTGTTGGGTATATT GGAAGCACATATCATGAAAGTAACTAGAAGCAGAATTTGTTCCCATCTTC ATCTACTTATAGTTTCCATTTCTTACTTGTAAAAATCTGATTAAACTTTA GAGTTATTTCTATTTTTACCAACCAAAATTTTCATATAAAGGCCACAAG T (SEQ ID NO:107)

25

30

35

40

20

5

10

15

RG2J deduced polypeptide sequence (SEQ ID NO:108)

MSDPTGIVGAIINPIAQTALVPLTDHVGYMISCRKYVRDMQMKMTELNTSRISAEEH ISRNTRNHLQIPSQIKDWLDQVEGIRANVANFPIDVISCCSLRIRHKLGOKAFKITEOI ESLTRQNSLIIWTDEPVPLGRVGSMIASTSAASSDHHDVFPSREOIFRKALEALEPVO KSHIIALWGMGGVGKTTMMKKLKEVVEQKKTCNIIVQVVIGEKTNPIAIQQAVADY LSIELKENTKEARADKLRKRFEADGGKNKFLVILDDVWQFFDLEDIGLSPLPNKGV NFKVLLTSRDSHVCTLMGAEANSILNIKVLKDVEGKSLFRQFAKNAGDDDLDPAFI GIADSIASRCQGLPIAIKTIALSLKGRSKSAWDVALSRLENHKIGSEEVVREVFKISYD NLODEVTKSIFLLCALFPEDFDIPIEELVRYGWGLKLFIEAKTIREARNRLNNCTERL RETNLLFGSHDFGCVKMHDVVRDFVLHMFSEVKHASIVNHGNMSEWPEKNDTSN SCKRISLTCKGMSKFPKDINYPNLLILKLMHGDKSLCFPENFYGKMEKVQVISYDKL MYPLLPSSLECSTNVRVLHLHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIG NLKKLRLLDLTNCKGLRIDNGVLKNLVKLEELYMGVNRPYGQAVSLTDENCNEM VEGSKKLLALEYELFKYNAQVKNISFENLKRFKISVGCSLHGSFSKSRHSYENTLKL AIDKGELLESRMNGLFEKTEVLCLSVGDMYHLSDVKVKSSSFYNLRVLVVSECAEL KHLFTLGVANTLSKLEHLKVYKCDNMEELIHTGGSEGDTITFPKLKLLYLHGLPNL LGLCLNVNAIELPKLVQMKLYSIPGFTSIYPRNKLEASSLLKEEVVIPEELIVEKCGSI EELFNIDLDCASVIGEEDNNSSLRNINVENSMKLREVWRIKGADNSRPLFRGFQVVE KIITTCKRFTNVFTPITTNFDLGALLEISVDCRGNDESDQSNQEQEQIEILSEKETLQE ATDSISNVVFPSCLMHSFHNLQKLILNRVKGVEVVFEIESESPTSRELVTTHHNQQQP VIFPNLQHLDLRGMDNMIRVWKCSNWNKFFTLPKQQSESPFHNLTTINIDFCRSIKY LFSPLMAELLSNLKKVNIKWCYGIEEVVSNRDDEDEEMTTFTSTHTTTILFPHLDSL TLSFLENLKCIGGGGAKDEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAR EISIEFCNALSSVIPCYAAGQMQKLQVLTVSSCNGLKEVFETQLRRSSNKNNEKSGC DEGNGGIPRVNNNVIMLSGLKILEISFCGGLEHIFTFSALESLRQLEELTIMNCWSMK VIVKKEEDEYGEQQTTTTTKGTSSSSSSSSSSSSSSSSSSSSSKKVVVFPCLKSIVLVNLP ELVGFFLGMNEFRLPSLDELIIEKCPKMMVFTAGGSTAPQLKYIHTRLGKHTIDQES GLNFHQDIYMPLAFSLLDLQTSFQSLYGDTLGPATSEGTTWSFHNLIELDVKFNKD VKKIIPSSELLQLQKLEKININSCVGVEEVFETALEAAGRNGNSGIGFDESSQTTTTTL VNLPNLREMNLWGLDCLRYIWKSNQWTAFEFPKLTRVEISNCNSLEHVFTSSMVGS LSQLQELHISQCKLMEEVIVKDADVSVEEDKEKESDGKMNKEILALPSLKSLKLESL PSLEGFSLGKEDFSFPLLDTLRIEECPAITTFTKGNSATPQLREIETRFGSVYAGEDIKS SIIKIKQQDFKKAQDSI.CEVNTR

5

10

15

RG2K polynucleotide sequence (SEQ ID NO:109) and (SEQ ID NO:110)

TGGGATTCCATATAAAAACATATATTTTATAAAGTGGGATTCCATTG AAAACATGTCGGCTTTTGACTAAAAATATAGATTTTTATGAATAGAATAT 20 TCAATTTGCTTAACTCGTTTAAAAAAAAATGAAAAAGATGTCGATATAAAA TCTCATATGGGCCTTCTTTACCATTCAAATAGTAAAATAGTAAAAGATAC TTGTTTGGGGCATGAACTGACCATAGTCAAACCCATACAAAATCAAACGA ATCCCACATGGATGACGATGGGGTCGCAGTAAATGTGTTTTGGTCCT 25 TTTTTTCGAGAGAACAGAAGCTTCTGCTCTTCATCTTTAGATTTTG GGGATTTTCTGGTTTCAGGGGTTTGTGAGTGGAAACTAAATTGAAGCAAA AAAGTATGGTATAATTGGTTGCTAGTGAAATTGATGCTTTCTATTACTAT CATCTTTAAAATTGTCAAAACATTATGTATTAAATTATGAGATCGAAAGT GGTCTATGGGCCAAAGGTAATACAAGCTTACTCAATGAAATGAATCTAGG 30 ATGCATCATGCATGTATTGGTTAGATTAAAGATTTTCATCAAATTTCCTT TATCAAATTGTTGTATACCATGTTATGTAGGTGCTACCACAAGCCATAAC ATCGAGCAATGGAGTGTATTACTGGCATCTTTAGCAACCCGTTTGCTCAG TGTCTCATCGCTCCTGTGAAAGAACACCTTTGCCTTCTGATTTTCTATAC ACAATATGTAGGGGATATGCTTACTGCAATGACGGAGTTGAATGCTGCAA 35 AAGACATTGTTGAAGAGCGGAAGAATCAAAACGTAGAAAAATGTTTTGAG GTTCCAAACCATGTCAACCGTTGGTTGGAAGATGTTCAAACAATCAACAG AAAAGTGGAACGTGTTCTTAACGATAATTGCAATTGGTTCAATCTATGTA ATAGGTACATGCTCGCAGTGAAAGCCTTGGAGATAACTCAGGAGATCGAT CATGCCATGAAACAACTCTCTCGGATAGAATGGACTGATGATTCAGTTCC 40 TTTGGGAAGAATGATTCCACAAAGGCATCCACCTCTACACCATCAAGTG ATT.ACAATGACTTCGAGTCAAGAGAACACTTTTAGGAAAGCACTTGAA GCACTTGGATCCAACCACACCACATGGTAGCCTTATGGGGGATGGG

TGGAGTTGGGAAGACCACGATGATGAAGAGGCTGAAAAATATTATTAAAG AAAAGAGGACGTTTCATTATATTGTTTTGGTGGTTATAAAGGAAAATATG GATCTCATTCCATCCAGGATGCTGTAGCAGATTATCTGGATATGAAGCT AACAGAAAGCAATGAATCAGAAAGAGCCGATAAACTTCGTGAAGGGTTTC 5 AGGCCAAATCAGATGGAGGTAAGAATAGGTTCCTCATAATACTGGATGAT GTATGGCAATCTGTTAATATGGAAGATATTGGTTTAAGTCCTTTTCCGAA TCAAGGTGTCGACTTCAAGGTCTTGTTGACCTCGGAAAACAAGATGTTT GTGCAAAAATGGGAGTTGAAGCTAATTTAATTTTCGACGTGAAATTCTTA ACAGAAGAAGCACAAAGTTTGTTTTATCAATTTGTAAAAGTTTCTGA 10 TACCCACCTTGATAAGATTGGAAAAGCTATTGTAAGAAACTGTGGTGGTC TACCCATTGCCATCAAAACCATAGCCAATACTCTTAAAAATAGAAACAAG GATGTATGGAAGGATGCACTTTCTCGTATAGAGCATCATGACATTGAGAC AATTGCACATGTTTTTTCAAATGAGCTACGACAATCTCCAAAACGAAG AAGCTCAATCCATTTTTTTGCTTTGTGGATTGTTTCCTGAAGACTTTGAT 15 ATTCCTACTGAGGAATTGGTGAGGTATGGATGGGGATTGAGAGTATTTAA TGGAGTGTATACTATAGGAGAAGCAAGACACAGGTTGAACGCCTACATCG AGCTGCTCAAGGATTCTAATTTATTGATTGAAAGTGATGATGTTCACTGC ATCAAGATGCATGATTTAGTTCGTGCTTTTTTTTTTTGGATACGTTTAATAG ATTCAAGCATTCTTTGATTGTTAACCATGGTAATGGTGGTATGTTAGGGT 20 GGCCTGAAAATGATATGAGTGCCTCATCTTGCAAAAGAATTTCATTAATA TGCAAGGGCATGTCCGATTTTCCTAGAGACGTAAAGTTTCCAAATCTCTT GATTTTGAAACTTATGCATGCAGATAAGTCTTTGAAGTTTCCTCAAGACT TTTATGGAGAAATGAAGAAGCTTCAGGTTATATCATACGATCACATGAAG TATCCCTTGCTTCCAACATCACCTCAATGCTCCACCAACCTTCGTGTGCT 25 TCATCTTCATCAATGCTCATTGATGTTTGATTGCTCTTCTATTGGAAATC TGTTGAATCTGGAAGTGCTCAGCTTTGCTAATTCTGGTATTGAGTGGTTG CCTTCCACAATCGGAAATTTGAAGGAGCTAAGGGTACTAGATTTGACAAA TTGTGATGGTCTTCGTATAGATAATGGTGTCCTAAAGAAATTGGTGAAAC TTG.AAGAGCTTTATATGAGAGTTGGTGGTCGATATCAAAAGGCCATTAGC 30 TTCACTGATGAAAACTGCAATGAAATGGCAGAGCGTTCAAAAAATCTTTC TGCATTAGAATTTGAGTTCTTCAAAAACAATGCTCAACCAAAGAATATGT CATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGATGTTATTTTAAG GGAGATTTCGGTAAGATCTTTCACTCTTTTGAAAACACGTTGCGGTTGGT CACCAACAGAACTGAAGTTCTTGAATCTAGGCTTAATGAGTTGTTTGAGA 35 AAGAGTCCTTATCATTTCTGAGTGTATAGAGTTGAGATACCTTTTCACAC TTGATGTTGCAAACACTTTGTCAAAGCTTGAGCATCTTCAAGTTTACGAA TGCGATAATATGGAAGAAATCATACATACAGAGGGTAGAGGAGAAGTGAC 40 AATTACATTCCCAAAGCTGAAGTTTTTATCATTGTGTGGGCTACCAAATC TGTTGGGTTTGTGTGGTAATGTGCACATAATTAATCTACCACAACTCACA GAGTTGAAACTTAATGGCATTCCAGGTTTCACAAGCATATATCCTGAAAA AGATGTTGAAACATCTAGTTTGTTGAATAAAGAGGTAAATGTGTTTTATG

5

10

15

20

25

TTAATACAATACAATCTTTTCAATTAACCGTTTCAAAATATATTGTATGA TAATTCCTAATTTGGAGAAACTTGATATTAGTTATATGAAGGATTTGAAA GAGATATGGCCTTGTGAATTAGGGATGAGTCAGGAAGTTGATGTTTCTAC GTTGAGAGTGATTAAAGTAAGCAGTTGTGATAATCTTGTGAATCTATTCC CGTGCAATCCTATGCCATTGATACATCACCTTGAAGAGCTTCAAGTGATA TTTTGTGGTTCCATTGAAGTGTTATTCAACATTGAGTTGGATTCTATTGG TCAAATTGGAGAAGGCATCAACAATAGCAGCTTGAGAATCATCCAATTGC AGAACTTAGGGAAGCTAAGTGAGGTGTGGAGGATAAAAGGTGCGGATAAC TCTAGTCTTCTCATCAGTGGCTTTCAAGGTGTTGAAAGCATTATCGTTAA CAAATGCAAGATGTTTAGAAATGTATTCACACCTACCACCACCAATTTTG ATCTGGGGGCACTTATGGAGATTCGGATACAAGATTGTGGAGAAAAGAGG AGAAACAACGAATTGGTAGAGAGTAGCCAAGAGCAAGAGCAGGTATGGCT TTCAATTTCACTTTACTTAATGAAGGATTAAGCTCCTGCTTTTTGAA TAAAAAGTGGATGAATGACTAAATTCGGGAATGCCACCCGGAAAGTTATC AACCATTTAGCTACACCATTTTTTGAACTAATGTTGCAATAAATGCATAA TTAAAATGTCTACAATAAATGATTTTCTTTATTATATATCATTTTATAAAC AATAAGCTTAAAGATGTTTAAATAGCCAATGTCAGTTATAGATCGTAACT AATTTTTTATTAACTAGTTTAGTTAAGATATCACTCATTATTATTTTTA TAGAAAAAGACAAGATTGGCTAATCCTCATAAGAATTTGGAAGATTTAA GCAAAATATAGAGCTTTTCCAAACATAGCCAATAGTTTCTTTTGCAGGTC CCATCTACGAAATTATCAATAGATTTGCGATTTTTTTTTGGCACCCGGGA AATTTCCATTAATTAAAAAAAAGTTCAAGCCATTTTGTAGTTGGCACCTG CAAAATGGTAGTTTGCACCTGCGGAAATCACCTTTCACCATTTCGCATCT ATGACTTGTGAAAATGTTAATTTGTGAAATGGTCATGTGCACCTCATGAG AAATACGAAATGGTCAGTAATATGACTTTTTTATATAAATATGATGGTGG TCAATTTAGGACGACTCGGGCAATGAAATCATCATTTAATAGGAGCAATG 30 AAATCATTTTCGAAAAATGTTTACAAATGAATAAAATATTAAATTAAACT TAAAACATTTTGTTAGTAGTTTGAAATTTACAAACTGAAATTTGTTGTAT TTATTAACATTTATAAATGTTGTACTATGATTTTTTCCTTGTTTGCAAAT **ATTCCTTAAAAATCCACCTAAAATCAAAATAATTAATCTTTTTCAAGTTG** AAAAATGAAAATCGTATGATATAACCGTGTATGGATGTGGAATTATATAT 35 CAGTTACTAATTACATTTTTTTTTTGGGATATATGTGCGCAGATTGATATT GCAATCCCATTCACTCTCACACACTCTTTCCAAAACCTCCGTAAACTTGC TTTGGAAAAGTATGAAGGAGTGGAGGTGGTGTTTGAGATAGAGAGTCCAA CAAGTAGAGAATTGATAACAATTCACCATAATCAACAACCACTACTTCCC 40 AACCTTGAGTTATTGGATATAAGTTTTATGGACAGCATGAGTCATGTATG GAAGTGCAACTGGAATAAATTCTTCATTCTTCAAAAAACAACAGTCAGAAT CCCCATTCTGTAATCTCACAACCATACATATTCAATATTGCCAAAGCATT

AAGTACTTGTTTTCAACTCTCATGGCAAAACTTCTTTCCAACCTAAAGAA

GGTCGAGGTAAGAGAGTGTCATGGTATTGAAGAAGTTGTTTCGAACAGAG ATGATGAAGATGAGGAAAAGACTACATTTACATCTACATCTTCTGAAAAA AGCACTAATTTGTTCCCTCGTCTTGAATCTCTCGCTCTTTATCAACTTCC AAATCTCAAGTGTATTGGTGGTGGTGGTTCTGCCAACAGTGGGAACAATG AAATATCTCTTGATAATTCCACTACTACTACTTCTTTTTGTTGATCAATCT

CCTCCCTAATAATACATGTTATGCACACTATACTAACATATTAGACACGT

5

10

AAAGGATAAATGCTATGCCTCATATAATACGTTATATTTATAATCTTTAA
ACAATCAAATTTATTAAACAAATAACTAAGTGTGAGCAAAGGCAGGTACC
CGACTAAATTGCCCAAAACCAGTCTGGTGGTTCGTGGAATGTTGGGCCAG
GTCGTTAAAACGTCTACACACCGGTTCTTTAAATCACAGATCCGCTTCTC
ATACTGTGAACCCGGTTTTAATTTTAAAAGAAAATTTCATTATAAAGTAA
ATGACTTAAACCATTACAAAAACAAAAATTTACCATTACATTACATTA

TAAGCTTGTTGTATTTAAACATATGCTTTCTAAACTTAATTGATTTTGCA
TTCCAAAATTTAGGTTGTAAAGTGGTATGTCATTTGTTGTCTTTTCAAC
ATT.AATTGTACAAAAACCAAAACTACATAATTGATGTAGATATCATAACA
ATTGTGTTATTTAGTATATAAAAACTAAATTTTGAATTGAATTCTTATA
CAAAAGTTGTGTCTATGTATACATGTTTATGTAGGTAATAGACAATTAGT

25 CTCTGTTAAGTATATGGAGTTTAATTTTTAGACTAATTTTTCATGTGTTG
CAGTTTTATCAGGCAGGTGGCGTTTTTTGGACGTTATGCCAATACTCCAG
AGAGATAAATATAAGGGAGTGTTATGCATTGTCAAGTGTAATTCCATGTT
ATGCAGCAGGACAGATGCAAAATGTTCAAGTGCTGAATATATACAGGTGC
AACTCAATGAAGGAGTTATTTGAAACTCAAGGGATGAACAACAACAATGG

TGACAGTGGTTGTGAAGGAAATGGTTGTATACCAGCAATTCCAAGAC
TAAATAACGTTATTATGCTACCCAATCTAAAGATATTGAAGATTGAAGAT
TGTGGTCATCTGGAACATGTATTCACATTCTCTGCACTTGGAAGCCTGAG
ACAGCTCGAAGAGTTAACGATAGAGAAATGCAAGGCAATGAAAGTGATAG
TGAAGGAAGAAGATGAATATGGAGAGCAAACAACAAAGGCATCTTCGAAG

GAGGTTGTGGTCTTTCCTCGTCTCAAGTCCATTGAACTGGAAAATCTACA
AGAGCTCATGGGTTTCTACTTAGGGAAGAATGAGATTCAGTGGCCTTCAT
TGGATAAGGTTATGATCAAGAATTGCCCAGAAATGATGGTGTTTTGCACCT
GGTGAGTCCACAGTTCCCAAGCGCAAGTATATAAATACAAGCTTTGGCAT
ATATGGGATGGAGGAGGTACTTGAAACTCAAGGGATGAACAACAATAATG

40 ATGACAATTGTTGTGATGATGGAAATGGTGGAATTCCAAGACTAAATAAC GTTATTATGTTTCCAAATATAAAGATATTGCAAATCAGCAATTGTGGCAG TTTGGAACATATATTCACATTCTCTGCACTTGAAAGCCTGATGCAGCTCA AAGAGTTAACAATAGCGGATTGCAAGGCAATGAAAGTGATTGTGAAGGAG GAATATGATGTAGAGCAAACAAGGGTATTGAAGGCTGTGGTATTTTCTTG
TCTAAAGTCCATTACACTATGCCATCTACCAGAGTTGGTGGGTTTCTTCT
TGGGGAAGAATGAGTTCTGGTGGCCTTCATTGGATAAGGTTACCATCATT
GATTGCCCACAAATGATGGGGTTCACACCTGGTGGGTCAACAACTTCCCA
CCTCAAGTACATACACTCAAGCTTAGGCAAACATACTCTTGAATGTGGCC
TTAATTTCAAGTCACAACTACTGCATATCATCAGGTATAATTATTCT
TTNACACCATCTAATTATGGAATCATGACGCTAATTACAGTATTAAACAC
(SEQ ID NO:110)

10 RG2K deduced polypeptide sequence (SEQ ID NO:111)

5

MECITGIFSNPFAOCLIAPVKEHLCLLIFYTOYVGDMLTAMTELNAAKDIVEERK NONVEKCFEVPNHVNRWLEDVOTINRKVERVLNDNCNWFNLCNRYMLAVKAL EITQEIDHAMKQLSRIEWTDDSVPLGRNDSTKASTSTPSSDYNDFESREHTFRKAL EALGSNHTSHMVALWGMGGVGKTTMMKRLKNIIKEKRTFHYIVLVVIKENMDL ISIQDAVADYLDMKLTESNESERADKLREGFQAKSDGGKNRFLIILDDVWQSVN 15 MEDIGLSPFPNQGVDFKVLLTSENKDVCAKMGVEANLIFDVKFLTEEEAQSLFY OFVKVSDTHLDKIGKAIVRNCGGLPIAIKTIANTLKNRNKDVWKDALSRIEHHD IETIAHVVFQMSYDNLQNEEAQSIFLLCGLFPEDFDIPTEELVRYGWGLRVFNGV YTIGEARHRLNAYIELLKDSNLLIESDDVHCIKMHDLVRAFVLDTFNRFKHSLIV NHGNGGMLGWPENDMSASSCKRISLICKGMSDFPRDVKFPNLLILKLMHADKS 20 LKFPODFYGEMKKLOVISYDHMKYPLLPTSPQCSTNLRVLHLHQCSLMFDCSSI GNLLNLEVLSFANSGIEWLPSTIGNLKELRVLDLTNCDGLRIDNGVLKKLVKLEELY MRVGGRYOKAISFTDENCNEMAERSKNLSALEFEFFKNNAQPKNMSFENLERFKIS VGCYFKGDFGKIFHSFENTLRLVTNRTEVLESRLNELFEKTDVLYLSVGDMNDLED VEVKLAHLPKSSSFHNLRVLIISECIELRYLFTLDVANTLSKLEHLQVYECDNMEEII 25 HTEGRGEVTITFPKLKFLSLCGLPNLLGLCGNVHIINLPQLTELKLNGIPGFTSIYPEK DVETSSLLNKEVVIPNLEKLDISYMKDLKEIWPCELGMSQEVDVSTLRVIKVSSCDN LVNLFPCNPMPLIHHLEELQVIFCGSIEVLFNIELDSIGQIGEGINNSSLRIIQLQNLGK LSE\WRIKGADNSSLLISGFQGVESIIVNKCKMFRNVFTPTTTNFDLGALMEIRIQDC 30 **GEKRRNNELVESSQEQEQ**

RG2L polynucleotide sequence (SEQ ID NO:112)

AAGGATGCACTTTCACGTATAGAGCACTATGACATTCGTAGTGTTGCGCC TAAAGTCTTTGAAACAAGCTATCACAATCTCCAAGACAGGGAGACTAAAT CCGTGTTTTTGATGTGTGTTTGTTTCCTGAAGACTTCAATATTCCTACC GAGGAGTTGATGAGGTATGGATGGGGCTTAAAGCTATTTGACAGAGTTTA 5 TACAATTAGAGAAGCAAGAACCAGGCTCAACACCTGCATTGAGCGACTTG TGCAGACAAATTTGTTAATTGAAAGTGATGTTGGGTGTGTCAAGATG CATGATCTGGTGCGTGCTTTTGTTTTGGGTATGTATTCTGAAGTCGAGCA TGCTTCAATTGTCAACCATGGTAATATGCATGGGTGGACTAAAAATGATA TGAACGACTCTTGCAAAACAGTTTCTTTAACATGCGAGAGTGTGTCTGAG 10 TTTCCAGGAGACCTCAAGTTTCCAAACCTAAAGCTTTTGAAACTTATGCA TGGAGATAAGATGCTAAGGTTTTCTCAAGACTTTTATGAAGGAATGGAAA AGCTCCAGGTAATATCATACCATAAAATGAAGTATCCATTGCTTCCCTCG TCACCTCAATGCTCCACCAACCTTCGAGTGCTTCATCTTCATCGGTGTTC ATTACGGATGCTTGATTGCTCTTGTATCGGAAATTTGACGAATCTGGAAG 15 TGTTGAGCTTCGCTAATTCTGGCATTGAACGGATACCTTCAGCAATCGGA AATTTGAAGAAGCTTAGGCAACTTGATCTGAGAGGTCGTTATGGTCTTTG TATAGAACAGGGTGTCTTGAAAAATTTGGTCGAACTTGAAGAACTTTATA TTGGAAATGCATCTGCGTTTAGAGATTATAACTGCAATGAGATGGCAG

RG2L deduced polypeptide sequence (SEQ ID NO:113)

20

25

30

35

40

EDTMMQRLKKVAKENRMFSYMVEAVIGEKTDPIAIQQAVADYLRIQFKESTKPAR ADKLREWFKAHS?DGKNKFLVIFDDVWQSVDLEDIGLSPFPNQGVDFKVLLTSRDE HVCTMMGVEANSVINVGLLTEVEAQSLFQQFVETFEPELCKIGEVIVRKCCGLPIAI KTMACTLRNKRKDAWKDALSRIEHYDIRSVAPKVFETSYHNLQDRETKSVFLMCG LFPEDFNIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQTNLLIESDDVGC VKMHDLVRAFVLGMYSEVEHASIVNHGNMHGWTKNDMNDSCKTVSLTCESVSEF PGDLKFPNLKLLKLMHGDKMLRFSQDFYEGMEKLQVISYHKMKYPLLPSSPQCST NLRVLHLHRCSLRMLDCSCIGNLTNLEVLSFANSGIERIPSAIGNLKKLRQLDLRGR YGLCIEQGVLKNLVELEELYIGNASAFRDYNCNEMA

RG2M polynucleotide sequence (SEQ ID NO:114)

RG2M deduced polypeptide sequence (SEQ ID NO:115)

5

10

15 GEDTIDAKAEEVAKEKRMFSYIIEAVIGEKTDPISIQEAISYYLGVELNANTKSVRAD MLRQGFKAKSDVGKDKFLIILDDVWQSVDLEDIGLSPFPNQGVNFKVLLTSRDRHI CTVMGVEGHSIFNVGLLTEAESKRLFWQFVEGSDPELHKIGEDIVSKCCGLPIAIKT MACTLRDKSTDAWKDALSRLEHHDIENVASKVFRASYDHLQDEETKSTFFLCGLFP EDSNIPMEELVRYGWGLKLFKKVYTIREARTRLNTCIERLIYTNLLIKVDDVQCIKM HDLIRSFVLDMFSKVEHASIVNHGNTLEWPAD??HDSCKGLSLTCKG?CEFCGDL?F PTLMILKLMHGDKSLRF

RG2N polynucleotide sequence (SEQ ID NO:116)

AGGTAAAATCCATAACCCTAAATGTTGGTACGCTCATATATCAAATTGCG TGTTTTGTTGAATGAAAAAGCATGCTCAAAAAACCAGTGTAAGGCACGG 25 TATATGACATATTTATAGTTACTGATAACAAATTATGATAATTTTGGGTT TACRTAAGTTAGGATTCGTACTTCAACCAAATGTAATAGTTTTTGTGAGT CTATCTATGTATTTGGGGAATCACATTAGCAACGGGATTGTACTAGTAAT TCGAAAAAGTCTTTTAAATAATTTTTCTGTTTATAATTTATGAATAGTTT TAGCGACATCTAATATTAAATAGAATGTATCTGATATTGAATTAATGTCC 30 TTAATGTGAACATAGACCTTTTCCATTTACTAATGCCTAATTATTAGTTT CTAATCAATAAATTTTAATTTCTGTTTTATGCTTCTAAGACAATAAAAAT ATTAGGATACCAAACCCCCCCCCCCATGCCCAATGTCTAAATATTCTTGAT GCTTTTGCTTTTCCTTGTTAGTCTATTATTCTGGAGAGTTT 35 GAGAGAGTTTCATACAAGAAAATTTCAAGAAGAAAGCAAAGGTCCAGGTA TTCTCTTTTCTTAATTATGTATTAACTTACAAGCATTTTTTTACACGATCC ATGGTTTTTTGTGTATGTTTTTCAAATTGAAACTAGATTGGGACTTTTGC CCTTGATGATTCATAAGATATTGCATGGAGTTGAGATTGTGTAAGAAAAG TGGTGAATAGAAAGAGCAAGTGAATCCAGATATAGTATTGGTAATATATG 40 ATGATGAGATAGAGATATGTTAAAACTGGCTAGAAAATTGTTTTAATTTG AAATTTAGGTKGTTGAATTTGAAAGATACCAAGCTAATAACTAATTAGTT

ATGCTAAWTAGTTATAAAGAACAACAACTCTTAGTTTTTTTTTCATGA TTTTCAACCTCTTTGTACCAAACTAAATTATAGCAAAATTGAATATCATT CTCTGCAATCAATCTTAACTTTTGTTATTATCATCATGTCTAAAATTGCC ACAAGTTTATTTCAAAGTCATATTGGATTATGAAAGGACTATTTTTACC AATTACATCTTTACTTTATGGGCCAAAGCTAATACAATCCGACTAAACTA 5 AAGGAATATGGGATGCATATAGTTTGCTTCCCGATTATAGATTTCTATCT AATTTGTCTATTGTACTAATTTAGGTGCCACCACAAGTAAATTTGTTAAA TGGATATCGTTAATGCCATTCTTAAACCAGTTGTCGAGACTCTCATGGTA CCCGTTAAGAAACACATAGGGTACCTCATTTCCTGCAGGCAATATATGAG GGAAATGGGTATCAAAATGAGGGGATTGAATGCTACTAGACTTGGTGTCG 10 AAGAGCATGTGAACCGGAACATAAGCAACCAGCTTGAGGTTCCAGCCCAA GGCAGGGGTTGGTATGAAGAAGTAGGAAAGATCAATGCAAAAGTGGAAAA TTTTCCTAGCGATGTTGGCAGTTGTTTCAATCTTAAGGTTAGACACGGGG TCGGAAAGAGACCTCCAAGATAATTGAGGACATCGACAGTGTCATGAGA GAACACTCTATCATCATCTGGAATGATCATTCCATTCTTCTAGGAAGAAT 15 TGATTCCACGAAAGCATCCACCTCAATACCATCAACCGATCATCATGATG AGTTCCAGTCAAGAGCAAACTTTCACAGAAGCACTAAACGCACTCGAT CCTAACCACAAATCCCACATGATAGCCTTATGGGGAATGGGCGGAGTGGG TGTTTAATTTTATTGTTGAGGCGGTTGTAGGGGAAAAAACAGACCCCATT 20 GCTATTCAATCAGCTGTGGCAGATTACCTAGGTATAGAGCTCAATGAAAA AACTAAACCAGCAAGAACTGAGAAGCTTCGTAAATGGTTTGTGGACAATT CTGCTGGTAAGAAGATCCTAGTCATACTCGACGATGTATGGCAGTTTGTA GATCTGAATGATATTGGTTTAAGTCCTTTACCAAATCAAGGTGTCGACTT 25 CAAGGTGTTGTTGACATCACGAGACAAAGATGTTTGCACTGAGATGGGAG CTGAAGTTAATTCAACTTTTAATGTGAAAATGTTAATAGAAACAGAAGCA CAAAGTTTATTCCACCAATTTGTAGAAATTTCGGATGATGTTGATCGTGA GCTCCATAATATAGGAGTGAATATTGTAAGGAAGTGTGGCGGTCTACCCA TTGTCATCAAAACCATGGCGTGTACTCTTAGAGGAAAAAGCAAGGATGCA TGGAAGAATGCACTTCTTCGTTTAGTGAACTACAACATTGAAAATATAGT 30 GAATGGAGTTTTTAAAATGAGTTACGACAATCTCCAAGATGAGGAGACTA AATCCACCTTTTGCTTGTGGAATGTTTCCCGAAGACTTTAATATTCCT GTATACTATAGGAGAAGCAAGAATCAGGCTCAACACATGCATTGAGCGGC 35 TCATTCATACAAATTTGTTGATTGAAGTTGATGATGTTAGGTGCATCAAG ATGCATGATCTTGTCCGTGCTTTTGTTTTGGATATGTATTCTAAAGTCGA GCATGCTTCCATTGTCAACCATGGTAATACACTAGAGTGGCATGTGGATA ATATGCACAACTCTTGTAAAAGACTTTCATTAACATGCAAGGGTATGTCT AAGTTTCCTACAGACCTCAAGTTTCCAAACCTCTCGATTTTGAAACTTAT 40 GCATGAAGATATCATTGAGGTTTCCCAAAAACTTTTATGAAGAAATGG AGAAGCTTGAGGTTATATCCTATGATAAAATGAAATATCCATTGCTTCCC TCATCACCGCAATGCTCCGTCAACCTTTGCGTGTTTCATCTCCATAAATG

CTCGTTAGTGATGTTTGACTGCTCTTGTATTGGAAATCTGTCGAATCTAG

AAGTGCTTAGCTTTGCTGATTCTGCCATTGACCTGTTGCCTTCCACAATC GGAATTTTGAAGAAGCTAAGGCTACTGGATTTGACAAATTGTTATGGTCT TTGTATAGCTAATGGTGTCTTTAAAAAATTGGTCAAACTTGAAGAGCTCT ATATGACAGTGGTTAATGGAGGAGTTCGAAAGGCGATCAGCCTCACTGAG GATAACTGCAATGAGATGGCAGAACGTTCAAAAGACCTTTCTGCATTAGA 5 ACTTGAGTTCTTTGAAAACAATGCTCAGCCAAAGAATATGTCATTTGAGA AGCTACAACGATTCCAGATCTCAGTGGGGTGCTATTTATATGGAGCTTCC ATAAAGAGCAGGCACTCGTATGAAAACACATTGAAGTTGGTTATTGACAA AGGTGAATTATTTGAATCTTGAATGAACGGCCTGTTTAAGAAAACAGAGG TGTTATGTTTAAGTGTGGGAGATATGAATGATCTTGAAGATRTTGAGGTT 10 AAGTCATCCTCACAACYTCTTCAATCTTCTTCGTTCAACAATTTAAGAGT CCTTGTCGTTTCAAAGTGTGCAGAGTTGAAACACTTCTTCACACCTGGTG TTGCAAACACTTTAAAAAAGCTTGAGCATCTTGAAGTTTACAAATGTGAT AATATGGAAGAACTCATACGTAGCAGGGGTAGTGAAGAAGAGACGATTAC ATTCCCCAAGCTGAAGTTTTTATCTTTGTGTGGGCTACCAAAGCTATCGG 15 GTTTGTGCGATAATGTCAAAATAATTGAGCTACCACAACTCATGGAGTTG GAACTTGACGACATTCCAGGTTTCACAAGCATATATCCCATGAAAAAGTT TGAAACATTTAGTTTGTTGAAGGAAGAGGTAAATATAAATTTTTAATGCT AATACATTACAAAGGATCTTTTCAGTTAAATCTTTCAAAATATATTGTAA TTTGATTGTATGGGGTATTATTGTTGGATGGGACTATTAATAAATGATTA 20 TCTTGCAGGTTCTGATTCCTAAGTTAGAGAAACTGCATGTTAGTAGTATG TAAGTTCAGAGAGATTAAAGTGAGTAACTGTGATAAGCTTGTGAATTTGT TTCCGCACAAGCCCATATCTCTGCTGCGTCATCTTGAAGAGCTTAAAGTC AAGAATTGTGGTTCCATTGAATCGTTATTCAACATCCATTTGGATTGTGC 25 TGGTGCAACTGGAGATGAATACAACAACAGTGGTGTAAGAATTATTAAAG TGATCAGTTGTGATAAGCTTGTGAATCTCTTTCCACACAATCCCATGTCT ATACTGCATCATCTTGAAGAGCTTGAAGTCGAGAATTGTGGTTCCATTGA ATCGTTATTCAACATTGACTTGGATTGTGCTGGTGCAATTGGGCAAGAAG ACAACAGAAGCAGCTTAAGAAACATCAAAGTGGAGAATTTAGGGAAGCTA 30 AGAGAGGTGTGGAGGATAAAAGGTGGAGATAACTCTCGTCCCCTTGTTCA TGGCTTTCAATCTGTTGAAAGCATAAGGGTTACAAAATGTAAGAGGTTTA GAAATGTATTCACACCTACCACCACAAATTTTAATCTGGGGGCACTTTTG GAGATTTCAATAGATGACTGCGGAGAAAACAGGGAAAATGACGAATCGGA AGAGAGTAGCCATGAGCAAGAGCAGGTAAGGATTTCAATTTCACTTTCKT 35 ACTTAATTAATGATTAAGCTCCTGCTTTTTRAATAAAAAAGGGACAAACC ATTTCATGACTTAATGTAGCAATACAAGTCATGTATAAGAGTGACCAACT CTTTTTTATTATAAAATGACTACAAAATATTTTTTTCATTAGAGATCA TGTATAAATGTGACTAATTTTTCATCACCTAACTTTAGTTGATAAATCTT TATAAATGTCACTAGTTACTTTTCAGTAAAATAACAAATTTAATAAATTA 40 TCAACAAAAGCATCAACTAAAAAAATCCCACAACCCGTAATAATTTAAA ATAAAAGGATTTAACATCTAATACGAACAATTTTTTTTCTAAACATGATT

TGGACCAAATATCACCAGCAACTCAAGTTTGGAATCGATTCAGCTTAAAA

CTTGACCARCATAATTAGATAGATGAGAGTTGAAGCTAAAGTGCCTATAT AAGTTCGTTTCATCTTTTTTCTTGATCTTGATAGCAAGTTGAATSATTTT CTTCTTCAAAATTGATAAAAATCTACATTATAAAGAGACTAGCTTGAAAA AAAATGGTCTAGGTGGGTCTTGGGTCTGGTAGATGAAGATGGAAGGGAGA 5 TTATTATTTTTTGATATCTTGCTCATATTTGTTACAGATATGTGAGGTCT ATTAATCTTTTTAAATATATAAAAAAATAAATACATAAATGAGAAAATTAA ATAAAGAATAAATTAATAAGGGCACAATAGTCTTTTTTGGTAAGACAAGG ACCAAAAGCGCAACAAAAGTAAACAGTAGGGACCATCCGATTTAAAAAAT TAATTAGGGACCAAAACATAAATTCCCCCAAACCATAGGGACCATTCGT 10 GTAATTTACTCTTGCTTTTCGTTTTGTTCATATTTGGGTAACTATTTTTT TTGTACATATCTAGGTAACGAACTTGTTGAAAGTGTTCACATCTACGATG TGACCTACTACAACCGATCATAATGGTCATATATGAACACTTCCAACAAG TTTGTTATCTAGGTGTGTACAAAAAAACGATAGTTACCATGATGTGAACA TACCAAAAAATTAATTACCTTAGCAAGTTATTTTCCCATTTAGGTTGTAT 15 GGAAACAGTTCCGTGAGACCGTGACTTGGATGGTAGATAAATTTAGTAAA CTTAACCCTTCAATTAACCTACCTTTTTCTTATTAACTCAATTTCAAGCT AAATTCTGATTCTTGTTTGAAAGTAAGTTGCATCTTTATGTTTGTATTAT AGATCCAACTATTTTAATCTGTTGGCATTTTCCATCATTTGCAACTGTT 20 TCTTGAAAAAA::TACCTAAAATCAAAATAACCATTTTCATATCCAAAA TTATAAGAGAGAATTGTTAACGGACATGGAATCATAAATCATTAACACAG TTCAGTACACAGGTTGCTAATTACATTTCTTGCTGTGCAGATTGAAATTC TATCAGAGAAAGAGACATTACAAGAAGCCACTGGCAGTATTTCAAATATT GTATTCCCATCCTGTCTCATGCACTCTTTTCATAACCTCCATAAACTTAA 25 CTTGAACAGAGTTGAAGGAGTGGAGGTGTTTTGAGATAGAGAGTGAGA GTCCAACAGTAGAGAATTGGTAACAACTCACCATAACCAACAACAACCT ATTATACTTCCCAACCTCCAGGAATTGATTCTATGGAATATGGACAACAT GAGTCATGTGTGGAAGTGCGGCAACTGGAATAAATTCTTCACTCTTCCAA 30 GAATGCAAAAGCATTAAGTACTTGTTTTCACCTCTCATGGCAGAACTTCT TTCCAACCTAAAGCATATCGAGATAAGAGAGTGTGATGGTATTGAAGAAG TTGTTTCAAAAAGAGATGGTGAGGATGAAGACATGACTACATCTAC:::: :::GCACACACCACCACTTTTTCCCTCATCTTGATTCTCTCACTCTAAA GCAACTGAAGAATCTGAAGTGTATTGGTGGAGGTGGTGCCAAGGATGAGG 35 GGAGCAATGAAATATCTTTCAATAATACCACTGCAACTACTGCTGTTCTT TTGTTAATTTCCTTTTTCTTTGCAATATTCTATGAAAAAAATCACCAAA TCACAAATAAGAGATTTAAACTTTTATTTCACACCCATGCGGACTCAAGA ATGGGATTTGGAGGCATATAAAGTTACATTCATTTGAACAAGTATTACCA 40 TTTATTTGTTATTTATCATTTTCATATCATTTACTGATAACATTTCTTTT TTACTTTCTAATTAGAAAAGGTCCACATGTCTAATTAGGTTTTCCATTC

PCT/US98/00615 WO 98/30083 153

AATTGCAACCTGTCATATWTTMWWKKCWWWATKYWMWWARTAATACATTT TATACCCWCTATACTAAGATA

5 RG2N deduced polypeptide sequence (SEQ ID NO:117)

LGKTTMMHRLKKVVKEKKMFNFIVEAVVGEKTDPIAIQSAVADYLGIELNEKTKPA RTEKLRKWFVDNSAGKKILVILDDVWQFVDLNDIGLSPLPNQGVDFKVLLTSRDKD VCTEMGAEVNSTFNVKMLIETEAQSLFHQFVEISDDVDRELHNIGVNIVRKCGGLPI VIKTMACTLRGKSKDAWKNALLRLVNYNIENIVNGVFKMSYDNLQDEETKSTFLL CGMFPEDFNIPTEELVRYGWGLKLFKKVYTIGEARIRLNTCIERLIHTNLLIEVDDVR CIKMHDLVRAFVLDMYSKVEHASIVNHGNTLEWHVDNMHNSCKRLSLTCKGMSK FPTDLKFPNLSILKLMHEDISLRFPKNFYEEMEKLEVISYDKMKYPLLPSSPQCSVNL CVFHLHKCSLVMFDCSCIGNLSNLEVLSFADSAIDLLPSTIGILKKLRLLDLTNCYGL CIANGVFKKLVKLEELYMTVVNGGVRKAISL

15

10

RG2O polynucleotide sequence (SEQ ID NO:118)

TTGTAAAACGACGGCCAGTCGAATCGTAACCGTTCGTACGAGAATCGCTG TCCTCTCCTTCATTTGAATCATGATATTTGAATATCGATACTTTTGACTG TAGCTTTTGGGTCGATTTTTTAGCAAGATACATAACTGGCCAAACCCATT 20 GGCTATTTTAGCCCAAAATATGAAATGGACTGGATTGTTTTTTCCTTTC TAACACGCACACATCTGGCGATCAGTATCACTCCATTATGAAGACCTAGT CAAATTCATTAACGTTCAGTCGTTCCTTCAAAGTTTCAAAGTTCCAACTT CCAACTTCCCTCTTTTTTTTTTTCTTCCTCGATTCTGATTTGAATCCGAT TCTGCGACGAAGGAGCTTGGTCAGAGGGCTGTGATTCTTGAGTCTTGA 25 CCTCCGAATCTAGCTGGATTATTTTCGACACACCAGACCACGTATCAGGT TGCTCATCCCGAAATACTGCTTTGCAAACTGTTGTATCATCGCCTAGGAA ATT.AAGTTTCTTTTTTGGCTCTGTTACTGAATCAGTAGCTTTGCAACTTG CTCATTATAAGCTGATCCATATTTTACATATCTTTTGAAGAATAATAGGT ACTGACTTTACCTTTCTGATGAGAGCGATTTAAGAGATACCTCTGTAAAA 30 TCCATTTTGTGAAGGGATCTGGGTTAGTTTTTAAAGGATTTGCTACAAC AGTATCCCACAAACGATCTATTTCCCATTTNACTCATCCGCTCAAGATCT ATCCACCTTTATATGTTAATTGGGAGTCTTCCATGGTGCAATGAATCT AGGATGCATTTAGAAGCCCAATCCATTACAAGTTTTCATCCAATTTCATG TGACAAGTTGTTGGTTACTATGTAGGTACTTCCACAATTAAGAATTTCCA GCAATGGATGTTAATGCCATTCTTAAACCAGTTGCCGAGACACTTAT 35 GGAACCTGTTAAGAAACATCTAGGCTACATCATTTCCAGCACAAAACATG TGAGGGATATGAGTAACAAAATGAGGGAGTTGAACGCTGCAAGACATGCT GAAGAAGACCACTTGGACAGGAACATAAGAACTCGTCTTGAGATTTCAAA TCAAGTTAGGAGTTGGTTAGAAGAAGTAGAAAAGATCGATGCAAAAGTAA 40 AAGCCCTTCCTAGTGATGTCACCGCTTGTTGCAGTCTCAAGATCAAACAT GAAGTCGGAAGGGAAGCCTTGAAGCTAATTGTGGAGATTGAAAGTGCCAC AAGACAACACTCTTTGATCACCTGGACTGATCATCCCCATTCCTCTGGGAA

AAGTTGATTCCATGAAGGCATCGATGTCCACAGCATCAACCGATTACAAT GACTTTCAGTCAAGAGAAAAAACTTTTACTCAAGCATTGAAAGCACTTGA ACCAAACAACGCTTCCCACATGATAGCGTTATGTGGGATGGGTGGAGTGG GGAAGACCACAATGATGCAAAGACTAAAAAAAGTTGCTAAACAAAATAGA ATGTTCAGTTATATGGTTGAGGCAGTTATAGGGGAAAAGACGGACCCAAT 5 TGCTATTCAACAAGCTGTAGCGGATTACCTTCGTATAGAGTTAAAAGAAA GCACTAAACCAGCAAGAGCTGATAAGCTTCGTGAATGGTTCAAGGCCAAC TCTGGAGAAGGTAAGAATAAATTCCTTGTAATACTTGATGACGTCTGGCA GTCTGTTGATCTAGAAGATATTGGTTTAAGTCCTTTTCCAAATCAAGGTG TCGACTTCAAGGTCTTATTGACTTCACGAGACGAACATGTTTGCACAGTA 10 ATGGGAGTTGGATCTAATTCAATTCTTAATGTGGGACTTCTAATAGAAGC AGAAGCACAAAGTTTGTTCCAACAATTTGTAGAAACTTCTGAGCCCGAGC TCCATAAGATAGGAGAAGATATTGTAAGGAAGTGTTGCGGTCTACCTATT GAAGGATGCACTTTCGCGTATAGAGCACTATGACCTTCGCAATGTTGCGC 15 CTAAAGTCTTTGAAACGAGCTACCACAATCTCCATGACAAAGAGACTAAA TCAGTGTTTTGATGTGTGGTTTGTTTCCGGAAGACTTCAATATTCCTAC TGAGGAGTTGATGAGGTATGGATGGGGATTAAAGATATTTGATAGAGTCT ATACATTTATAGAAGCAAGAAACAGGATCAACACCTGCATTGAGCGACTG 20 GTGCAGACAAATTTGTTAATTGAAAGTGATGATGTTGGGTGTCAAGAT GCATGATCTGGTCCGTGCTTTTGTTTTAGGTATGTATTCTGAAGTAGAGC ATGCTTCAGTTGTCAACCATGGTAATATACCTGGATGGACTGAAAATGAT CCGACTGACTCTTGTAAAGCAATTTCATTAACATGCGAGAGTATGTCTGG AAACATTCCAGGAGACTTCAAGTTTCCAAACCTAACGATTTTGAAACTTA 25 TGCATGGAGATAAGTCGCTAAGATTTCCACAAGACTTTTATGAAGGAATG GAAAAGCTCCAGGTTATATCATACGATAAAATGAAGTATCCAATGCTTCC CTTGTCTCCTCAATGCTCCACCAACCTTCGAGTGCTTCATCTCCATGAAT GTTCATTAAAGATGTTTGATTGCTCTTGTATTGGAAATATGGCGAATGTG GAAGTGTTGAGCTTTGCTAATTCTGGCATTGAAATGTTACCTTCCACTAT CGGAAATTTAAAGAAGCTAAGGTTACTTGATTTAACAGATTGTCATGGTC 30 TTCATATAACACACGGTGTCTTTAACAATTTGGTCAAACTTGAAGAGTTG TATATGGGATTTTCTGATCGACCTGATCAAACTCGTGGTAATATTAGCAT GACAGATGTCAGCTACAATGAATTAGCAGAACGTTCAAAAGGCCTTTCTG CATTAGAGTTCCAGTTCTTTGAAAACAATGCCCAACCAAATAATATGTCG TTTGGGAAACTTAAACGATTCAAGATCTCAATGGGATGCACTTTATATGG 35 AGGATCAGATTACTTTAAGAAAACGTATGCTGTCCAAAACACATTGAAGT TGGTTACTAACAAAGGTGAACTATTGGACTCTAGAATGAACGAGTTGTTT GTTGAAACAGAAATGCTTTGTTTAAGTGTTGATGATGATGATGTTTGG TGATGTTGTGTGAAGTCCTCACGTTCTCCTCAACCTTCTGTGTTCAAAA 40 ACAATTGGTGTAGCCAAGGATTTGTCAAATCTTGAGCATCTTGAAGTTGA TTCATGTAATAATATGGAACAACTCATATGTATTGAGAATGCTGGAAAAG

AGACAATTACATTCCTAAAGCTGAAGATTTTATCTTTGAGTGGGCTACCA

PCT/US98/00615 WO 98/30083

AAGCTTTCGGGTTTGTGCCAAAATGTCAACAAACTTGAGCTACCACAACT CATAGAGTTGAAACTTAAGGGCATTCCAGGGTTCACATGCATTTATCCGC AAAACAAGTTGGAAACATCTAGTTTGTTGAAGGAAGAGGTAGATATATGT TTTATGTTAATACAAGTTAAAAAATCTTTTTAACTAAAAGTTTCAGTATA TATATCTATATGTCTATAATTTGATTATATGATGTATTAGTGTTTTGGATG 5 TGGCTATTAAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGA CACTTCAAATTGATGAGATGGAGAATTTAAAGGAAATATGGCATTATAAA GTTAGTAATGGTGAGAGAGTTAAGTTGAGAAAGATTGAAGTGAGTAACTG TGATAAGCTTGTGAATCTATTTCCACACACCCCATGTCTCTGCTGCATC ATCTTGAAGACCTTGAAGTCAAGAAATGTGGTTCCATTGAATCGTTATTC 10 AACATCGACTTGGATTGTTTGATGCCATAGGAGAAGAAGACAACATGAG GAGCTTAAGAAACATTAAAGTGAAGAATTCATGGAAGTTAAGAGAAGTGT GGTGTATAAAAGGTGAAAATAACTCTTGCCCCCTTGTTTCTGGCTTTCAA GCTGTTGAAAGCATAAGCATTGAAAGTTGTAAGAGGTTTAGAAATGTATT CACACCTACCACCACCAATTTTAATATGGGGGCACTTTTGGAGATATCAA 15 TAGATGACTGTGGAGAATACATGGAAAAATGAAAAATCGGAAAAGAGTAGC GGATTAAGCTTCTGTTTTTTTGAATAAAAAAGGGACATCTTCTAATAATG CACATCTTAAATTAAAAGTATTTAATTGTTGCATAGCAGCGTATAACAT CTTCTAATAATTTATCTGAAGGTGAAAGATCCAACTACTTCTAATTTGTT 20 TCAAAACAATCTTCTTCAAATCCAAAATTATGAGACAGAATTGAGAAGGG ATGTGAAATTATAAACCATTAACACAATTCCATGCTCACGTTACTAATTA CATTTCTTGTTGGGATATATATGTACAGACTGATATTTTGTCAGAGGAAG TGAAATTACAAGAAGTCACTGATACTATTTCTAATGTTGTATTCACATCG 25 TGTCTCATACACTCTTTTTATAACAACCTCCGTAAACTCAACTTGGAGAA GTATGGAGGAGTTGAGGTTGTGTTTGAGATAGAGAGTTCAACAAGTAGAG AATTGGTAACAACATACCATAAACAACAACAACAACAACAACAACTATATTT CCCAACCTTGAGGAATTATATCTATATTATATGGACAACATGAGTCATGT ATGGAAGTGCAACAACTGGAATAAATTTTTACAACAATCAGAATCCCCAT 30 TCCACAACCTCACAACCATACACATGTCCGATTGCAAAAGCATTAAGTAC TTGTTTTCACCTCTCATGGCAGAACTTCTTTCCAACCTAAAGAGAATCAA TATTGACGAGTGTGATGGTATTGAAGAAATTGTTTCAAAAAGAGATGATG **TGGATGAAGAA**

35

40

RG2O deduced polypeptide sequence (SEQ ID NO:119)

MD\`VNAILKPVAETLMEPVKKHLGYIISSTKHVRDMSNKMRELNAARHAEEDHLD RNIRTRLEISNOVRSWLEEVEKIDAKVKALPSDVTACCSLKIKHEVGREALKLIVEIE SATROHSLITWTDHPIPLGKVDSMKASMSTASTDYNDFQSREKTFTQALKALEPNN ASHMIALCGMGGVGKTTMMQRLKKVAKQNRMFSYMVEAVIGEKTDPIAIQQAVA DYLRIELKESTKPARADKLREWFKANSGEGKNKFLVILDDVWQSVDLEDIGLSPFP NOGVDFKVLLTSRDEHVCTVMGVGSNSILNVGLLIEAEAQSLFQQFVETSEPELHKI

GEDIVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDLRNVAPKVFETSYHN · LHDKETKSVFLMCGLFPEDFNIPTEELMRYGWGLKIFDRVYTFIEARNRINTCIERL VQTNLLIESDDVGCVKMHDLVRAFVLGMYSEVEHASVVNHGNIPGWTENDPTDSC KAISLTCESMSGNIPGDFKFPNLTILKLMHGDKSLRFPODFYEGMEKLQVISYDKMK YPMLPLSPQCSTNLRVLHLHECSLKMFDCSCIGNMANVEVLSFANSGIEMLPSTIGN LKKLRLLDLTDCHGLHITHGVFNNLVKLEELYMGFSDRPDQTRGNISMTDVSYNE LAERSKGLSALEFQFFENNAQPNNMSFGKLKRFKISMGCTLYGGSDYFKKTYAVO NTLKLVTNKGELLDSRMNELFVETEMLCLSVDDMNDLGDVCVKSSRSPQPSVFKIL RVFVVSKCVELRYLFTIGVAKDLSNLEHLEVDSCNNMEQLICIENAGKETITFLKLKI LSLSGLPKLSGLCQNVNKLELPQLIELKLKGIPGFTCIYPQNKLETSSLLKEEVVIPKL ETLQIDEMENLKEIWHYKVSNGERVKLRKIEVSNCDKLVNLFPHNPMSLLHHLEEL EVKKCGSIESLFNIDLDCVDAIGEEDNMRSLRNIKVKNSWKLREVWCIKGENNSCPL VSGFQAVESISIESCKRFRNVFTPTTTNFNMGALLEISIDDCGEYMENEKSEKSSOEO EQTDILSEEVKLQEVTDTISNVVFTSCLIHSFYNNLRKLNLEKYGGVEVVFEIESSTS RELVTTYHKQQQQQPIFPNLEELYLYYMDNMSHVWKCNNWNKFLOOSESPFHN LTTIHMSDCKSIKYLFSPLMAELLSNLKRINIDECDGI

RG2P polynucleotide sequence (SEQ ID NO:120)

5

10

15

CCCATTGCTATTCAGGAAGCAGTAGCAGATTACCTCNGTATAGAGCTCAA 20 AGAAAAAACTAAATCNGCAAGAGCTGATATGCTTCGTAAAATGTTAGTTG CCAAGTCCGATGGTGAAAAATAAGTTCCTAGTAATACTTGACGATGTA TGGCAGTTTGTTGATTTAGAAGATATCGGTTTAAGTCCTTTGCCAAATCA AGGTGTTAACTTCAAGGTCTTGCTAACATCACGGGATGTAGATGTTTGCA CTATGATGGGAGTCGAAGCCAATTCAATTCTCAACATGAAAATCTTACTA 25 GATGAAGAAGCACAAAGTTTGTTCATGGAGTTTGTACAAATTTCGAGTGA TGTTGATCCCAAGCTTCATAAGATAGGAGAAGATATTGTAAGAAAGTGTT GTGGTTTGCCTATTGCCATCAAAACCATGGCCCTTACTCTTAGAAATAAA AGCAAGGATGCATGAGTGATGCACTTTCTCGTTTAGAGCATCATGACCT TCACAATTTTGTGAATGAAGTTTTTGGAATTAGCTACGACTATCTTCAAG 30 ACCAGGAGACTAAATATCTTTTTGCTTTGTGGATTGTTTCCCGAAGAC TACAATATTCCTCCTGAGGAGTTAATGAGGTATGGATGGGGCTTAAATTT ATTTAAAAAAGTGTATACTATAAGAGAAGCAAGAGCCAGACTCAACACCT GCATTGAGCGGCTTATCCATACCAATTTGTTGATGGAAGGAGATGTTGTT GGGTGTGTAAAGATGCATGATCTAGCACTTGCTTTTGTTATGGATATGTT 35 TTCTAAAGTGCAGGATGCTTCAATTGTCAACCATGGTAGCATGTCAGGGT GGCCTGAAAATGATGTGAGTGGCTCTTGCCAAAGAATTTCATTAACATGC AAGGGTATGTCTGGGTTTCCTATAGACCTCAACTTTCCAAACCTCACAAT TTTAAAACTTATGCATGGAGATAAGTTTCTCAAGTTTCCTCCAGACTTTT ATGAACAAATGGAAAAGCTTCAAGTTGTATCGTTTCATGAAATGAAATAT 40 CCGTTTCTTCCCTCGTCTCCTCAATATTGCTCCACCAACCTTCGAGTTCT TCATCTCCATCAATGCTCATTGATGTTTGATTGCTCTTGTATTGGAAATC TGTTTAATCTGGAAGTGTTGAGCTTTGCTAATTCTGGCATTGAATGGTTA

CCTTCCAGAATTGGAAATTTGAAGAAGCTAAGGCTACTAGATTTGACAGA TTGTTTTGGTCTTCGTATAGATAAGGGTGTCTTAAAAAATTTGGTCAAAC TTGAAGAGGTTTATATGAGAGTTGCTGTTCGAAGCAAAAAAGCCGGAAAT AGAAAAGCCATTAGCTTCACAGATGATAACTGCAATGAGATGGCAGAGCG

5 TTC

RG2P deduced polypeptide sequence (SEQ ID NO:121)

PIAIQEAVADYL?IELKEKTKSARADMLRKMLVAKSDGGKNKFLVILDDVWQFVDL
EDIGLSPLPNQGVNFKVLLTSRDVDVCTMMGVEANSILNMKILLDEEAQSLFMEFV
QISSDVDPKLHKIGEDIVRKCCGLPIAIKTMALTLRNKSKDAWSDALSRLEHHDLHN
FVNEVFGISYDYLQDQETKYIFLLCGLFPEDYNIPPEELMRYGWGLNLFKKVYTIRE
ARARLNTCIERLIHTNLLMEGDVVGCVKMHDLALAFVMDMFSKVQDASIVNHGS
MSGWPENDVSGSCQRISLTCKGMSGFPIDLNFPNLTILKLMHGDKFLKFPPDFYEQ
MEKLQVVSFHEMKYPFLPSSPQYCSTNLRVLHLHQCSLMFDCSCIGNLFNLEVLSF
ANSGIEWLPSRIGNLKKLRLLDLTDCFGLRIDKGVLKNLVKLEEVYMRVAVRSKKA
GNRKAISFTDDNCNEMAERS

RG2Q polynucleotide sequence (SEQ ID NO:122)

TGGGGAAGACACAGTGATAGAAAAAAAAAAAAGAATGTTGTGGAAAAGAGGA 20 AAATGTTTGATTATGCTGTTGTGGCGGTTATAGGGGAAAAGACGGACCCT ATTGCTCTTCAGAAAACTGTTGCGGATTACTTGCATATTGAGCTAAATGA AAGCACTAAACTAGCAAGAGCAGATAAACTTTGCAAATGGTTCAAGGACA ACTCGGATGGAGGTAAGAAAAGTTCCTCGTAATACTCGACGATGTTTGG CAATCTGTTGATTTGGAAGATATTGGTTTAAGTACTCCTTTTCCAAATCA 25 AGGTGTCAACTTCAAGGTTTTGTTGACATCACGAAAGAGAGAAATTTGCA CAATGATGGGAGTTGAAGCTGATTTAATTCTCAATGTCAAAGTCTTAGAA GAAGAAGAAGCACAAAAGTTGTTCCTCCAGTTTGTAGAAATTGGTGACCA ATACCACGAGCTTCATCAGATAGGGGTACATATAGTAAAGAAGTGTTATG GTTTACCCATTGCCATTAAAACCATGGCTCTTACTTTAAGAAATAAAAGA 30 AAGGATTCATGGAAGGACGCACTCTCTCGTTTAGAGGACCATGACACTGA AAATGTTGCAAATGCAGTTTTCGAGATGAACTACCGCAATCTACAAGATG AGGAGACCAAAGCCATTTTTTTGCTTTGCGGTTTGTTCCCCGAAGACTTT GATATTCCTACTGAGGAGTTGGTGAGGTATGGATGGGCTTAAATCTATT TAAAAAGTGTATACCATAAGAAAGGCAAGAACGAGATCGCATACATGTA TTGAGCGACTCTTGGATTCAAATTTGTTGATTGAAAGTAACGATATTCGG 35 TAAAGTTGAGCATGCTTCAATTGTCAACCATGGTAATATGCGGACCGAAT ATA.ATATGGCTGACTCTTGCAAAACAATTTCATTAACATACAAGAGTATG TCTGGGTTTGAGTTTCCAGGAGACCTCAAGTTTCCAAACCTAACAGTTTT 40 GAAACTTATGCANGGAGATAAGTCTCTAAGGTTTCCTCAAGACTTTTATC AATCAATGGAAAAACTTCGGGTTATATCATATGATAAAATGAAGTATCCA

TTGCTTCCCTCATCACCTCAATGCTCCACTAACATCCGAGTGCTTCGTCT

CCATGAATGTTCATTAAGGATGTTTGATTGCTCTTGTATTGGAAAGCTAT TGAATTTGGAAGTCCTCAGCTTTTTTAATTCTAACATTGAATGGTTACCT TCCACAATCAGAAATTTAAAAAAGCTAAGGCTACTAGATTTGAGATATTG TGATCGTCTTCGTATAGAACAAGGTGTCTTGAAAAATTTGGTCAAACTTG AAGAACTTTATACTGGATATACATCAGCGTTTACAGA

RG2Q deduced polypeptide sequence (SEO ID NO:123)

5

GEDTVIEKKKNVVEKRKMFDYAVVAVIGEKTDPIALQKTVADYLHIELNESTKLAR
ADKLCKWFKDNSDGGKKKFLVILDDVWQSVDLEDIGLSTPFPNQGVNFKVLLTSR

KREICTMMGVEADLILNVKVLEEEEAQKLFLQFVEIGDQYHELHQIGVHIVKKCYG
LPIAIKTMALTLRNKRKDSWKDALSRLEDHDTENVANAVFEMNYRNLQDEETKAI
FLLCGLFPEDFDIPTEELVRYGWGLNLFKKVYTIRKARTRSHTCIERLLDSNLLIESN
DIRCVKIHDLVRAFVLDMYCKVEHASIVNHGNMRTEYNMADSCKTISLTYKSMSG
FEFPGDLKFPNLTVLKLM?GDKSLRFPQDFYQSMEKLRVISYDKMKYPLLPSSPQCS
TNIRVLRLHECSLRMFDCSCIGKLLNLEVLSFFNSNIEWLPSTIRNLKKLRLLDLRYC
DRLRIEQGVLKNLVKLEELYTGYTSAFTE

RG2S polynucleotide sequence (SEQ ID NO:124)

ATTTGGGGTTTTACATTTAATTTTTTGTGCATGAATGTGAAAATAGACTG CTTATTGATTCTTTGTGTTTCATTGAGTTGATTTTCATTATTACTACCTT 20 ACAAATTGCTCAGTGATAGATTTCCATTAATTTGCTAATTCGGTTGCTTC TAAATATGTAGGAGCTACTAAAAGCAAAAATATCGAGCAATGTCGGACCC AACGGGGATTGCTGGTGCCATTATTAACCCAATTGCTCAGAGGGCCTTGG TTCCCGTTACAGACCATGTAGGCTACATGATTTCCTGCAGAAAATATGTG 25 AGGGTCATGCAGACGAAAATGACAGAGTTGAATACCTCAAGAATCAGTGT AGAGGAACACATTAGCCGGAACACAAGAAATCATCTTCAGATTCCATCTC AAATTAAGGATTGGTTGGACCAAGTAGAAGGGATCAGAGCAAATGTGGAA AACTTTCCGATTGATGTCATCACTTGTTGTAGTCTCAGGATCAGGCACAA GCTTGGACAGAAAGCCTTCAAGATAACTGAGCAGATTGAAAGTCTAACAA GACAGCTCTCCCTGATCAGTTGGACTGATGATCCAGTTCCTCTAGGAAGA 30 GTTGGTTCCATGAATGCATCCACCTCTGCATCAAGTGATGATTTCCC ATCAAGAGAAAACTTTTACACAAGCACTAAAAGCACTCGAACCCAACC AACAATTCCACATGGTAGCCTTGTGTGGGATGGGTGGAGTAGGGAAGACT AGAATGATGCAAAGGCTGAAGAAGGCCGCTGAAGAAAAGAAATTGTTTAA 35 TTATATTGTTAGGGCAGTTATAGGGGAAAAGACGGACCCCTTTGCCATTC AAGAAGCTATAGCAGATTACCTCGGTATACAACTCAATGAAAAAACTAAG CCAGCAAGAGCTGATAAGCTTCGTGAATGGTTCAAAAAGAATTCAGATGG AGGTAAGACTAAGTTCCTCATAGTACTTGACGATGTTTGGCAATTAGTTG ATCTTGAAGATATTGGGTTAAGTCCTTTTCCAAATCAAGGTGTCGACTTC AAGGTCTTGTTGACATCACGAGACTCACAAGTTTGCACTATGATGGGGGT 40 TGAAGCTAATTCAATTATTAACGTGGGCCTTCTAACTGAAGCAGAAGCTC AAAGTCTGTTCCAGCAATTTGTAGAAACTTCTGAGCCCGAGCTCCAGAAG

WO 98/30083 PCT/US98/00615 159

ATAGGAGAGATATCGTAAGGAAGTGTTGCGGTCTACCTATTGCCATAAA AACCATGGCATGTACTCTTAGAAATAAAAGAAAGGATGCATGGAAGGATG CACTTTCGCGCATAGAGCACTATGACATTCACAATGTTGCGCCCAAAGTC TTTGAAACGAGCTACCACAATCTCCAAGAAGAGGAGACTAAATCCACTTT 5 TTTAATGTGTGGTTTGTTTCCCGAAGACTTCGATATTCCTACTGAGGAGT TGATGAGGTATGGATGGGGCTTGAAGCTATTTGATAGAGTTTATACGATT AGAGAAGCAAGAACCAGGCTCAACACCTGCATTGAGCGACTGGTGCAGAC AAATTTGTTAATTGAAAGTGATGATGTTGGGTGTCAAGATGCATGATC TGGTCCGTGCTTTTGTTTTTGGGTATGTTTTCTGAAGTCGAGCATGCTTCT ATTGTCAACCATGGTAATATGCCCGAGTGGACTGAAAATGATATAACTGA 10 CTCTTGCAAAAGAATTTCATTAACATGCAAGAGTATGTCTAAGTTTCCAG GAGATTTCAAGTTTCCAAACCTAATGATTTTGAAACTTATGCATGGAGAT AAGTCGCTAAGGTTTCCTCAAGACTTTTATGAAGGAATGGAAAAGCTCCA TGTTATATCATACGATAAAATGAAGTACCCATTGCTTCCTTTGGCACCTC 15 GATGCTCCACCAACATTCGGGTGCTTCATCTCACTAAATGTTCATTAAAG ATGTTTGATTGCTCTTGTATTGGAAATCTATCGAATCTGGAAGTGCTGAG CTTTGCTAATTCTCGCATTGAATGGTTACCTTCCACAGTCAGAAATTTAA AGAAGCTAAGGTTACTTGATCTGAGATTTTGTGATGGTCTCCGTATAGAA CAGGGTGTCTTGAAAAGTTTAGTCAAACTTGAAGAATTTTATATTGGAAA 20 TGCATCTGGGTTTATAGATGATAACTGCAATGAGATGGCAGAGCGTTCTG ACAACCTTTCTGCATTAGAATTCGCGTTCTTTAATAACAAGGCTGAAGTG AAAAATATGTCATTTGAGAATCTTGAACGATTCAAGATCTCAGTGGGACG CTCTTTTGATGGAAATATCAATATGAGTAGCCACTCATACGAAAACATGT TGC.AATTGGTGACCAACAAAGGTGATGTATTAGACTCTAAACTTAATGGG 25 TCTTGAAGATGTTGAGGTGAAGTCGACACATCCTACTCAGTCCTCTTCAT TCTGCAATTTAAAAGTTCTTATTATTTCAAAGTGTGTAGAGTTGAGATAC CTTTTCAAACTCAATCTTGCAAACACTTTGTCAAGACTTGAGCATCTAGA AGTTTGTGAATGCGAGAATATGGAAGAACTCATACATACTGGAATTTGTG 30 GAGAAGAGACAATTACTTTCCCTAAGCTGAAGTTTTTATCTTTGAGTCAA CTACCGAAGTTATCAAGTTTGTGCCATAATGTCAACATAATTGGGCTACC ACATCTCGTAGACTTGATACTTAAGGGCATTCCAGGTTTCACAGTCATTT ATATGTTCTTTATGTTAATACAATTTAAATAATATTTTCAACCAAATTTT CATAATATCTGTAATTTGATTGTATGATGTGTTATTGTTTATATGTGG 35 CTATTAAGGGATGATTATTTTGCAGGTTGTGATTCCTAAGTTGGAGACAC TTCAAATTGATGACATGGAGAACTTAGAAGAAATATGGCCTTGTGAACTT AGTGGAGGTGAGAAAGTTAAGTTGAGAGAGATTAAAGTGAGTAGCTGTGA TAAGCTTGTGAATCTATTTCCGCGCAATCCCATGTCTCTGTTGCATCATC 40 TTGAAGAGCTTAAAGTCAAGAATTGCGGTTCCATTGAATCGTTATTCAAC ATTGACTTGGATTGTCGGTGCAATTGGAGAAGAAGACAACAAGAGCCT CTTAAGAAGCATCAACATGGAGAATTTAGGGAAGCTAAGAGAGGTGTGGA GGATAAAAGGTGCAGATAACTCTCATCTCATCAACGGTTTTCAAGCTGTT

GAAAGCATAAAGATTGAAAAATGTAAGAGGTTTAGCAATATATTCACACC TATCACCGCCAATTTTTATCTGGTGGCACTTTTGGAGATTCAGATAGAAG GTTGCGGAGGAAATCACGAATCAGAAGAGCAGGTAACGCTTTCAATTTAA CTTTCTTAAGTAATTAAGGACTAACCTCCTGTTTTTTGAATAATAAAGAG 5 GTGGGATGACTAAACTTGGGCATCACAATTGCAACAAATGTTACAAACC ATGAAACGTTCAAACCATTTCTTGAATTAAGGTTTCAATACAAGTCATTT AAAAATATGGCTTAAATTTTTTTATATTTATGTATCAACATGATTTTTCA TTAGAGATCATTATTATAATAGTAAGTTTAAAGCAATTTAAATTAGAACT AATTCTAACTTTAGCTAATAAATCGTTATAAATGTAAATAATTACTTTTT 10 AGTGAAATAAGCAACGGATTTAATAAGTTAACAACTTAAATGTCATTTCC TAACAAAAAAACTATTTGGTTCAGAAGAACCGTAATTCAAGATAACTAA TGCAAATGAATAAAACTTAAATTTATACAGAAAAGATTTTTATATATGTT ATACAAAATTTACAAATTGAAACTGGATATGTTAATTAACGGTTTATAAT 15 TCTGGTATCACAAAGGGATATATAATAAAATATTATTTTCTGTAGTCATT TATAATTGTACTAGTTTATAACCCGTGGGAACCATGAGTTCTAAAATTAG ATT.AATTAAGAGATGTATCAAAAATTTAAAGTTATTATAACTTCAAATTT AACATATAATTAGAAAATATATGATCATAACTTTCCGCAACTCTTCTTTT 20 GTATTAAAATGCCCAGAGAAGCTCTTAGTAYATTTTCTAAATCAAAGTCA CAAAACTAATGAAGCATATAATTTTGTGAAAATCAATTAGCATTAGGTTT TAAGAGTCACCAAATTCAAAGAGTAATCCAATGCTTTCATTACCACTATG ATTGTTGCTTACTAAACCAAAGACCCATTACTTAGCCAAGAGTTTAACCA 25 TGAAGGGAGTTTTTATAGAAAATATAATCATAGATATTCAACATAACTTC ATGGAATTCCTCAAAATAACCAAGTTATTCAAGAAATTACATCCAAGTCA ACCAAAGAGAAGTTTAGCCTAGCATGGCTAAACTCAAGAAAATAAAATAA GGATTAGAAGTACCAAACATGTAGTAAGAATCACAGTAAAAGATGATGTT GTTCTTGATGTTCTTAAGTTCTTCAAGTCTCCAGTTGCTCCTAATAAT GCAAAGGAGAGCCATTAAATTCGTATGTATTGATCCCTTCAAAAGCTGCA CCAACCTCCCTTAAATAACACTCAAAGCAAAAATGACAAAATTGCCCCTG AAGGACCCTATGCGGGTGCCTTGCGCGGGTGGAGCTGAATACGAAAGGTC TTTGGTCTTTGTGAGGGTGATGCTGTGCGGGTTAGCTTGTCGCATGCTTC CGCGCGGTTCGCGCACATGTGCACAAGTGATGCATGGTGTGTACGTTCTT GAGTTTTGAGCCTCCGATGCTTAGTCCATTTGGCCCAATTCGAGTCCAAT CAGCTTATGACCCATTTTTCTTCAAGTTATCTTCAAGTTATCTTCAAGTT AAGCCCAAATTGCCTTCTCCAAATCATCCATAACTTCACAAAATCGCCCG TTCATCTTAATCCCGAATGCACAATTATTCTCCTGTCTTCCTTTTAAGCA 40 AGATACCACCTTCTTCATGCTTCATCCATCAATAGTACACTTCATGTATC ATCTCTACTAGTTATTTAGTCCACAATCCTTATTGTCCTCCAAATTTAAT TATCTCATTTAGTTCCCGTTCCACTAGTTTCCTTAAAATTTGCAATTAAG

CTCACACAAATATTAAGTACCTGAAATGGTCATAAAAATAACAAAAAGGAA

30

AATATGCATGAAGATTAACTAAATGATGAACGAAATATGCTAAAATAGAC TATAAAATGAAGTAAATAAAATGAAATTATCGCACTCCGACCACCCTTAT AGGCTTGTAGTCCATCCACCCTTCATTCCTTGTACCAATATGGGATGGAA 5 GTAAGTACTAAAGATGAAAATAATCCATTTTTYTTGTATATACACAACAC ACACATAGGGGCAGACGTAGGATTTCATAGTACAGATTGTTGGTGGCACA TAAGTGTTGCTGGTGACACTTTTTTTTTTTTTTACGTAGTGGCACAACAG TAGAAAAACGARAAATTCGAAATTTTTTACAATGTGTSTAAAAAAAAAA GTGGTTGTTGGTGCCACTATGGACACCAAAGTTGAACTGCCCCTGCGCGC 10 ARAGWAWGRRRGAKAKARMCSMSYTTGGGATGTGATACTTCTTTTAGGAA AATGGAGTTATATCTTTGATATTGTATTTTTTTAATGTAATTTATATATT CTTTTATACATTGGATTTAACATAAAAATCCAACAATATTAATCAAAAAG ACCAMACATGTGGACAMWTATGTATATAAWTAATTCACAATAGTCTTTAG 15 GAATAGNATTATATATATAATTAATTCTCAATGGTCTTAGGAATAGTAAG TTCTTATATTTCAAACTTTNGCCACAATTCTTTGKTTACTTWGACACTTY CACACACACACACTAGATGTGCCCGCGCAAAGCAGTGACGTNNNGG 20 TATAATAAAAAATTACAACTTTTAAATAAAATATTTATGTTTATACTTTA TATTTATATTGCTTGTATACTATTAATATAATAATTAATATTTATGTCT AATTTATGAAATGTAAATTAATTTAAATACATGAATTTAATATTTTTAAA ATTTTCAGTTTGCTTCAAATTGAGTTTCTTAATTATTTTTTTAATTCAN GTATTCAAACTTTTGGTAAGTATTAAAGAATTATTTATGCACAATTGATT 25 TATACAAAAACTTTGTAACTTATACATCTTAAAATTCAAGATATAACTA ATATATATATATATAGTAAAGCGCANAGGTCATAGGNANAGANTATTT TCT.ATTATTCTACGTTTTGCCACAAAAGTTTGAACACTTTGCCACTTTTT 30 GTCCCTCCTTAACCTTTCAATGTTTTGCGACAAAGTTCCAAAACTTTG CCACTTGATCATTCCTCAACTTTTCACCGCATTAGTTTGTGGAGTTGGC AGTTTTGGTCCCCTAACTTCGATATTTTCTCCTGCTAGCCAAAAAGGGT TCCAGAGTTTCACANTTTTGGTCCCTGACAATAACCAAATGTGAGATGTC AAATTTTTGCCACATTAGTTTGTGGAGTTGTCCCTTTTGGTCCCCCACA 35 TTCGATATTCTACTATACGACCTTATTTTTCTCAAATAACAACACGTATA TTT-AATTACCAATGATAGAAATAGATATCAAATAAAGTATTTGTAACACC GTGTAAGAACGGTGCTACTATAGGTAAAAATAAACATTTCAAAGTACGAT GTCCTAATTGGAAAAAGAGTTTTAAAAAAAATAACAACTAGGGGCGAGTTT TTTTTACAAGTTTGTATCAAATCATATCAAAATTTAAGGTGGAACGGTGA 40 ATTTTGTTGTGATCTATGTATTTAAAAGTAAACAACAAAGAACATAATCC AAAACCCTAAATTGCAAGTCTCGCCCAATTTCTCTATCACTAGTCGTCAC

TTACGATGGCGTTACGTCGCTCTCTCACTTCTTACAACCCTTTGTTGCTA

AATTGAACAAATCTCGTCAAATTTTTGATTTGATGGATTTGAGTAG AAGTTTGGGCAGAACGGGAATGATGGTCTGCAAGTGGTTATAAACTTGAT TCTGAGTTATTACTATATGTAGCCTCTTTACAACGACCAAGGTTTCTT CCAGGTACCATTTGATCTTTTTAGAACCCAGTTGTCTGAAACACCCTGAT 5 TTGGATCAAATATCACCAACAACTCTTAAAAAACTTGATTAATCAATTGTT TTCTTCATCTTGATAACAAGTGGAATGATTTCTACTTAGATTAACTTGA AAAAAAGGTCCATGTGCGTCTGGTGGATCTGGTAAATGAAGATGGAAGG TTAAATTTGCTTTTTCCTATTTCTTTCTTTGATCTCCAGATGGTAT 10 GTGGTGTGGATAATTTACACATAGAGATTGGGAACGACTGTGTTTTAGAG AGGACGTGGCTTGGGGTTGAGGATGGTTTATGGCTGGCCGAGTTTCATTT ATATAAACAAACAAATATATAAAACAAGGGGTAAAATGGCCATCTTATAT GTATTTAACCGTCCTTTTTTATTTTTTTTTTTTTTAAATTTAAGAAGG GGT.ATACCAGTGTCAGCCTCTTATTCCCAACCAGGCAACCAGTCAAATAG 15 GGACTTAGGTTGTTTGGAAACAGTTCCGTGAGACCGTGACTTGGATGGTA GATAAATTTAGTAAACTTAACCCTTCAATTAACCTACCTTTTTCTTATTA ACTCAATTTCAACCTAAATTCTGATTCTTGTTTGAAAATAAGTTGCATCT TTATGTTTGTATTATCCTGTTGCATAGGATCCTTAGCATCTTTTAATAAT TTATTTGAAGGTGAAAGATCCAACTATTTTTTAGCTGTTGGCATTTTCCA 20 TCATTTGCAACTGTTTCTTGAAAAAAAAAAAATACCTAAAATCAAAATAACCA TTTTCAAATCCAAAATTATAAGAGAGAATTGTTAATGGACGTGGAATCGT AAATCATTAACACAGTTCAGTACACAAGTTGCTAATTACATTTCTTGCTG TGCAGATTGAAATTCTATCAGAGAAAGAGACATTACAAGAAGTCACTGAT ACTAATATTCTAATGATGTTGTATTATTCCCATCCTGTCTCATGCACTC 25 TTTTCATAACCTCCATAAACTTAAATTGGAGAGAGTTAAAGGAGTGGAGG TGGTGTTTGAGATAGAGAGTGAGAGTCCAACAAGTAGAGAATTGGTAACA ACTCACCATAACCAACATCCTATTATACTTCCCAACCTCCAGGAATT GGATCTAAGTTTTATGGACAACATGAGTCATGTGTGGAAGTGCAGCAACT 30 GGAATAAATTCTTCACTCTTCCAAAACAACAATCAGAATCCCCATTCCAC AACCTCACAACCATACACATGTTCAGCTGCAGAAGCATTAAGTACTTGTT TTCGCCTCTCATGGCAGAACTTCTTTCCAACCTAAAGGATATCTGGATAA GTGGGTGTAATGGTATTAAAGAAGTTGTTTCAAAGAGAGATGATGAGGAT GAAGAAATGACTACATTTACATCTACCCACACAACCACCATCTTGTTCCC TCATCTTGATTCTCTCACTCTAAGACTACTGGAGAATCTGAAGTGTATTG 35 GTGGAGGTGCCAAGGATGAGGGGAGCAATGAAATATCTTTCAATAAT ACCACTGCAACTACTGCTGTTCTTGATCAATTTGAGGTATGCTTTGTACA TATTCAATTATTTATTTAATTTCCTTTTTTCTTTGCAATATTCTATAAAT **AAT.ACATTTTATACCCACTATACTAAGATAATAATTACCTAGAGGGATGG** ATGCTATGACACAGCTGCTACACTTCAGAAACTCTAGTAAGGGCAGTTAT 40 GGAAGTTCAATAAAATGATAATGGCATCTTTTGATGGGTAATATAGGCAA TTT-AAGTTTTATTTCTGTTAAAGCAGTATTTAGCAAGTACTGGCCAGTAG

GAGAGGAGAATATCACCTTTTGTGAAAATCTGGTCATTGTACCCAAGAAT

TTAGTTAAATGTAACATTTTAGATATCAGGGGACATCAGGTGACAGATAT TGTAGAATAGAACAATATATAATATTACCCAAAACTATTTTTCTAAGGT TATTCTGTTAAATATGTGCTTTCTTGATTTCATTGAATTTGCATTCCTAT 5 AAAAAAAAAAAAAAAGTAAATTTTTGATATGGAGAGCACTGGTATCA TTTAGTATATAAAAAAACTAGATTTTGAATTAAGTTTCTTATATAAAAGC TGTGTATATAGTTTAATTAGTTTTACATCATTTTTCCATGTGGTGTTGCA GTTGTCTGAAGCAGGTGGTGTTTCTTGGAGTTTATGCCAATACGCTAGAG AGATAGAGATATCTAAGTGTAATGTATTGTCAAGTGTGATTCCATGTTAT GCAGCAGGACAAATGCAAAAGCTTCAAGTGCTGAGAGTAACGGGTTGTGA 10 TGGCATGAAGGAGGTATTTGAAACTCAATTAGGGACGAGCAGCAACAAAA ACAGAAAGGGTGGTGATGAAGGAAATGGTGGAATTCCAAGAGTAAAT AACAATGTTATTATGCTTCCCAATCTAAAGACATTGAAAATCTACATGTG CGGGGGTTTGGAACATATTCACATTCTCTGCACTTGAAAGCCTGACAC 15 AGCTCCAAGAGTTAAAGATAGTGGGTTGCTACGGAATGAAAGTGATTGTG AAGAAGGAAGAAGATGAATATGGAGAGCAGCAAACAACAACAACAACAACAAC AACGAAGGGGCATCTTCTTCTTCTTCTTCTTCTTCTAAGAAGGTTG TGGTCTTTCCCCGTCTAAAGTCCATTGAACTATTCAATCTACCAGAGCTG GTAGGATTCTTCTTGGGGATGAATGAGTTCCGGTTGCCTTCATTGGAAGA AGTTACCATCAAGTATTGCTCAAAAATGATGGTGTTTTGCAGCTGGTGGGT 20 CCACAGCTCCCCAACTCAAGTATATACACACAAGATTAGGCAAACATACT TAATTGGCATGATCTAATTAAGAAAGATATCATTCCTGCCAAGTAAATTT ACTTCAAACACATTCACACTGGTTTCAGTCTAAGTTTATGTTGTTCTAGG 25 AAGGCCAAAATGGGAAAGCAAGATAGGGAAAAATAGTGTATTTCAGTGGA AAGGGTATTTTAGGTATTTTCTGTCAAAAGTTGTTATTGCAGGCTTTTTA GTACCTGGAATCGTGTGGGGAGGAGCGTTATTATTCTGATTTGCTTGTT TCTTTATCATTTTTCTTAGCCTCTCGAACAGCTAGAAACCCTTTTAATC TTTTGATTTAAATGACAAAATTTTTCCCTGTTACTCTATTTGATTGTTG 30 TTCTTCATGGTTCTAAGTGAGTTATTGGCTCATCTGTTACTTCTTTTGAT TGTTATTTCATATCATGTTGTCCTTTGAATCAAGCTTTTCCATTTTCAA CCAGGGCAAAAGTCAAAAGTAACCTACTTTATGAGATCAAAAACAGCAA CCCATCGGATAACTTTTAGTTGGAGTTAATAGTTACAATTACCATTGTGA TTAATAATTATAATATCTTGTATTAATTCATTAAAATTGGTACAGCACAT 35 ATATGACATTTTAAAGGTTTGTTTTGTTWGACATATATATGCCTCTGGC GTTTTCTTTATTGGACATGCAGACCTCATTCCAAAGTTTATACGGTGACA CCTCGGGCCCTGCTACTTCAGAAGGGACAACTTGGTCTTTTCATAACTTG CAGTGAGTTGCTGCAACTGCAAAAGCTGGAAAAGATTCATGTGAGTAGTT 40 GTTATTGGGTAGAGGAGGTATTTGAAACTGCATTGGAAGCAGCAGGGAGA AATGGAAATAGTGGAATTGGTTTTGATGAATCGTCACAAACTACTACTAC TACTACTCTTTCAATCTTCGAAACCTCAGAGAAATGAAGTTGCATTTTC

TACGTGGTCTGAGGTATATATGGAAGAGCAATCAGTGGACAGCATTTGAG

TTTCCAAACCTAACAAGAGTTCATATAAGTAGGTGTAGAAGGTTAGAACA TGTATTTACTAGTTCCATGGTTGGTAGTCTATTGCAACTCCAAGAGCTAG ATATTAGTTGGTGCAACCATATGGAGGAGGTGATTGTTAAGGATGCAGAT GTTTCTGTTGAAGAAGACAAAGAGAGAGAGAATCTGATGGCAAGACGAATAA GGAGATACTTGTGTTACCTCGTCTAAAATCCTTGAAATTAAAATGCCTTC CATGTCTTAAGGGGTTTAGCTTGGGGAAGGAGGATTTTTCATTCCCATTA TTGGATACTTTAGAAATCTACAAATGCCCAGCAATAACGACCTTCACCAA GGGAAATTCTGCTACTCCACAGCTAAAAGAAATAGAAACAAGATTTGGCT CGTTTTATGCAGGGGAAGACATCAACTCCTCTATTATAAAAAGATCAAAC AACAGGTAAATCAGATCTTTGTTGCTTTAATAATTCTTAAACTACATTTG CTGATTAATGTGAAGTGAATATTAAAGGTAAATTATATTTTCATGTTCCT AGTTGCCTATTAATTGATGTTCRTGATTTTTGGATGTAGTY WTCATGATGATGTGAATCTTCTAATACCCCATTCATTGTTTGGTTGAATG TTGACTCTATGTCAGGATGAATATTCAAGGGAAGAATTGTTCATCATATG AAGGACATTAAAGAACATGGATGCTATGAAGATGTTGGAARAC

RG2S deduced polypeptide sequence (SEQ ID NO:125)

5

10

15

20 MSDPTGIAGAIINPIAQRALVPVTDHVGYMISCRKYVRVMOTKMTELNTSRISVEEH ISRNTRNHLQIPSQIKDWLDQVEGIRANVENFPIDVITCCSLRIRHKLGOKAFKITEQI ESLTRQLSLISWTDDPVPLGRVGSMNASTSASSSDDFPSREKTFTQALKALEPNQQF HMVALCGMGGVGKTRMMQRLKKAAEEKKLFNYIVRAVIGEKTDPFAIOEAIADYL GIOLNEKTKPARADKLREWFKKNSDGGKTKFLIVLDDVWQLVDLEDIGLSPFPNQG 25 VDFKVLLTSRDSQVCTMMGVEANSIINVGLLTEAEAOSLFOOFVETSEPELOKIGED IVRKCCGLPIAIKTMACTLRNKRKDAWKDALSRIEHYDIHNVAPKVFETSYHNLOE EETKSTFLMCGLFPEDFDIPTEELMRYGWGLKLFDRVYTIREARTRLNTCIERLVQT NLLIESDDVGCVKMHDLVRAFVLGMFSEVEHASIVNHGNMPEWTENDITDSCKRIS LTCKSMSKFPGDFKFPNLMILKLMHGDKSLRFPODFYEGMEKLHVISYDKMKYPLL PLAPRCSTNIRVLHLTKCSLKMFDCSCIGNLSNLEVLSFANSRIEWLPSTVRNLKKLR 30 LLDLRFCDGLRIEQGVLKSLVKLEEFYIGNASGFIDDNCNEMAERSDNLSALEFAFF NNKAEVKNMSFENLERFKISVGRSFDGNINMSSHSYENMLQLVTNKGDVLDSKLN GLFLKTKVLFLSVHGMNDLEDVEVKSTHPTQSSSFCNLKVLIISKCVELRYLFKLNL ANTLSRLEHLEVCECENMEELIHTGICGEETITFPKLKFLSLSQLPKLSSLCHNVNIIG 35 LPHLVDLILKGIPGFTVIYPQNKLRTSSLLKEEVVIPKLETLOIDDMENLEEIWPCELS GGEKVKLREIKVSSCDKLVNLFPRNPMSLLHHLEELKVKNCGSIESLFNIDLDCVGA IGEEDNKSLLRSINMENLGKLREVWRIKGADNSHLINGFOAVESIKIEKCKRFSNIFT PITANFYLVALLEIQIEGCGGNHESEEQIEILSEKETLQEVTDTNISNDVVLFPSCLMH SFHNLHKLKLERVKGVEVVFEIESESPTSRELVTTHHNQQHPIILPNLQELDLSFMD 40 NMSHVWKCSNWNKFFTLPKQQSESPFHNLTTIHMFSCRSIKYLFSPLMAELLSNLK DIWISGCNGIKEVVSKRDDEDEEMTTFTSTHTTTILFPHLDSLTLRLLENLKCIGGGG

AKDEGSNEISFNNTTATTAVLDQFELSEAGGVSWSLCQYAREIEISKCNVLSSVIPCY

AAGQMQKLQVLRVTGCDGMKEVFETQLGTSSNKNRKGGGDEGNGGIPRVNNNVI-MLPNLKTLKIYMCGGLEHIFTFSALESLTQLQELKIVGCYGMKVIVKKEEDEYGEQQTTTTTTTKGASSSSSSSSSKKVVVFPRLKSIELFNLPELVGFFLGMNEFRLPSLEEVTIKYCSKMMVFAAGGSTAPQLKYIHTRLGKHTLDQESGLNFHQTSFQSLYGDTSGPATSEGTTWSFHNLIELDMELNYDVKKIIPSSELLQLQKLEKIHVSSCYWVEEVFETALEAAGRNGNSGIGFDESSQTTTTTTLFNLRNLREMKLHFLRGLRYIWKSNQWTAFEFPNLTRVHISRCRRLEHVFTSSMVGSLLQLQELDISWCNHMEEVIVKDADVSVEEDKERESDGKTNKEILVLPRLKSLKLKCLPCLKGFSLGKEDFSFPLLDTLEIYKCPAITTFTKGNSATPQLKEIETRFGSFYAGEDINSSIIKRSNNRSSNKTLINVK.ILK

10

15

20

25

30

35

40

CAAGACCATTACCT

5

RG2T polynucleotide sequence (SEQ ID NO:126)

GGAAGACGACAATGGTGCAACGGTTGAAGAAGGTTGTGAAAGATAAGAAG ATGTTCCATTATATTGTCGAGGTGGTTGTAGGGGCAAACACTGACCCCAT TGCTATCCAGGATACTGTTGCAGATTACCTCAGCATAGAACTGAAAGGAA ATACGAGAGATGCAAGGGCTTATAAGCTTCGTGAATGCTTTAAGGCCCTC TCTGGTGGAGGTAAGATGAAGTTCCTAGTAATTCTTGACGATGTATGGAG CCCTGTTGATCTGGATGATATCGGTTTAAGTTCTTTGCCAAATCAAGGTG TTGACTTCAAGGTCTTGCTGACATCACGCAACAGTGATATCTGCATGATG ATGGGAGCTAGTTTAATTTTCAACCTCAATATGTTAACAGACGAGGAAGC ACATAATTTTTCCGTCGATACGCAGAAATTTCTTATGATGCTGATCCCG AGCTTATTAAGATAGGAGAAGCTATTGTAGAGAAATGTGGTGGTTTACCC ATTGCCATCAAAACTATGGCCGTTACTCTTAGAAATAAACGCAAAGATGC ATGGAAAGATGCACTTTCTCGTTTAGAGCACCGTGACACTCATAATGTTG TGGCTGATGTTCTTAAATTGAGCTACAGCAATATCCAAGACGAGGAGACT CGGTCGATTTTTTTGCTATGTGGTTTGTTTCCTGAAGACTTTGATATTCC TACCGAAGACTTAGTGAGGTATGGATGGGGATTGAAAATATTTACCAGAG TGTATACTATGAGACATGCAAGAAAAAGGTTGGACACGTGCATTGAGCGG CTT.ATGCATGCCAACATGTTGATAAAAAGTGATAATGTTGGATTTGTCAA GATGCATGATCTGGTTCGTGCTTTTTTTTGGGCATGTTATCTGAAGTCG AGCATGCATCAATTGTCAACCATGGGGATATGCCAGGGTGGTTTGAAACT GCAAATGATAAGAACAGCTTGTGCAAAAGAATTTCATTAACATGCAAAGG TATGTCTGCGATTCCTGAAGACCTCACGTTTCCAAACCTCTCGATCCTGA AATTAATGGATGGAGACGAGTCACTGAGGTTTCCTGAAGGCTTTTATGGA GAAATGGAAAACCTTCAGGTTATATCATATGATAACATGAAGCAGCCATT TCTTCCACAATCACTTCAATGCTCCAATGTTCGAGTGCTTCATCTCCATC ACTGCTCATTAATGTTTGATTGCTCTTCTATTGGAAATCTTTTGAATCTC GAGGTGCTCAGCATTGCTAATTCTGCCATTAAATTGTTACCCTCCACTAT TGGAGATCTGAAGAAGCTAAGGCTCCTGGATTTGACAAATTGTGTTGGTC TCTGTATAGCTAATGGCGTCTTTAGAAATTTGGTCAAACTTGAAGAGCTT TATATGAGAGTTGATGATCGAGATTCGTTTTTTGTGAAAGCTGATGACAG

RG2T deduced polypeptide sequence (SEQ ID NO:127)

KTTMVQRLKKVVKDKKMFHYIVEVVVGANTDPIAIQDTVADYLSIELKGNTRDAR AYKLRECFKALSGGGKMKFLVILDDVWSPVDLDDIGLSSLPNQGVDFKVLLTSRNS DICMMMGASLIFNLNMLTDEEAHNFFRRYAEISYDADPELIKIGEAIVEKCGGLPIAI KTMAVTLRNKRKDAWKDALSRLEHRDTHNVVADVLKLSYSNIQDEETRSIFLLCG LFPEDFDIPTEDLVRYGWGLKIFTRVYTMRHARKRLDTCIERLMHANMLIKSDNVG FVKMHDLVRAFVLGMLSEVEHASIVNHGDMPGWFETANDKNSLCKRISLTCKGMS AIPEDLTFPNLSILKLMDGDESLRFPEGFYGEMENLQVISYDNMKQPFLPQSLQCSN VRVLHLHHCSLMFDCSSIGNLLNLEVLSIANSAIKLLPSTIGDLKKLRLLDLTNCVGL CIANGVFRNLVKLEELYMRVDDRDSFFVKADDSKTIT

RG2U polynucleotide sequence (SEQ ID NO:128)

5

10

40

GCCTTGTGTGGGATGGGTGGAGTGGGAAAGACCACTGTGATGAAGAAGCT GAAGGAGGTTGTGGTAGGAAAGAAACTGTTTAATCATTATGTTGAGGCGG TTATAGGGGAAAAGACAGACCCCATTGCTATTCAACAAGCTGTTGCCGAG 15 TACCTTGGTATAAGTCTAACCGAAACCACTAAACCAGCAAGAACTGATAA GCTCCGTACATGGTTTGCAAACAACTCAAATGGAGGAAAGAAGAAGTTCC TGGTAATACTAGACGATGTATGGCAACCAGTTGATTTGGAAGATATTGGT TTAAGTCGTTTTCCAAATCAAGATGTTGACTTCAAGGTCTTGATTACATC ACGGGACCAATCAGTTTGCACTGAGATGGGAGTTAAAGCTGATTTAGTTC 20 TCAAGGTGAGTGTCCTGGAGGAAGCGGAAGCACACAGTTTGTTCCTCCAA TTTTTAGAACCTTCTGATGATGTCGATCCTGAGCTCAATAAAATCGGAGA AGAAATTGTAAAGAAGTGTTGCAGACTACCCATTGCTATCAAAACCATGG CCTGAACTCTTAGAAGTAAAGTAAGGATACATGGAAGAATGCCCTTTCT CGTTTACAACACCATGACATTAACACAATTGCGTCTACTGTTTTCCAAAC 25 TAGCTATGACAATCTCGAAGACGAGGTGACTAAAGCTACTTTTTTGCTTT GTGGTTTATTTCCGGAGGACTTCAATATTCCTACCGAGGACCTATTGAGG TATGGATGGGGATTGAAGTTATTCAAGGAAGTAGATACTATACGAGAAGC AAGATCCAAGTTGAAAGCCTGCATTGAGCGGCTCATGCATACCAATTTGT TGATCGAAGGTGATGTTAGGTACGTTAAGATGCATGATCTGGTGCGT 30 CCATGGTAGTAGTAAGCCAAGGTGGCCTGAAACTGAAAGTGATGTGAGCT CCTCTTGCAAAAGAATTTCATTAACATGCAAGGGTNTG

35 RG2U deduced polypeptide sequence (SEQ ID NO:129)

ALCGMGGVGKTTVMKKLKEVVVGKKLFNHYVEAVIGEKTDPIAIQQAVAEYLGIS LTETTKPARTDKLRTWFANNSNGGKKKFLVILDDVWQPVDLEDIGLSRFPNQDVD FKVLITSRDQSVCTEMGVKADLVLKVSVLEEAEAHSLFLQFLEPSDDVDPELNKIGE EIVKKCCRLPIAIKTMA.TLRSKSKDTWKNALSRLQHHDINTIASTVFQTSYDNLEDE VTKATFLLCGLFPEDFNIPTEDLLRYGWGLKLFKEVDTIREARSKLKACIERLMHTN LLIEGDDVRYVKMHDLVRAFVLDMFSKAEHASIVNHGSSKPRWPETESDVSSSCKRISLTCKG?

RG2V polynucleotide sequence (SEQ ID NO:130)

CTGTGGAAGACACGAATGATSAAGAAGCTGAAGGAGGTCGTGGAACAAAA 5 GAAAATGTTCAATATTATTGTTCAAGTGGTCATAGGAGAGAAGACAAACC CTATTGCTATTCAGCAAGCTGTAGCAGATTACCTCTCTATTGAGCTGAAA GAAAACACTAAAGAAGCAAGAGCTGATAAGCTTCGTNAATGGTTCGAGGA CGATGGAGGAAAGAATAAGTTCCTTGTAATACTTGATGATGTATGGCAGT TTGTCGATCTTGAAGATATTGGTTTAAGTCCTCTGCCAAATAAAGGTGTC 10 **AACTTCAAGGTCTTGTTGACGTTAAGAGATTCACATGTTTGCACTCTGAT** GGGAGCTGAAGCCAATTCAATTCTCAATATAAAAGTTTTAAAAGATGTTN AAGGACAAAGTTTGTTCCGCCAGTTTGCTAAAAATGCAGGTGATGATGAC CTGGATCCTGCTTTCAATGGGATAGCAGATAGTATTGCAAGTAGATGTCA AGGTTTGCCCATTGCCATCAAAACCATTGCCTTAAGTCTTAAAGGTAGAA 15 GCAAGCCTGCGTGGGACCATGCGCTTTCTCGTTTGGAGAACCATAAGATT GGTAGTGAAGAAGTTGTGCGTGAAGTTTTTAAAATTAGCTATGACAATCT CCAAGATGAGGTTACTAAATCTATTTTWTACTTTGTGCTTTATTTCCTG AAATTATTATAGAAGCAAAAACTATAAGAGAAGCAAGAAACAGGCTCAA 20 CACCTGCACTGAGCGGCTTAGGGAGACAAATTTGTTATTTGGAAGTGATG ATATTCTCAGAAGTCCAGCACGCTTCAATTGTCAACCATGGTAATGTGTC AGAGTGGCTAGAGGAAAATCATAGCATCTACTCTTGTAAAAGAATTTCAT TAACATGCAAGGGTATGTCTGAGTTTCCCAAAGACCTCAAATTTCCAAAC 25 CTTTCAATTTTGAAACTTATGCATGGAGATAAGTCGNTGAGCTTTCCTGA AGACTTTTATGGAAAGATGGAAAAGGTTCAGGTAATATCATATGATAAAT TGATGTATCCATTGCTTCCCTCATCACTTGAATGCTCCACTAACGTTCGA GTGCTTCATCTCCATTATTGTTCATTAAGGATGTTTGATTGCTCTTCAAT TGGTAATCTTCTCAACATGGAAGTGCTCAGCTTTGCTAATTCTAACATTG 30 AATGGTTACCATCTACAATTGGAAATTTGAAGAAGCTAAGGCTACTAGAT TTGACAAATTGTAAAGGTCTTCGTATAGATAATGGTGTCTTAAAAAATTT GGTCAAACTTGAAGAGCTTTATATGGGTGTTAATGTCCGTATGGACCAGG **CCGT**

35

40

RG2V deduced polypeptide sequence (SEQ ID NO:131)

LWKTRM?KKLKEVVEQKKMFNIIVQVVIGEKTNPIAIQQAVADYLSIELKENTKEAR ADKLR?WFEDDGGKNKFLVILDDVWQFVDLEDIGLSPLPNKGVNFKVLLTLRDSH VCTLMGAEANSILNIKVLKDV?GQSLFRQFAKNAGDDDLDPAFNGIADSIASRCQGL PIAIKTIALSLKGRSKPAWDHALSRLENHKIGSEEVVREVFKISYDNLQDEVTKSIF?L CALFPEDFDIPIEELVRYGWGLKLFIEAKTIREARNRLNTCTERLRETNLLFGSDDIG

CVKMHDVVRDFVWYIFSEVQHASIVNHGNVSEWLEENHSIYSCKRISLTCKGMSEF-PKDLKFPNLSILKLMHGDKS?SFPEDFYGKMEKVQVISYDKLMYPLLPSSLECSTNVRVLHLHYCSLRMFDCSSIGNLLNMEVLSFANSNIEWLPSTIGNLKKLRLLDLTNCKGLRIDNGVLKNLVKLEELYMGVNVRMDQAV

5

35

RG2W polynucleotide sequence (SEQ ID NO:132)

TTGGGAAAGACAATGATGAAGAATTGAAAGAGGTTGTGGTTGAAAAGA AAATGTTTAATCATTATGTGGAGGCGGTTATAGGGGAGAAGACGGACCCC ATTGCTATTCAGCAAGCCGTTGCAGAGTACCTTGGTATAATTCTAACAGA 10 AACCACTAAGGCAGCAAGAACCGATAAGCTACGTGCATGGCTTTCTGACA ATTCAGATGGAGGAAGAAGAAGTTCCTAGTAATACTAGACGATGTATGG CATCCGGTTGATATGGAAGATATTGGTTTAAGTCGTTTCCCAAATCAAGG TGTCGACTTCAAGGTCTTGATTACATCACGGGACCAAGCTGTTTGCACTG AGATGGGAGTTAAAGCTGATTCAGTTATCAAGGTGAGTGTCCTAGAGGAA GCTGAAGCACAAGCTTATTCTGCCAACTTTGGGAACCTTCTGATGATGT 15 CGATCCTGAGCTCCATCAGATTGGAGAAGAAATTGTAAGGAAGTGTTGTG GTTTACCCATTGCAATAAAAACCATGGCCTGCACTCTTAGAAGTAAAAGC AAGGATACATGGAAGAATGCACTTTCTCGTTTACAACACCATGACATTAA CACAGTCGCGCCTACTGTTTTTCAAACCAGCTATGACAATCTCCAAGATG 20 AGGTGACTGGAGATACTTTTTTGCTATGTGGTTTGTTTCCGGAGGACTTC GATATTCCTACTGAAGACTTATTGAAGTATGGATGGGGCTTAAAATTATT CAAGGGAGTGGATTCTGTAAGAGAAGCAAGATACCAGTTGAACGCCTGCA TTGAGCGGCTCGTGCATACCAATTTGTTGATTGAAAGTGATGTTGTTGGG TGCGTCAAGTTGCACGATCTGGTGCGTGCTTTTATTTTGGATATGTTTTG 25 TAAAGCGGAGCATGCTTCGATTGTCAACCATGGTAGTAGTAAGCCTGGGT GGCCTGAAACTGAAAATGATGTGATCAGGACCTCCTGCAAAAGAATCTCA TTAACATGCAAGGGTATGATTGAGTTTTCTAGTGACCTCAAGTTTCCAAA TGTCTTGATTTTAAAACTTATGCATGGAGATAAGTCGCTAAGGTTT

30 RG2W deduced polypeptide sequence (SEQ ID NO:133)

WERDNDEELKEVVVEKKMFNHYVEAVIGEKTDPIAIQQAVAEYLGIILTETTKAAR TDKLRAWLSDNSDGGRKKFLVILDDVWHPVDMEDIGLSRFPNQGVDFKVLITSRD QAVCTEMGVKADSVIKVSVLEEAEAQSLFCQLWEPSDDVDPELHQIGEEIVRKCCG LPIAIKTMACTLRSKSKDTWKNALSRLQHHDINTVAPTVFQTSYDNLQDEVTGDTF LLCGLFPEDFDIPTEDLLKYGWGLKLFKGVDSVREARYQLNACIERLVHTNLLIESD VVGCVKLHDLVRAFILDMFCKAEHASIVNHGSSKPGWPETENDVIRTSCKRISLTCK GMIEFSSDLKFPNVLILKLMHGDKSLRF

RG5 polynucleotide sequence (SEQ ID NO:134)

40 GGGGGGGGGAAGNCGACTCTAGCCCAGAAGNTCTATAATGACCATAA AATAAAAGGAAGCTTTAGTAAACAAGCATGGATCTGTGTTTCTCAACAAT WO 98/30083 PCT/US98/00615

ATTCTGATATTTCAGTTTTGAAAGAAGTCCTTCGGAACATCGGTGTTGAT
TATAAGCATGATGAAACTGTTGGAGAACTTAGCAGAAGGCTTGCAATAGC
TGTCGAAAATGCAAGTTTCTTTCTTGTGTTGGATGATATTTGGCAACATG
AGGTGTGGACTAATTTACTCAGAGCCCCATTAAACACTGCAGCTACAGGA
ATAATTCTAGTAACAACTCGTAATGATACAGTTGCACGAGCAATTGGGGT
GGAAGATATTCATCGAGTAGAAATTGATGTCAGATGAAGTAGGATGAAAT
TGCTTTTGAAGAGTATGAACATTAGCAAAGAAAGTGAAGTAGAAAACCTA
CGAGTTTTAGGGGTTGACATTGTTCGTTTGTGTGGTGGCCTCCCCCTAGC
CTT

10

5

RG5 deduced polypeptide sequence (SEQ ID NO:135)

GGVGKTTLAQK?YNDHKIKGSFSKQAWICVSQQYSDISVLKEVLRNIGVDYKHDET VGELSRRLAIAVENASFFLVLDDIWQHEVWTNLLRAPLNTAATGIILVTTRNDTVA RAIGVEDIHRVELMSDEVGWKLLLKSMNISKESEVENLRVLGVDIVRLCGGLPLAL

15

20

25

30

RG7 polynucleotide sequence (SEQ ID NO:136)

The above examples are provided to illustrate the invention but not to limit its scope. Other variants of the invention will be readily apparent to one of ordinary skill in the art and are encompassed by the appended claims. All publications, patents, and patent applications cited herein are hereby incorporated by reference.

WHAT IS CLAIMED IS:

5

10

25

- 1. An isolated nucleic acid construct comprising an RG polynucleotide which encodes an RG polypeptide having at least 60% sequence identity to an RG polypeptide from an RG family selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.
- 2. The nucleic acid construct of claim 1, wherein the RG polynucleotide encodes an RG polypeptide comprising an leucine rich region (LRR).
- 3. The nucleic acid construct of claim 1, wherein the RG polynucleotide encodes an RG polypeptide comprising a nucleotide binding site (NBS).
- 4. The nucleic acid construct of claim 1, wherein the polynucleotide is a full length gene.
 - 5. The nucleic acid construct of claim 1, wherein the further encodes a fusion protein.
- 6. The nucleic acid construct of claim 1, wherein the RG1 polypeptide is encoded by an RG1 polynucleotide sequence.
 - 7. The nucleic acid construct of claim 6, wherein the RG1 polypeptide is encoded by a polynucleotide sequence selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 (RG1B), SEQ ID NO:3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEQ ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).
 - 8. The nucleic acid construct of claim 1, wherein the RG2 polypeptide is encoded by an RG2 polynucleotide sequence.
 - 9. The nucleic acid construct of claim 8, wherein the RG2 polypeptide is encoded by a polynucleotide sequence selected from the group consisting of: SEQ ID NO:21 (RG2A);

25

SEQ ID NO:23 (RG2B); SEQ ID NO:25 (RG2C); SEQ ID NO:27 (RG2D); SEQ ID NO:29 (RG2E); SEQ ID NO:31 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:35 (RG2H); SEQ ID NO:37 (RG2I); SEQ ID NO:39 (RG2J); SEQ ID NO:41 (RG2K); SEQ ID NO:43 (RG2L); SEQ ID NO:45 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).

- 10. The nucleic acid construct of claim 1, wherein the RG3 polypeptide is encoded by an RG3 polynucleotide sequence.
 - 11. The nucleic acid construct of claim 10, wherein the RG3 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:68.
- 20 12. The nucleic acid construct of claim 1, wherein the RG4 polypeptide is encoded by an RG4 polynucleotide sequence.
 - 13. The nucleic acid construct of claim 12, wherein the RG4 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:69.
 - 14. The nucleic acid construct of claim 1, wherein the RG5 polypeptide is encoded by an RG5 polynucleotide sequence.
- 15. The nucleic acid construct of claim 14, wherein the RG5 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:134.

- 16. The nucleic acid construct of claim 1, wherein the RG7 polypeptide is encoded by an RG7 polynucleotide sequence.
- 17. The nucleic acid construct of claim 16, wherein the RG7 polypeptide is encoded by a polynucleotide sequence as set forth in SEQ ID NO:136.
 - 18. The nucleic acid construct of claim 1, further comprising a promoter operably linked to the RG polynucleotide.
- 10 19. The nucleic acid construct of claim 18, wherein the promoter is a plant promoter.
 - 20. The nucleic acid construct of of claim 19, wherein the plant promoter is a disease resistance promoter.
- 15 21. The nucleic acid construct of claim 19, wherein the plant promoter is a lettuce promoter.
 - 22. The nucleic acid construct of claim 18, wherein the promoter is a constitutive promoter.
 - 23. The nucleic acid construct of claim 18, wherein the promoter is an inducible promoter.
- 24. The nucleic acid construct of claim 18, wherein the promoter is a tissue-specificpromoter.
 - 25. A nucleic acid construct comprising a promoter sequence from an RG gene linked to a heterologous polynucleotide.
- 30 26. A transgenic plant comprising a recombinant expression cassette comprising a promoter operably linked to an RG polynucleotide.

WO 98/30083 PCT/US98/00615 173

- 27. The transgenic plant of claim 26, wherein the plant promoter is a plant promoter.
- 28. The transgenic plant of claim 26, wherein the plant promoter is a viral promoter.
- 5 29. The transgenic plant of claim 26, wherein the plant promoter is a heterologous promoter.
 - 30. The transgenic plant of claim 26, wherein the plant is lettuce.
- 10 31. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:1 (RG1A), SEQ ID NO:2 (RG1B), SEQ ID NO: 3 (RG1C), SEQ ID NO:4 (RG1D), SEQ ID NO:5 (RG1E), SEQ ID NO:6 (RG1F), SEO ID NO:7 (RG1G), SEQ ID NO:8 (RG1H), SEQ ID NO:9 (RG1I), and SEQ ID NO:10 (RG1J).

- 32. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:21 (RG2A); SEQ ID NO:23 (RG2B); SEQ ID NO:25 (RG2C); SEQ ID NO:27 (RG2D); SEQ ID NO:29 (RG2E); SEQ ID NO:31 (RG2F); SEQ ID NO:33 (RG2G); SEQ ID NO:35 (RG2H); SEQ ID NO:37 (RG2I); SEQ ID NO:39
- 20 (RG2J); SEQ ID NO:41 (RG2K); SEQ ID NO:43 (RG2L); SEQ ID NO:45 (RG2M); SEQ ID NO:87 (RG2A); SEQ ID NO:89 (RG2B); SEQ ID NO:91 (RG2C); SEQ ID NO:93 (RG2D) and SEQ ID NO:94 (RG2D); SEQ ID NO:96 (RG2E); SEQ ID NO:98 (RG2F); SEQ ID NO:100 (RG2G); SEQ ID NO:102 (RG2H); SEQ ID NO:104 (RG2I); SEQ ID NO:106 (RG2J) and SEQ ID NO:107 (RG2J); SEQ ID NO:109 (RG2K) and (SEQ ID
- 25 NO:110 (RG2K); SEQ ID NO:112 (RG2L); SEQ ID NO:114 (RG2M); SEQ ID NO:116 (RG2N); SEQ ID NO:118 (RG2O); SEQ ID NO:120 (RG2P); SEQ ID NO:122 (RG2Q); SEQ ID NO:124 (RG2S); SEQ ID NO:126 (RG2T); SEQ ID NO:128 (RG2U); SEQ ID NO:130 (RG2V); and, SEQ ID NO:132 (RG2W).
- 30 33. The transgenic plant of claim 26, wherein the RG polynucleotide is selected from the group consisting of SEQ ID NO:68 (RG3) and SEQ ID NO:69 (RG4).

- 34. The transgenic plant of claim 26, wherein the RG polynucleotide comprises a sequence as set forth in SEQ ID NO:134 (RG5).
- 35. The transgenic plant of claim 26, wherein the RG polynucleotide comprises a sequence as set forth in SEQ ID NO:136 (RG7).

- 36. The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG1 polypeptide selected from the group consisting of SEQ ID NO:11 (RG1A), SEQ ID NO:12 (RG1B), SEQ ID NO: 13 (RG1C), SEQ ID NO:14 (RG1D), SEQ ID NO:15 (RG1E), SEQ ID NO:16 (RG1F), SEQ ID NO:17 (RG1G), SEQ ID NO:18 (RG1H), SEQ ID NO:19 (RG1I), and SEQ ID NO:20 (RG1J).
- The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG2 37. polypeptide selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID 15 NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 20 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEQ ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID 25 NO:133 (RG2W).
 - 38. The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG3 polypeptide with a sequence as set forth by SEQ ID NO:138.
- 39. The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG4 polypeptide with a sequence as set forth by SEQ ID NO:139.

WO 98/30083 PCT/US98/00615

- 40. The transgenic plant of claim 26, wherein the RG polynucleotide encodes an RG5 polypeptide with a sequence as set forth by SEQ ID NO:135.
- 41. A method of enhancing disease resistance in a plant, the method comprising introducing into the plant a recombinant expression cassette comprising a promoter functional in the plant and operably linked to an RG polynucleotide sequence.
 - 42. The method of claim 41, wherein the plant is a lettuce plant.
- The method of claim 41, wherein the RG polynucleotide encodes an RG polypeptide 10 43. selected from the group consisting of SEQ ID NO:22 and SEQ ID NO:41 (RG2A); SEQ ID NO:24 and SEQ ID NO:42 (RG2B); SEQ ID NO:43 (RG2C); SEQ ID NO:44 (RG2D); SEQ ID NO:45 (RG2E); SEQ ID NO:46 (RG2F); SEQ ID NO:47 (RG2G); SEQ ID NO:48 (RG2H); SEQ ID NO:49 (RG2I); SEQ ID NO:50 (RG2J); SEQ ID NO:51 (RG2K); SEQ ID NO:52 (RG2L); SEQ ID NO:53 (RG2M); SEQ ID NO:88 (RG2A); SEQ 15 ID NO:90 (RG2B); SEQ ID NO:92 (RG2C); SEQ ID NO:95 (RG2D); SEQ ID NO:97 (RG2E); SEQ ID NO:99 (RG2F); SEQ ID NO:101 (RG2G); SEQ ID NO:103 (RG2H); SEQ ID NO:105 (RG2I); SEQ ID NO:108 (RG2J); SEQ ID NO:111 (RG2K); SEQ ID NO:113 (RG2L); SEQ ID NO:115 (RG2M); SEQ ID NO:117 (RG2N); SEQ ID NO:119 (RG2O); SEO ID NO:121 (RG2P); SEQ ID NO:123 (RG2Q); SEQ ID NO:125 (RG2S); SEQ ID 20 NO:127 (RG2T); SEQ ID NO:129 (RG2U); SEQ ID NO:131 (RG2V); and, SEQ ID NO:133 (RG2W).
 - 44. The method of claim 41, wherein the RG polynucleotide encodes an RG polypeptide selected from the group consisting of SEQ ID NO:138 (RG3); SEQ ID NO:139 (RG4); and SEQ ID NO:135 (RG5).
 - 45. The method of claim 41, wherein the promoter is a tissue-specific promoter or a plant disease resistance promoter.

- 46. The method of claim 41, wherein the promoter is a constitutive promoter or an inducible promoter.
- 47. A method of detecting RG resistance genes in a nucleic acid sample, the method comprising:

contacting the nucleic acid sample with an RG polynucleotide to form a hybridization complex; and,

wherein the formation of the hybridization complex is used to detect the RG resistance gene in the nucleic acid sample.

10

- 48. The method of claim 47, wherein the RG polynucleotide is an RG1 polynucleotide.
- 49. The method of claim 47, wherein the RG polynucleotide is an RG2 polynucleotide.
- 15 50. The method of claim 47, wherein the RG polynucleotide is an RG3 polynucleotide, an RG4 polynucleotide, an RG5 polynucleotide or an RG7 polynucleotide.
 - 51. The method of claim 47, wherein the RG resistance gene is amplified prior to the step of contacting the nucleic acid sample with the RG polynucleotide.

20

- 52. The method of claim 51, where the RG resistance gene is amplified by the polymerase chain reaction.
- 53. The method of claim 47, wherein the RG polynucleotide is labeled.

25

An RG polypeptide having at least 60% sequence identity to a polypeptide selected from the group consisting of: an RG1 polypeptide, an RG2 polypeptide, an RG3 polypeptide, an RG4 polypeptide, an RG5 polypeptide, and an RG7 polypeptide.

A. CLASSIFICATION OF SUBJECT MATTER							
IPC(6) :Please See Extra Sheet. US CL :435/6, 91.2, 418, 419; 530/350; 536/23.1, 23.6, 24.1; 800/205							
According to International Patent Classification (IPC) or to both national classification and IPC							
	DS SEARCHED						
	ocumentation searched (classification system followed	•					
U.S. : 435/6, 91.2, 418, 419; 530/350; 536/23.1, 23.6, 24.1; 800/205							
Documentation rearched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS, DIALOG							
c. Doci	uments considered to be relevant						
Category	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.				
Y	PARAN et al. Development of Reliable to Downy Mildew Resistance Genes Genet. 1993. Vol. 85, No. 8, pages	1-6, 8, 10, 12, 14, 16, 18-30, 41- 42, 45-54					
Y	KESSELI et al. Analysis of a Detailed Genetic Linkage Map of Lactuca sativa (Lettuce) Constructed From RFLP and RAPD Markers. Genetics. April 1994. Vol. 136, No. 4, pages 1435-1446, see entire document.						
Y	MICHELMORE, RW. Isolation of Di Crop Plants. Current Opinion in Biotec 2, pages 145-152, see entire document	1-6, 8, 10, 12, 14, 16, 18-30, 41- 42, 45-54					
X Furth	ner documents are listed in the continuation of Box C	See patent family nnnex.					
	ecial categories of cited documents:	"T" Inter document published ofter the interest and not in conflict with the app					
A do	ouncest defining the general auto of the art which is not considered be of pertioular relovence	the principle or theory underlying the	o invention				
"B" ecritics decounsest published on as after the interactional filing date "X" document of particular relevance; the considered novel or cannot be considered novel or cannot be considered.							
cit	comment which may throw doubts on priority claim(a) or which is and to establish the publication date of another citation or other	"Y" document of particular relevance; the	na claimed invention cannot be				
0 do	ocial remon (so specified) outhest referring to an oral disclosure, use, axhibition or other	considered to involve an inventive considered to invelve an inventive consisted with one or more other suc being obvious to a person skilled in	to step when the document is the documents, such combination				
P do	being obvious to a person skilled in the art document published prior to the interactional filling date but later than the priority date claimed document member of the same patent family						
Date of the actual completion of the international search Date of mailing of the international search report							
14 MARCH 1998							
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231		Authorizadio filed	JUH 701				
Faccinile No. (703) 305-3230		Telephone No. (703) 308-0196	1				

	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Category*	Citation of document, with indication, where appropriate, of the following passages	1000
Y	PARAN et al. Recent Amplification of Triose Phosphate Isomerase Related Sequences in Lettuce. Genome. 1992. Vol. 35, No. 4, pages 627-635, see entire document.	1-6, 8, 10, 12, 14, 16, 18-30, 41-42, 45-54
Y	PARAN et al. Identification of Restriction Fragment Length Polymorphism and Random Amplified Polymorphic DNA markers linked to Downy Mildew Resistance Genes in Lettuce, Using Near- Isogenic Lines. Genome. 1991. Vol. 34, No. 6, pages 1021-1027, see entire document.	1-6, 8, 10, 12, 14, 16, 18-30, 41-42, 45-54

Box 1 Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)				
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:				
1. Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:				
2. X Claims Nos.: 7, 9, 11, 13, 15, 17, 31-40, 43-44 because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:				
these claims are drawn to numerous sequences identified by SEQ ID NOs. However, since no computer readable form was submitted, no meaningful search could be carried out.				
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).				
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)				
This International Searching Authority found multiple inventions in this international application, as follows:				
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.				
2. As all scarchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.				
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:				
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:				
Remark on Protest The additional search fees were accompanied by the applicant's protest.				
No protest accompanied the payment of additional search fees.				

A. CLASSIFICATION OF SUBJECT MATTER: IPC (6):	
A01H 1/00; C07H 21/04; C07K 14/00; C12N 5/04, 5/10; C12P 19/34; C12Q 1/68	
·	
·	